


Fig. 31: Floor Plan



Block J–Level 01

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 01									
412	LIVING ROOM	150	1.2			151	0		00:00	00:00	00:00
413	BEDROOM	100	23.9			1548			00:00	00:00	00:00
414	BEDROOM	100	21.0			1010			00:00	00:00	00:00
415	BEDROOM	100	23.4			753			00:00	00:00	00:00
416	L/K/D	200	12.0		19.2	1950	1020	308	00:00	00:00	00:00
417	BEDROOM	100	38.0			1736			00:00	00:00	00:00
418	BEDROOM	100	12.3			739			00:00	00:00	00:00
419	BEDROOM	100	6.2			689			00:00	00:11	00:10
420	BEDROOM	100	2.6			925			00:00	00:24	00:23
421	BEDROOM	100	7.5			1030			00:00	00:41	00:40
422	L/K/D	200	23.7		32.1	2281	1708	1399	00:00	00:52	05:09
423	BEDROOM	100	41.9			1966			00:00	00:09	03:30
424	BEDROOM	100	48.4			2132			00:00	00:14	03:30
425	L/K/D	200	0.0		0.0	205	36	7	00:00	00:00	00:00
426	L/K/D	200	11.6		13.8	836	427	316	00:00	00:35	03:34
427	BEDROOM	100	71.3			2594			00:02	00:39	03:34
428	BEDROOM	100	100.0			3478			00:13	00:57	04:33
429	BEDROOM	100	70.2			2598			00:00	00:00	00:21
430	L/K/D	200	0.0		0.2	333	155	62	00:00	00:00	00:23
431	BEDROOM	100	10.0			1090			00:00	00:00	00:00
432	BEDROOM	100	8.8			374			00:00	00:00	00:00

Table 24: Assessment Data





Fig. 32: Floor Plan



Block J–Level 02

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 02									
433	LIVING ROOM	150	1.6			466	41		00:00	00:00	00:00
434	BEDROOM	100	37.5			1914			00:00	00:00	00:00
435	BEDROOM	100	27.3			1548			00:00	00:00	00:00
436	BEDROOM	100	27.5			1187			00:00	00:00	00:00
437	L/K/D	200	14.4		24.0	2241	1455	697	00:00	00:00	00:00
438	BEDROOM	100	47.6			2152			00:00	00:00	00:00
439	BEDROOM	100	18.6			1238			00:00	00:00	00:00
440	BEDROOM	100	14.6			1093			00:04	00:11	00:10
441	BEDROOM	100	11.1			1342			00:00	00:24	00:23
442	BEDROOM	100	14.9			1376			00:00	00:40	00:40
443	L/K/D	200	31.9		40.8	2547	1952	1590	00:00	01:23	06:01
444	BEDROOM	100	54.4			2359			00:00	00:17	04:15
445	BEDROOM	100	58.5			2528			00:00	00:21	04:11
446	L/K/D	200	0.0		0.0	303	135	31	00:00	00:00	00:00
447	L/K/D	200	13.6		16.7	963	529	362	00:00	00:39	04:07
448	BEDROOM	100	88.5			2835			00:02	00:44	04:04
449	BEDROOM	100	100.0			3582			00:21	01:04	05:05
450	BEDROOM	100	89.3			2818			00:00	00:00	00:36
451	L/K/D	200	0.0		0.8	504	259	151	00:00	00:00	00:23
452	BEDROOM	100	21.1			1502			00:00	00:00	00:00
453	BEDROOM	100	12.6			782			00:00	00:00	00:00

Table 25: Assessment Data





Fig. 33: Floor Plan



Block J–Level 03

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 03									
454	LIVING ROOM	150	2.0			704	91		00:00	00:00	00:00
455	BEDROOM	100	39.8			1978			00:00	00:00	00:00
456	BEDROOM	100	27.3			1633			00:00	00:00	00:00
457	BEDROOM	100	28.9			1301			00:00	00:00	00:00
458	L/K/D	200	16.5		25.9	2361	1568	824	00:00	00:00	00:00
459	BEDROOM	100	53.6			2314			00:00	00:00	00:00
460	BEDROOM	100	23.0			1400			00:00	00:00	00:00
461	BEDROOM	100	18.0			1239			00:06	00:11	00:10
462	BEDROOM	100	16.3			1497			00:04	00:24	00:23
463	BEDROOM	100	19.9			1539			00:02	00:42	00:40
464	L/K/D	200	36.3		46.2	2649	2105	1690	00:00	01:36	06:44
465	BEDROOM	100	60.5			2572			00:00	00:24	04:57
466	BEDROOM	100	64.9			2708			00:00	00:28	04:57
467	L/K/D	200	0.0		0.0	304	114	28	00:02	00:00	00:00
468	L/K/D	200	15.7		18.3	1038	607	388	00:07	00:48	04:50
469	BEDROOM	100	96.6			2973			00:13	00:53	04:48
470	BEDROOM	100	100.0			3609			00:38	01:12	06:03
471	BEDROOM	100	96.7			2891			00:00	00:00	00:49
472	L/K/D	200	0.2		1.9	562	299	178	00:00	00:00	00:24
473	BEDROOM	100	26.7			1684			00:00	00:00	00:00
474	BEDROOM	100	14.8			987			00:00	00:00	00:00

Table 26: Assessment Data





Fig. 34: Floor Plan



Block J–Level 04

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 04									
475	LIVING ROOM	150	2.8			984	183		00:00	00:00	00:00
476	BEDROOM	100	43.2			2070			00:00	00:00	00:00
477	BEDROOM	100	30.8			1686			00:00	00:00	00:00
478	BEDROOM	100	30.7			1424			00:00	00:00	00:00
479	L/K/D	200	17.4		29.0	2463	1694	984	00:00	00:00	00:00
480	BEDROOM	100	61.4			2403			00:00	00:00	00:00
481	BEDROOM	100	27.5			1540			00:00	00:00	00:00
482	BEDROOM	100	19.7			1393			00:08	00:11	00:10
483	BEDROOM	100	21.6			1665			00:06	00:24	00:23
484	BEDROOM	100	24.8			1720			00:03	00:42	00:40
485	L/K/D	200	41.1		51.4	2774	2261	1855	00:00	04:20	07:07
486	BEDROOM	100	68.4			2762			00:00	02:54	05:33
487	BEDROOM	100	70.7			2867			00:02	02:49	05:32
488	L/K/D	200	0.0		0.0	342	145	38	00:10	00:00	00:00
489	L/K/D	200	16.7		20.0	1100	684	411	00:22	02:37	05:31
490	BEDROOM	100	98.3			3060			00:33	02:32	05:29
491	BEDROOM	100	100.0			3645			00:57	02:34	06:32
492	BEDROOM	100	99.2			2969			00:00	00:00	01:04
493	L/K/D	200	0.6		2.3	604	347	205	00:00	00:00	00:24
494	BEDROOM	100	32.2			1831			00:00	00:00	00:00
495	BEDROOM	100	18.1			1203			00:00	00:00	00:00

Table 27: Assessment Data





Fig. 35: Floor Plan



Block J–Level 05

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 05											
496	LIVING ROOM	150	3.2			1255	351		00:00	00:00	00:00
497	BEDROOM	100	45.5			2141			00:00	00:00	00:00
498	BEDROOM	100	32.2			1780			00:00	00:00	00:00
499	BEDROOM	100	32.6			1553			00:00	00:00	00:00
500	L/K/D	200	18.5		32.2	2563	1799	1105	00:00	00:00	00:00
501	BEDROOM	100	66.3			2495			00:00	00:00	00:00
502	BEDROOM	100	30.4			1726			00:00	00:00	00:00
503	BEDROOM	100	26.4			1598			00:11	00:11	00:13
504	BEDROOM	100	26.1			1830			00:08	00:24	00:29
505	BEDROOM	100	31.7			1838			00:05	00:42	00:41
506	L/K/D	200	46.5		57.5	2931	2428	2068	00:03	05:06	07:24
507	BEDROOM	100	77.7			2904			00:04	03:43	05:43
508	BEDROOM	100	80.3			3000			00:09	03:40	05:45
509	L/K/D	200	0.0		0.0	371	160	58	00:15	00:00	00:00
510	L/K/D	200	17.9		21.6	1217	761	454	00:36	03:37	05:48
511	BEDROOM	100	100.0			3157			00:42	03:32	05:45
512	BEDROOM	100	100.0			3695			01:03	03:34	06:55
513	BEDROOM	100	99.2			3038			00:00	00:00	01:21
514	L/K/D	200	0.6		3.1	658	380	240	00:00	00:05	00:24
515	BEDROOM	100	35.6			1920			00:00	00:00	00:00
516	BEDROOM	100	20.3			1417			00:00	00:00	00:00

Table 28: Assessment Data





Fig. 36: Floor Plan



Block J–Level 06

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 06											
517	LIVING ROOM	150	4.0			1454	538		00:00	00:00	00:00
518	BEDROOM	100	50.0			2208			00:00	00:00	00:00
519	BEDROOM	100	35.0			1925			00:00	00:00	00:00
520	BEDROOM	100	33.9			1653			00:00	00:00	00:00
521	L/K/D	200	19.6		35.3	2633	1907	1233	00:00	00:00	00:00
522	BEDROOM	100	69.9			2570			00:00	00:00	00:00
523	BEDROOM	100	34.3			1817			00:00	00:00	00:00
524	BEDROOM	100	28.1			1693			00:12	00:11	00:13
525	BEDROOM	100	31.4			1944			00:10	00:24	00:29
526	BEDROOM	100	36.0			1946			00:07	00:42	00:49
527	L/K/D	200	51.6		65.0	3072	2625	2277	00:18	05:25	07:42
528	BEDROOM	100	87.4			3045			00:15	04:01	05:55
529	BEDROOM	100	88.8			3087			00:21	03:59	05:58
530	L/K/D	200	0.0		0.0	403	188	80	00:26	00:00	00:00
531	L/K/D	200	19.6		23.0	1376	891	526	00:48	03:54	05:54
532	BEDROOM	100	100.0			3278			00:54	03:51	05:53
533	BEDROOM	100	100.0			3724			01:15	03:59	07:14
534	BEDROOM	100	99.2			3067			00:00	00:00	01:36
535	L/K/D	200	0.8		3.3	719	412	246	00:00	00:11	00:24
536	BEDROOM	100	43.3			2090			00:00	00:00	00:00
537	BEDROOM	100	24.2			1601			00:00	00:00	00:00

Table 29: Assessment Data





Fig. 37: Floor Plan



Block J–Level 07

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 07									
538	LIVING ROOM	150	4.8			1605	818		00:00	00:00	00:00
539	BEDROOM	100	54.5			2300			00:00	00:00	00:00
540	BEDROOM	100	40.6			2002			00:00	00:00	00:00
541	BEDROOM	100	37.2			1772			00:00	00:00	00:00
542	L/K/D	200	21.6		39.4	2695	2000	1359	00:00	00:00	00:00
543	BEDROOM	100	75.3			2631			00:00	00:00	00:00
544	BEDROOM	100	37.7			1904			00:00	00:00	00:00
545	BEDROOM	100	32.0			1828			00:12	00:11	00:13
546	BEDROOM	100	37.9			2032			00:10	00:24	00:29
547	BEDROOM	100	40.4			2032			00:07	00:42	00:49
548	L/K/D	200	58.8		74.1	3151	2786	2418	02:58	05:58	07:51
549	BEDROOM	100	98.6			3126			02:34	04:33	05:58
550	BEDROOM	100	96.3			3176			02:29	04:39	05:58
551	L/K/D	200	0.0		0.0	460	235	108	01:40	00:00	00:00
552	L/K/D	200	21.2		25.3	1523	1024	643	02:18	04:32	05:55
553	BEDROOM	100	100.0			3367			02:12	04:28	05:54
554	BEDROOM	100	100.0			3741			02:13	04:43	07:34
555	BEDROOM	100	99.2			3106			00:00	00:04	01:48
556	L/K/D	200	1.7		4.0	772	431	268	00:00	00:21	00:25
557	BEDROOM	100	46.7			2150			00:00	00:00	00:00
558	BEDROOM	100	27.5			1715			00:00	00:00	00:00

Table 30: Assessment Data





Fig. 38: Floor Plan



Block J–Level 08

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 08									
559	LIVING ROOM	150	6.0			1784	1021		00:00	00:00	00:00
560	BEDROOM	100	58.0			2355			00:00	00:00	00:00
561	BEDROOM	100	44.8			2089			00:00	00:00	00:00
562	BEDROOM	100	38.5			1863			00:00	00:00	00:00
563	L/K/D	200	23.5		44.7	2758	2090	1501	00:00	00:00	00:00
564	BEDROOM	100	78.9			2685			00:00	00:00	00:00
565	BEDROOM	100	40.7			2001			00:00	00:00	00:00
566	BEDROOM	100	36.5			1911			00:12	00:11	00:13
567	BEDROOM	100	42.5			2117			00:10	00:24	00:29
568	BEDROOM	100	46.0			2131			00:07	00:42	00:49
569	L/K/D	200	65.6		83.6	3256	2905	2576	03:58	06:33	07:59
570	BEDROOM	100	100.0			3221			03:37	05:18	06:00
571	BEDROOM	100	100.0			3301			03:32	05:16	05:59
572	L/K/D	200	0.0		0.0	518	280	130	01:46	00:00	00:00
573	L/K/D	200	22.6		26.5	1728	1220	827	03:15	05:06	05:55
574	BEDROOM	100	100.0			3441			03:08	05:02	05:54
575	BEDROOM	100	100.0			3766			03:08	05:05	07:46
576	BEDROOM	100	100.0			3134			00:00	00:15	01:53
577	L/K/D	200	2.1		4.6	817	455	296	00:00	00:25	00:25
578	BEDROOM	100	53.3			2253			00:00	00:00	00:00
579	BEDROOM	100	30.8			1832			00:00	00:00	00:00

Table 31: Assessment Data




Fig. 39: Floor Plan



Block J–Level 09

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 09									
580	LIVING ROOM	150	8.1			1912	1178		00:00	00:00	00:00
581	BEDROOM	100	62.5			2427			00:00	00:00	00:00
582	BEDROOM	100	47.6			2172			00:00	00:00	00:00
583	BEDROOM	100	41.7			1961			00:00	00:00	00:00
584	L/K/D	200	25.9		49.4	2808	2165	1606	00:00	00:00	00:00
585	BEDROOM	100	83.7			2738			00:00	00:00	00:00
586	BEDROOM	100	45.6			2084			00:00	00:00	00:00
587	BEDROOM	100	41.0			2003			00:12	00:11	00:13
588	BEDROOM	100	48.4			2201			00:10	00:24	00:29
589	BEDROOM	100	52.2			2215			00:07	00:42	00:49
590	L/K/D	200	74.5		87.0	3366	3019	2717	04:31	06:35	08:02
591	BEDROOM	100	100.0			3332			04:08	05:19	06:00
592	BEDROOM	100	100.0			3399			04:04	05:16	05:59
593	L/K/D	200	0.0		1.0	618	336	189	01:55	00:00	00:00
594	L/K/D	200	24.2		28.7	1844	1364	1019	03:54	05:07	05:57
595	BEDROOM	100	100.0			3498			03:50	05:07	05:56
596	BEDROOM	100	100.0			3796			04:00	05:17	07:49
597	BEDROOM	100	100.0			3164			00:00	00:26	01:54
598	L/K/D	200	2.5		5.2	888	476	295	00:00	00:25	00:26
599	BEDROOM	100	58.9			2335			00:00	00:00	00:01
600	BEDROOM	100	37.4			1987			00:00	00:00	00:00

Table 32: Assessment Data





Fig. 40: Floor Plan



Block J–Level 10

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 10											
601	LIVING ROOM	150	11.3			2061	1322		00:00	00:00	00:00
602	BEDROOM	100	68.2			2549			00:00	00:00	00:00
603	BEDROOM	100	53.1			2258			00:00	00:00	00:00
604	BEDROOM	100	45.9			2049			00:00	00:00	00:00
605	L/K/D	200	27.2		52.7	2874	2264	1716	00:00	00:00	00:00
606	BEDROOM	100	88.6			2790			00:00	00:00	00:00
607	BEDROOM	100	49.0			2159			00:00	00:00	00:00
608	BEDROOM	100	42.7			2082			00:12	00:11	00:13
609	BEDROOM	100	58.8			2281			00:10	00:24	00:29
610	BEDROOM	100	55.9			2288			00:07	00:42	00:49
611	L/K/D	200	81.0		93.5	3430	3085	2804	04:58	06:41	08:03
612	BEDROOM	100	100.0			3396			04:31	05:22	06:01
613	BEDROOM	100	100.0			3458			04:40	05:21	06:01
614	L/K/D	200	0.0		16	816	422	254	02:01	00:00	00:00
615	L/K/D	200	26.1		30.3	1952	1539	1216	04:34	05:22	05:58
616	BEDROOM	100	100.0			3546			04:33	05:23	05:56
617	BEDROOM	100	100.0			3814			04:49	05:36	07:49
618	BEDROOM	100	100.0			3205			00:00	00:40	01:55
619	L/K/D	200	2.9		6.1	983	506	325	00:00	00:26	00:27
620	BEDROOM	100	64.4			2443			00:00	00:00	00:01
621	BEDROOM	100	42.9			2107			00:00	00:00	00:00

Table 33: Assessment Data





Fig. 41: Floor Plan



Block J–Level 11

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 11											
622	LIVING ROOM	150	13.7			2162	1468		00:00	00:00	00:00
623	BEDROOM	100	71.6			2590			00:00	00:00	00:00
624	BEDROOM	100	56.6			2330			00:00	00:00	00:00
625	BEDROOM	100	47.7			2133			00:00	00:00	00:00
626	L/K/D	200	29.8		56.7	2926	2330	1807	00:00	00:00	00:00
627	BEDROOM	100	94.0			2880			00:00	00:00	00:00
628	BEDROOM	100	51.5			2233			00:00	00:00	00:00
629	BEDROOM	100	47.8			2159			00:12	00:11	00:13
630	BEDROOM	100	64.7			2398			00:10	00:24	00:29
631	BEDROOM	100	61.5			2365			00:07	00:43	00:49
632	L/K/D	200	84.8		98.4	3486	3130	2892	05:59	06:58	08:04
633	BEDROOM	100	100.0			3455			05:49	05:41	06:03
634	BEDROOM	100	100.0			3491			05:44	05:41	06:01
635	L/K/D	200	0.0		3.9	960	508	300	02:01	00:00	00:00
636	L/K/D	200	27.7		32.4	2101	1661	1350	05:26	05:38	05:58
637	BEDROOM	100	100.0			3596			05:20	05:37	05:58
638	BEDROOM	100	100.0			3824			05:11	05:45	07:51
639	BEDROOM	100	100.0			3250			00:00	00:43	01:55
640	L/K/D	200	3.5		6.7	1062	528	341	00:01	00:26	00:27
641	BEDROOM	100	72.2			2559			00:00	00:00	00:02
642	BEDROOM	100	49.5			2196			00:00	00:00	00:00

Table 34: Assessment Data

Block J–Level 12

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 12											
643	LIVING ROOM	150	17.3			2244	1568		00:00	00:00	00:00
644	BEDROOM	100	79.5			2693			00:00	00:00	00:00
645	BEDROOM	100	63.6			2413			00:00	00:00	00:00
646	BEDROOM	100	50.0			2211			00:00	00:00	00:00
647	L/K/D	200	32.5		61.2	2959	2417	1910	00:00	00:00	00:00
648	BEDROOM	100	97.6			2924			00:00	00:00	00:00
649	BEDROOM	100	57.8			2353			00:00	00:00	00:00
650	BEDROOM	100	52.8			2247			00:12	00:11	00:13
651	BEDROOM	100	75.2			2490			00:10	00:24	00:29
652	BEDROOM	100	70.2			2456			00:07	00:43	00:49
653	L/K/D	200	90.2		100.0	3518	3185	2962	06:07	07:14	08:06
654	BEDROOM	100	100.0			3492			05:50	05:54	06:04
655	BEDROOM	100	100.0			3540			05:47	05:53	06:03
656	L/K/D	200	0.0		4.5	1225	629	344	02:01	00:00	00:00
657	L/K/D	200	29.1		34.0	2287	1813	1465	05:36	05:46	06:00
658	BEDROOM	100	100.0			3614			05:32	05:45	06:00
659	BEDROOM	100	100.0			3840			05:28	05:54	07:53
660	BEDROOM	100	100.0			3281			00:00	00:44	01:56
661	L/K/D	200	4.6		7.9	1131	554	363	00:06	00:26	00:28
662	BEDROOM	100	84.4			2659			00:00	00:00	00:02
663	BEDROOM	100	57.7			2323			00:00	00:00	00:00

Table 35: Assessment Data




Fig. 43: Floor Plan



Block J–Level 13

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 13											
664	LIVING ROOM	150	20.2			2328	1687		00:00	00:00	00:00
665	BEDROOM	100	85.2			2719			00:00	00:00	00:00
666	BEDROOM	100	67.1			2480			00:00	00:00	00:00
667	BEDROOM	100	54.1			2294			00:00	00:00	00:00
668	L/K/D	200	38.1		65.2	2990	2476	1982	00:00	00:00	00:00
669	BEDROOM	100	100.0			2982			00:00	00:00	00:00
670	BEDROOM	100	63.2			2462			00:00	00:00	00:00
671	BEDROOM	100	60.1			2408			00:12	00:11	00:13
672	BEDROOM	100	92.2			2616			00:10	00:24	00:29
673	BEDROOM	100	77.6			2611			00:07	00:43	00:49
674	L/K/D	200	96.1		100.0	3556	3239	3019	06:07	07:24	08:07
675	BEDROOM	100	100.0			3521			05:50	06:05	06:06
676	BEDROOM	100	100.0			3581			05:47	06:04	06:05
677	L/K/D	200	0.3		6.6	1325	738	391	02:01	00:00	00:00
678	L/K/D	200	30.1		35.8	2425	1911	1570	05:36	05:58	06:02
679	BEDROOM	100	100.0			3631			05:32	05:58	06:01
680	BEDROOM	100	100.0			3857			05:29	06:05	07:53
681	BEDROOM	100	100.0			3301			00:00	00:48	01:56
682	L/K/D	200	6.1		9.0	1245	596	416	00:07	00:26	00:29
683	BEDROOM	100	95.6			2788			00:00	00:00	00:03
684	BEDROOM	100	65.9			2417			00:00	00:00	00:00

Table 36: Assessment Data





Fig. 44: Floor Plan



Block J–Level 14

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 14									
685	LIVING ROOM	150	20.6			2352	1733		00:00	00:00	00:00
686	BEDROOM	100	90.9			2701			00:00	00:00	00:00
687	BEDROOM	100	67.1			2463			00:00	00:00	00:00
688	BEDROOM	100	57.8			2325			00:00	00:00	00:00
689	L/K/D	200	41.4		67.8	3004	2516	2032	00:00	00:00	00:00
690	BEDROOM	100	100.0			3034			00:00	00:00	00:00
691	BEDROOM	100	76.0			2576			00:00	00:00	00:00
692	BEDROOM	100	69.1			2519			00:12	00:15	00:13
693	BEDROOM	100	100.0			2738			00:10	00:32	00:29
694	BEDROOM	100	87.0			2700			00:07	00:47	00:49
695	L/K/D	200	99.8		100.0	3608	3329	3092	06:07	07:38	08:09
696	BEDROOM	100	100.0			3575			05:50	06:18	06:07
697	BEDROOM	100	100.0			3599			05:48	06:18	06:07
698	L/K/D	200	1.6		7.1	1404	809	458	02:01	00:00	00:00
699	L/K/D	200	32.6		40.1	2542	1998	1655	05:37	06:14	06:03
700	BEDROOM	100	100.0			3660			05:33	06:11	06:02
701	BEDROOM	100	100.0			3862			05:29	06:18	07:55
702	BEDROOM	100	100.0			3383			00:00	00:54	01:57
703	L/K/D	200	6.3		10.6	1378	700	407	00:09	00:27	00:29
704	BEDROOM	100	100.0			2896			00:00	00:00	00:04
705	BEDROOM	100	76.4			2531			00:00	00:00	00:00

Table 37: Assessment Data





Fig. 45: Floor Plan



Block J–Level 15

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 15											
706	LIVING ROOM	150	33.1			2526	1924		00:00	00:00	00:00
707	BEDROOM	100	98.9			2827			00:00	00:00	00:00
708	BEDROOM	100	75.5			2622			00:00	00:00	00:00
709	BEDROOM	100	60.6			2458			00:00	00:00	00:00
710	BEDROOM	100	100.0			3427			00:00	00:00	00:00
711	L/K/D	200	18.3		32.1	2538	1837	1215	00:00	00:00	00:00
712	BEDROOM	100	100.0			3163			00:00	00:00	00:00
713	BEDROOM	100	87.6			2760			00:00	00:00	00:00
714	BEDROOM	100	78.0			2610			00:12	00:15	00:13
715	BEDROOM	100	99.4			2772			00:10	00:32	00:29
716	BEDROOM	100	100.0			3112			00:07	00:54	00:49
717	BEDROOM	100	100.0			3165			00:03	01:17	01:15
718	L/K/D	200	100.0		100.0	3653	3436	3174	06:05	07:46	08:11
719	BEDROOM	100	75.0			2513			02:14	00:02	00:00
720	L/K/D	200	42.1		57.0	2862	2376	1988	05:48	06:34	06:08
721	BEDROOM	100	91.7			2579			02:17	00:02	00:00
722	L/K/D	200	94.3		100.0	3481	3131	2883	05:41	06:30	06:06
723	BEDROOM	100	100.0			3611			05:38	06:27	06:05
724	L/K/D	200	99.7		100.0	3808	3630	3483	05:37	06:46	08:03
725	L/K/D	200	9.0		13.4	1506	872	529	00:20	00:28	00:30
726	BEDROOM	100	100.0			3062			00:00	00:00	00:05
727	BEDROOM	100	94.5			2687			00:00	00:00	00:00

Table 38: Assessment Data





Fig. 46: Floor Plan



Block J–Level 16

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 16											
728	LIVING ROOM	150	28.2			2455	1877		00:00	00:00	00:00
729	BEDROOM	100	98.9			2769			00:00	00:00	00:00
730	BEDROOM	100	71.3			2554			00:00	00:00	00:00
731	BEDROOM	100	58.7			2375			00:00	00:00	00:00
732	BEDROOM	100	100.0			3387			00:00	00:00	00:00
733	L/K/D	200	17.7		30.6	2498	1836	1221	00:00	00:00	00:00
734	BEDROOM	100	100.0			3154			00:00	00:00	00:00
735	BEDROOM	100	94.0			2794			00:00	00:00	00:00
736	BEDROOM	100	93.0			2662			00:12	00:15	00:13
737	BEDROOM	100	100.0			2804			00:10	00:32	00:29
738	BEDROOM	100	100.0			3125			00:07	00:54	00:50
739	BEDROOM	100	100.0			3167			00:03	01:20	01:15
740	L/K/D	200	100.0		100.0	3661	3449	3185	06:06	08:02	08:12
741	BEDROOM	100	75.6			2450			02:14	00:02	00:00
742	L/K/D	200	42.8		59.6	2904	2441	2014	05:48	06:40	06:10
743	BEDROOM	100	88.5			2543			02:17	00:04	00:00
744	L/K/D	200	95.5		100.0	3479	3132	2869	05:42	06:35	06:07
745	BEDROOM	100	100.0			3615			05:41	06:33	06:06
746	L/K/D	200	100.0		100.0	3801	3629	3482	05:56	06:59	08:05
747	L/K/D	200	9.4		14.0	1578	957	520	00:29	00:29	00:31
748	BEDROOM	100	100.0			3082			00:00	00:01	00:06
749	BEDROOM	100	98.4			2727			00:00	00:00	00:00

Table 39: Assessment Data





Fig. 47: Floor Plan



Block K–Level 01

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 01											
750	BEDROOM	100	21.4			1430			00:00	00:00	00:30
751	L/K/D	200	31.2		39.3	2518	1613	1022	00:00	00:02	00:40
752	BEDROOM	100	100.0			3670			00:00	00:01	00:34
753	BEDROOM	100	100.0			3679			00:34	00:23	00:32
754	L/K/D	200	45.9		67.0	3022	2504	2084	01:24	02:13	05:16
755	BEDROOM	100	91.2			2956			00:59	01:51	05:07
756	L/K/D	200	22.0		28.6	1973	1473	1124	01:00	01:56	05:03
757	BEDROOM	100	91.2			2952			00:34	01:29	04:58
758	BEDROOM	100	99.3			3218			00:23	01:15	05:00
759	L/K/D	200	12.9		16.9	1003	590	425	00:10	00:00	02:35
760	L/K/D	200	19.3		25.4	1494	1135	805	00:00	00:00	02:36
761	BEDROOM	100	0.0			371			00:00	00:00	00:00
762	BEDROOM	100	0.0			262			00:00	00:00	00:00
763	L/K/D	200	1.5		2.8	233	120	69	00:00	01:47	01:34
764	STUDIO	200	0.0	1.5	0.0	263	134	60	00:00	00:44	00:39

Table 40: Assessment Data



Fig. 48: Floor Plan



Block K–Level 02

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 02									
765	BEDROOM	100	34.7			1531			00:00	00:00	00:00
766	BEDROOM	100	35.5			1630			00:00	00:00	00:00
767	BEDROOM	100	28.1			1210			00:00	00:00	00:02
768	BEDROOM	100	45.2			2083			00:00	00:00	00:08
769	LIVING ROOM	150	88.9			3270	2791		00:00	00:00	00:08
770	BEDROOM	100	29.3			1708			00:00	00:00	00:19
771	L/K/D	200	99.7		100.0	3667	3424	3166	00:00	00:10	00:50
772	L/K/D	200	45.7		65.5	3136	2628	2096	00:00	00:13	00:59
773	BEDROOM	100	45.7			2141			00:00	00:00	00:00
774	BEDROOM	100	40.8			2084			00:00	00:05	00:44
775	L/K/D	200	37.3		50.3	2877	2199	1567	00:00	00:06	01:08
776	BEDROOM	100	100.0			3725			00:00	00:03	01:10
777	BEDROOM	100	100.0			3731			00:33	00:30	01:07
778	L/K/D	200	60.2		92.9	3179	2763	2393	01:32	04:12	05:53
779	BEDROOM	100	100.0			3149			01:02	03:47	05:41
780	L/K/D	200	26.8		33.5	2297	1677	1328	01:04	01:56	05:42
781	BEDROOM	100	100.0			3127			00:36	01:32	05:34
782	BEDROOM	100	100.0			3413			00:26	01:25	05:23
783	L/K/D	200	15.6		20.6	1232	767	543	00:10	00:00	03:02
784	L/K/D	200	24.6		33.8	1833	1387	1095	00:00	01:00	03:10
785	BEDROOM	100	0.0			469			00:00	00:00	00:00
786	STUDIO	200	2.2	5.3	3.2	541	311	186	00:00	01:58	01:45
787	BEDROOM	100	0.0			121			00:00	00:00	00:00
788	L/K/D	200	0.4		4.4	1099	512	323	00:00	01:06	00:49
789	L/K/D	200	4.3		7.2	383	124	86	00:00	00:00	00:00

Table 41: Assessment Data




Fig. 49: Floor Plan



Block K–Level 03

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200			
		1 FEB	25 FEB	21 MAR							
BLOCK K - LEVEL 03											
790	BEDROOM	100	44.8			1949			00:00	00:00	00:01
791	BEDROOM	100	46.3			2096			00:00	00:00	00:08
792	BEDROOM	100	38.6			1648			00:00	00:00	00:14
793	BEDROOM	100	59.7			2488			00:00	00:00	00:21
794	LIVING ROOM	150	98.5			3425	3023		00:00	00:00	00:17
795	BEDROOM	100	49.3			2183			00:00	00:00	00:19
796	L/K/D	200	100.0		100.0	3717	3489	3267	00:00	00:10	00:50
797	L/K/D	200	53.9		74.0	3226	2774	2298	00:00	00:16	00:59
798	BEDROOM	100	86.6			2549			00:00	00:00	00:00
799	BEDROOM	100	85.6			2492			00:00	00:09	00:44
800	L/K/D	200	41.9		55.9	2987	2403	1821	00:00	00:10	01:09
801	BEDROOM	100	100.0			3780			00:00	00:07	01:16
802	BEDROOM	100	100.0			3793			00:33	00:33	01:26
803	L/K/D	200	68.0		96.1	3276	2909	2532	01:46	04:40	06:21
804	BEDROOM	100	100.0			3299			01:14	04:12	06:03
805	L/K/D	200	31.0		39.4	2480	1852	1516	01:08	04:10	06:06
806	BEDROOM	100	100.0			3292			00:40	03:55	05:53
807	BEDROOM	100	100.0			3516			00:29	03:38	05:44
808	L/K/D	200	20.2		25.7	1415	915	599	00:10	02:35	03:16
809	L/K/D	200	32.6		39.4	2244	1678	1393	00:00	02:32	03:15
810	BEDROOM	100	0.0			780			00:00	00:00	00:00
811	STUDIO	200	2.8	7.6	4.2	742	439	291	00:00	01:58	01:45
812	BEDROOM	100	0.0			298			00:00	00:00	00:00
813	L/K/D	200	1.8		10.0	1588	1004	541	00:00	01:06	00:49
814	L/K/D	200	6.7		11.0	714	163	136	00:00	00:00	00:00

Table 42: Assessment Data




Fig. 50: Floor Plan



Block K–Level 04

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200			
		1 FEB	25 FEB	21 MAR							
BLOCK K - LEVEL 04											
815	BEDROOM	100	49.6			2139			00:00	00:00	00:12
816	BEDROOM	100	53.2			2283			00:00	00:00	00:19
817	BEDROOM	100	41.9			1856			00:00	00:00	00:22
818	BEDROOM	100	66.7			2679			00:00	00:00	00:22
819	LIVING ROOM	150	99.4			3461	3092		00:00	00:00	00:17
820	BEDROOM	100	56.1			2252			00:00	00:05	00:19
821	L/K/D	200	100.0		100.0	3722	3497	3290	00:00	00:22	00:50
822	L/K/D	200	56.3		76.6	3252	2809	2351	00:00	00:16	00:59
823	BEDROOM	100	94.5			2588			00:00	00:00	00:00
824	BEDROOM	100	93.1			2543			00:00	00:11	00:44
825	L/K/D	200	42.7		57.6	3019	2462	1896	00:00	00:12	01:09
826	BEDROOM	100	100.0			3791			00:00	00:09	01:16
827	BEDROOM	100	100.0			3799			00:33	00:34	01:27
828	L/K/D	200	73.0		97.7	3318	2958	2604	01:50	04:40	06:54
829	BEDROOM	100	100.0			3363			01:23	04:35	06:33
830	L/K/D	200	31.8		42.0	2567	1936	1566	01:16	04:51	06:24
831	BEDROOM	100	100.0			3383			00:44	04:07	06:14
832	BEDROOM	100	100.0			3576			00:32	04:07	06:03
833	L/K/D	200	22.6		27.4	1514	1007	643	00:10	02:44	03:34
834	L/K/D	200	35.3		43.1	2387	1873	1538	00:00	02:40	03:22
835	BEDROOM	100	0.0			877			00:00	00:00	00:00
836	STUDIO	200	3.5	9.8	4.8	898	514	334	00:00	01:58	01:45
837	BEDROOM	100	0.0			328			00:00	00:00	00:00
838	L/K/D	200	4.6		13.8	1804	1169	754	01:13	01:06	00:49
839	L/K/D	200	7.9		14.1	889	197	146	00:00	00:00	00:05

Table 43: Assessment Data