

Fig. 51: Floor Plan



Block K–Level 05

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200			
		1 FEB	25 FEB	21 MAR							
BLOCK K - LEVEL 05											
840	BEDROOM	100	53.6			2401			00:00	00:00	00:21
841	BEDROOM	100	59.6			2529			00:00	00:00	00:22
842	BEDROOM	100	46.2			2057			00:00	00:00	00:22
843	BEDROOM	100	76.3			2858			00:00	00:00	00:22
844	LIVING ROOM	150	100.0			3505	3191		00:00	00:00	00:17
845	BEDROOM	100	63.4			2307			00:00	00:10	00:19
846	L/K/D	200	100.0		100.0	3731	3514	3311	00:00	00:25	00:50
847	L/K/D	200	56.3		81.3	3271	2838	2409	00:00	00:20	00:59
848	BEDROOM	100	97.6			2626			00:00	00:00	00:00
849	BEDROOM	100	98.3			2594			00:00	00:11	00:44
850	L/K/D	200	43.2		59.2	3039	2495	1954	00:00	00:12	01:09
851	BEDROOM	100	100.0			3800			00:00	00:09	01:16
852	BEDROOM	100	100.0			3803			00:33	00:34	01:27
853	L/K/D	200	77.2		98.8	3364	3001	2677	04:04	04:40	07:04
854	BEDROOM	100	100.0			3423			02:28	04:35	07:04
855	L/K/D	200	33.8		44.5	2637	2044	1656	01:23	04:51	06:52
856	BEDROOM	100	100.0			3431			00:52	04:46	06:33
857	BEDROOM	100	100.0			3610			00:38	04:49	06:22
858	L/K/D	200	25.0		29.8	1636	1119	737	00:10	02:53	03:49
859	L/K/D	200	38.0		45.7	2523	1999	1687	00:00	02:49	03:30
860	BEDROOM	100	0.0			946			00:00	00:07	00:00
861	STUDIO	200	4.0	11.0	5.6	1027	585	374	02:07	02:07	01:45
862	BEDROOM	100	0.0			383			00:00	00:00	00:00
863	L/K/D	200	6.4		15.8	1949	1333	898	01:13	01:06	00:49
864	L/K/D	200	8.8		16.5	1071	248	151	00:00	00:00	00:16

Table 44: Assessment Data




Fig. 52: Floor Plan



Block K–Level 06

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200			
		1 FEB	25 FEB	21 MAR							
BLOCK K - LEVEL 06											
865	BEDROOM	100	60.0			2625			00:00	00:00	00:21
866	BEDROOM	100	70.0			2731			00:00	00:00	00:22
867	BEDROOM	100	52.9			2268			00:00	00:00	00:22
868	BEDROOM	100	88.7			3027			00:00	00:00	00:25
869	LIVING ROOM	150	100.0			3564	3260		00:00	00:00	00:25
870	BEDROOM	100	67.8			2340			00:00	00:10	00:19
871	L/K/D	200	100.0		100.0	3734	3525	3324	00:00	00:25	00:50
872	L/K/D	200	57.9		84.9	3300	2870	2441	00:00	00:20	00:59
873	BEDROOM	100	98.2			2665			00:00	00:00	00:00
874	BEDROOM	100	98.3			2616			00:00	00:11	00:44
875	L/K/D	200	44.6		60.5	3067	2538	2006	00:00	00:12	01:09
876	BEDROOM	100	100.0			3801			00:00	00:09	01:16
877	BEDROOM	100	100.0			3816			00:33	00:34	01:27
878	L/K/D	200	84.2		99.2	3420	3068	2751	04:37	04:40	07:04
879	BEDROOM	100	100.0			3467			03:47	04:35	07:09
880	L/K/D	200	36.3		48.7	2723	2164	1750	03:59	04:51	07:04
881	BEDROOM	100	100.0			3479			03:07	04:46	06:52
882	BEDROOM	100	100.0			3636			02:08	04:49	06:42
883	L/K/D	200	26.8		31.4	1777	1260	847	02:01	03:02	04:02
884	L/K/D	200	39.9		49.6	2669	2136	1795	02:24	02:58	03:31
885	BEDROOM	100	0.0			1077			00:00	00:32	00:00
886	STUDIO	200	4.0	12.6	6.5	1114	650	412	02:10	02:12	01:45
887	BEDROOM	100	0.0			413			00:00	00:00	00:00
888	L/K/D	200	8.6		18.8	2088	1480	1035	01:13	01:06	00:49
889	L/K/D	200	10.3		18.1	1252	376	158	00:00	00:00	00:20

Table 45: Assessment Data




Fig. 53: Floor Plan



Block K–Level 07

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 07									
890	BEDROOM	100	66.4			2740			00:00	00:00	00:21
891	BEDROOM	100	79.8			2847			00:00	00:00	00:25
892	BEDROOM	100	58.6			2479			00:00	00:00	00:30
893	BEDROOM	100	94.1			3153			00:00	00:00	00:36
894	LIVING ROOM	150	100.0			3604	3322		00:00	00:00	00:34
895	BEDROOM	100	71.2			2391			00:00	00:10	00:19
896	L/K/D	200	100.0		100.0	3745	3539	3335	00:00	00:25	00:50
897	L/K/D	200	59.9		88.5	3316	2901	2471	00:00	00:20	00:59
898	BEDROOM	100	98.2			2690			00:00	00:00	00:00
899	BEDROOM	100	98.3			2648			00:00	00:11	00:44
900	L/K/D	200	45.4		62.4	3094	2573	2051	00:00	00:12	01:09
901	BEDROOM	100	100.0			3807			00:00	00:09	01:16
902	BEDROOM	100	100.0			3824			00:33	00:34	01:27
903	L/K/D	200	90.3		99.6	3456	3111	2810	04:37	04:51	07:04
904	BEDROOM	100	100.0			3487			04:29	04:41	07:09
905	L/K/D	200	38.3		52.7	2789	2278	1831	04:24	04:51	07:10
906	BEDROOM	100	100.0			3498			03:43	04:46	07:08
907	BEDROOM	100	100.0			3680			03:37	04:49	07:04
908	L/K/D	200	29.2		34.0	1893	1464	1056	02:50	03:12	04:12
909	L/K/D	200	42.3		53.0	2771	2282	1932	02:37	03:19	03:32
910	BEDROOM	100	11			1174			00:00	00:32	00:00
911	STUDIO	200	4.5	14.0	7.0	1194	743	446	02:10	02:12	01:45
912	BEDROOM	100	0.0			452			00:00	00:00	00:00
913	L/K/D	200	10.6		22.8	2211	1635	1165	01:13	01:06	00:49
914	L/K/D	200	12.6		20.3	1402	511	171	00:00	00:00	00:20

Table 46: Assessment Data




Fig. 54: Floor Plan



Block K–Level 08

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 08											
915	BEDROOM	100	76.0			2862			00:00	00:00	00:30
916	BEDROOM	100	84.2			2976			00:00	00:00	00:37
917	BEDROOM	100	63.3			2632			00:00	00:00	00:40
918	BEDROOM	100	97.8			3218			00:00	00:00	00:40
919	LIVING ROOM	150	100.0			3621	3353		00:00	00:00	00:40
920	BEDROOM	100	73.7			2443			00:00	00:10	00:19
921	L/K/D	200	100.0		100.0	3756	3554	3351	00:00	00:25	00:50
922	L/K/D	200	60.5		90.1	3329	2932	2513	00:00	00:20	00:59
923	BEDROOM	100	98.2			2730			00:00	00:00	00:00
924	BEDROOM	100	98.9			2669			00:00	00:11	00:44
925	L/K/D	200	46.5		62.7	3100	2579	2050	00:00	00:12	01:09
926	BEDROOM	100	100.0			3816			00:00	00:09	01:16
927	BEDROOM	100	100.0			3828			00:33	00:34	01:27
928	L/K/D	200	93.8		99.6	3486	3142	2880	04:37	05:05	07:04
929	BEDROOM	100	100.0			3509			04:29	04:55	07:09
930	L/K/D	200	41.4		56.6	2875	2386	1928	04:37	05:01	07:10
931	BEDROOM	100	100.0			3544			04:27	04:48	07:10
932	BEDROOM	100	100.0			3705			04:22	04:50	07:10
933	L/K/D	200	31.4		36.6	2040	1636	1242	03:28	03:26	04:15
934	L/K/D	200	44.5		55.5	2856	2367	2023	02:49	03:20	03:33
935	BEDROOM	100	2.2			1263			00:03	00:32	00:00
936	STUDIO	200	5.0	15.4	8.1	1296	790	504	02:10	02:12	01:45
937	BEDROOM	100	0.0			505			00:00	00:00	00:00
938	L/K/D	200	12.8		27.5	2337	1754	1284	01:13	01:06	00:49
939	L/K/D	200	13.8		22.4	1546	642	179	00:00	00:00	00:23

Table 47: Assessment Data




Fig. 55: Floor Plan



Block K–Level 09

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 09									
940	BEDROOM	100	79.2			2970			00:00	00:00	00:38
941	BEDROOM	100	87.7			3061			00:00	00:00	00:41
942	BEDROOM	100	71.4			2768			00:00	00:00	00:46
943	BEDROOM	100	100.0			3287			00:00	00:00	00:52
944	LIVING ROOM	150	100.0			3642	3400		00:00	00:00	00:52
945	BEDROOM	100	77.6			2461			00:00	00:10	00:19
946	L/K/D	200	100.0		100.0	3771	3574	3373	00:00	00:25	00:50
947	L/K/D	200	61.5		90.5	3350	2962	2555	00:00	00:20	00:59
948	BEDROOM	100	98.8			2734			00:00	00:00	00:00
949	BEDROOM	100	98.3			2704			00:00	00:11	00:44
950	L/K/D	200	46.2		63.5	3113	2598	2093	00:00	00:12	01:09
951	BEDROOM	100	100.0			3819			00:00	00:09	01:16
952	BEDROOM	100	100.0			3831			00:33	00:34	01:27
953	L/K/D	200	96.9		100.0	3498	3179	2925	04:37	05:19	07:04
954	BEDROOM	100	100.0			3545			04:29	05:09	07:09
955	L/K/D	200	44.2		58.9	2958	2467	2031	04:37	05:13	07:10
956	BEDROOM	100	100.0			3583			04:27	05:01	07:10
957	BEDROOM	100	100.0			3722			04:26	04:58	07:10
958	L/K/D	200	33.8		39.7	2204	1774	1470	03:57	03:26	04:15
959	L/K/D	200	47.4		58.2	2933	2474	2110	03:00	03:20	03:34
960	BEDROOM	100	5.5			1399			00:13	00:33	00:00
961	STUDIO	200	5.6	16.1	9.5	1406	840	543	02:19	02:12	01:45
962	BEDROOM	100	0.0			536			00:00	00:00	00:00
963	L/K/D	200	15.4		32.5	2423	1855	1436	01:13	01:06	00:49
964	L/K/D	200	16.5		24.3	1711	821	263	00:00	00:00	00:31

Table 48: Assessment Data




Fig. 56: Floor Plan



Block K–Level 10

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 10											
965	BEDROOM	100	86.4			3036			00:00	00:00	00:38
966	BEDROOM	100	92.1			3120			00:00	00:00	00:45
967	BEDROOM	100	80.5			2857			00:00	00:00	00:51
968	BEDROOM	100	100.0			3344			00:00	00:00	00:57
969	LIVING ROOM	150	100.0			3678	3429		00:00	00:00	00:56
970	BEDROOM	100	79.5			2495			00:00	00:10	00:19
971	L/K/D	200	100.0		100.0	3781	3582	3389	00:00	00:28	00:50
972	L/K/D	200	61.8		92.8	3358	2974	2569	00:00	00:21	00:59
973	BEDROOM	100	98.8			2756			00:00	00:00	00:00
974	BEDROOM	100	98.9			2718			00:00	00:11	00:44
975	L/K/D	200	48.1		64.3	3122	2625	2113	00:00	00:12	01:09
976	BEDROOM	100	100.0			3826			00:00	00:09	01:16
977	BEDROOM	100	100.0			3843			00:33	00:34	01:27
978	L/K/D	200	98.8		100.0	3525	3222	2973	04:37	05:40	07:04
979	BEDROOM	100	100.0			3583			04:29	05:25	07:09
980	L/K/D	200	49.0		60.8	3035	2550	2149	04:37	05:29	07:10
981	BEDROOM	100	100.0			3608			04:27	05:15	07:10
982	BEDROOM	100	100.0			3734			04:26	05:13	07:10
983	L/K/D	200	35.1		41.4	2346	1905	1609	04:10	03:26	04:16
984	L/K/D	200	50.9		61.3	3003	2577	2196	03:12	03:24	03:35
985	BEDROOM	100	8.8			1506			00:30	00:33	00:00
986	STUDIO	200	6.5	18.6	10.6	1499	949	597	02:35	02:12	01:45
987	BEDROOM	100	0.0			570			00:00	00:00	00:00
988	L/K/D	200	16.8		37.9	2498	1962	1585	01:13	01:06	00:47
989	L/K/D	200	18.1		26.3	1823	976	401	00:00	00:00	00:31

Table 49: Assessment Data




Fig. 57: Floor Plan



Block K–Level 11

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 11									
990	BEDROOM	100	88.8			3083			00:00	00:00	00:38
991	BEDROOM	100	94.6			3169			00:00	00:00	00:45
992	BEDROOM	100	82.4			2907			00:00	00:00	00:51
993	BEDROOM	100	100.0			3363			00:00	00:00	00:57
994	LIVING ROOM	150	100.0			3680	3434		00:00	00:00	00:56
995	BEDROOM	100	79.0			2482			00:00	00:10	00:21
996	L/K/D	200	100.0		100.0	3785	3582	3395	00:00	00:34	00:51
997	L/K/D	200	63.2		94.1	3375	2985	2584	00:00	00:28	00:59
998	BEDROOM	100	98.8			2738			00:00	00:00	00:00
999	BEDROOM	100	98.9			2697			00:00	00:11	00:44
1000	L/K/D	200	47.8		65.1	3132	2645	2122	00:00	00:14	01:09
1001	BEDROOM	100	100.0			3827			00:00	00:09	01:16
1002	BEDROOM	100	100.0			3845			00:33	00:32	01:27
1003	L/K/D	200	99.4		100.0	3561	3256	3019	04:37	05:59	07:04
1004	BEDROOM	100	100.0			3607			04:29	05:46	07:09
1005	L/K/D	200	52.7		62.3	3102	2667	2249	04:37	05:44	07:10
1006	BEDROOM	100	100.0			3633			04:27	05:29	07:10
1007	BEDROOM	100	100.0			3748			04:26	05:26	07:04
1008	L/K/D	200	37.1		43.9	2439	1999	1692	04:23	03:28	04:13
1009	L/K/D	200	53.3		63.5	3049	2634	2281	03:33	03:25	03:36
1010	BEDROOM	100	9.4			1559			00:45	00:27	00:00
1011	STUDIO	200	6.6	20.1	11.6	1574	1030	671	02:35	02:05	01:42
1012	BEDROOM	100	0.0			632			00:00	00:00	00:00
1013	L/K/D	200	19.0		43.1	2579	2051	1668	01:13	01:06	00:49
1014	L/K/D	200	18.1		26.5	1897	1055	480	00:00	00:00	00:31

Table 50: Assessment Data




Fig. 58: Floor Plan



Block K–Level 12

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 12									
1015	BEDROOM	100	98.8			3207			00:00	00:00	00:31
1016	BEDROOM	100	98.3			3098			00:00	00:00	00:19
1017	BEDROOM	100	89.0			2996			00:00	00:00	00:32
1018	BEDROOM	100	100.0			3397			00:00	00:00	00:31
1019	LIVING ROOM	150	100.0			3707	3473		00:00	00:00	00:30
1020	BEDROOM	100	81.5			2518			00:00	00:10	00:21
1021	L/K/D	200	100.0		100.0	3791	3587	3397	00:00	00:37	00:58
1022	L/K/D	200	68.0		96.6	3426	3060	2693	00:00	00:35	00:59
1023	BEDROOM	100	98.9			2719			00:00	00:00	00:00
1024	BEDROOM	100	98.4			2707			00:00	00:11	00:44
1025	L/K/D	200	53.1		68.9	3231	2775	2299	00:00	00:09	00:43
1026	L/K/D	200	99.2		100.0	3584	3267	3008	00:59	00:45	01:09
1027	BEDROOM	100	100.0			3638			04:32	06:01	07:04
1028	BEDROOM	100	100.0			3674			04:29	06:02	07:09
1029	BEDROOM	100	100.0			3551			04:28	05:57	07:10
1030	BEDROOM	100	100.0			3499			04:28	05:54	07:10
1031	BEDROOM	100	100.0			3688			04:27	05:47	07:10
1032	L/K/D	200	48.0		59.0	2866	2427	2129	04:31	03:49	05:13
1033	L/K/D	200	61.8		71.8	3231	2860	2538	03:40	03:25	03:38
1034	BEDROOM	100	15.1			1773			00:41	00:19	00:00
1035	STUDIO	200	8.1	23.0	12.7	1732	1167	769	02:32	01:54	01:45
1036	STUDIO	200	5.4	16.1	9.4	1334	671	387	01:29	01:20	01:11
1037	L/K/D	200	26.4		40.4	2612	2006	1561	00:34	00:34	00:51

Table 51: Assessment Data




Fig. 59: Floor Plan



Block K–Level 13

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 13									
1038	BEDROOM	100	100.0			3260			00:00	00:00	00:31
1039	BEDROOM	100	100.0			3189			00:00	00:00	00:19
1040	BEDROOM	100	92.4			3052			00:00	00:00	00:32
1041	BEDROOM	100	100.0			3413			00:00	00:00	00:31
1042	LIVING ROOM	150	100.0			3727	3493		00:00	00:00	00:30
1043	BEDROOM	100	85.9			2556			00:00	00:10	00:21
1044	L/K/D	200	100.0		100.0	3799	3590	3409	00:00	00:37	01:06
1045	L/K/D	200	70.4		96.6	3437	3076	2707	00:00	00:37	01:06
1046	BEDROOM	100	98.9			2745			00:00	00:00	00:00
1047	BEDROOM	100	98.9			2733			00:00	00:11	00:44
1048	L/K/D	200	53.4		71.3	3248	2804	2340	00:00	00:09	00:43
1049	L/K/D	200	99.4		100.0	3590	3289	3028	01:15	00:45	01:09
1050	BEDROOM	100	100.0			3645			04:48	06:07	07:04
1051	BEDROOM	100	100.0			3690			04:40	06:08	07:09
1052	BEDROOM	100	100.0			3586			04:34	06:08	07:10
1053	BEDROOM	100	100.0			3531			04:28	06:09	07:10
1054	BEDROOM	100	100.0			3710			04:27	06:05	07:10
1055	L/K/D	200	51.2		62.9	2947	2502	2191	04:31	04:03	05:15
1056	L/K/D	200	64.0		74.2	3271	2933	2614	03:40	03:27	03:39
1057	BEDROOM	100	16.9			1855			00:41	00:20	00:00
1058	STUDIO	200	9.6	25.6	15.1	1791	1260	857	02:26	01:58	01:41
1059	STUDIO	200	6.5	17.6	11.1	1431	802	455	01:29	01:20	01:09
1060	L/K/D	200	29.8		44.4	2669	2080	1632	00:38	00:31	01:15

Table 52: Assessment Data




Fig. 60: Floor Plan



Block K–Level 14

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 14									
1061	BEDROOM	100	100.0			3288			00:00	00:00	00:31
1062	BEDROOM	100	100.0			3207			00:00	00:00	00:19
1063	BEDROOM	100	93.3			3085			00:00	00:00	00:32
1064	BEDROOM	100	100.0			3432			00:00	00:00	00:31
1065	LIVING ROOM	150	100.0			3738	3502		00:00	00:00	00:30
1066	BEDROOM	100	86.8			2570			00:00	00:10	00:21
1067	L/K/D	200	100.0		100.0	3805	3603	3415	00:00	00:37	01:15
1068	L/K/D	200	70.1		97.3	3449	3093	2727	00:00	00:37	01:15
1069	BEDROOM	100	98.9			2780			00:00	00:00	00:00
1070	BEDROOM	100	98.9			2755			00:00	00:11	00:49
1071	L/K/D	200	54.4		72.4	3257	2818	2356	00:00	00:09	00:48
1072	L/K/D	200	99.7		100.0	3600	3308	3044	01:29	00:47	01:09
1073	BEDROOM	100	100.0			3662			05:02	06:20	07:04
1074	BEDROOM	100	100.0			3706			04:56	06:14	07:09
1075	BEDROOM	100	100.0			3604			04:49	06:14	07:10
1076	BEDROOM	100	100.0			3560			04:39	06:14	07:10
1077	BEDROOM	100	100.0			3719			04:35	06:16	07:10
1078	L/K/D	200	54.0		66.1	3021	2561	2251	04:35	04:19	05:16
1079	L/K/D	200	67.1		77.8	3357	3018	2696	03:40	03:28	03:40
1080	BEDROOM	100	26.7			1942			00:42	00:20	00:00
1081	STUDIO	200	12.7	32.1	17.0	1926	1501	1093	02:32	01:55	02:00
1082	STUDIO	200	9.4	21.0	13.1	1641	1075	639	01:29	01:17	01:49
1083	L/K/D	200	32.2		49.0	2753	2208	1741	00:35	00:53	01:57

Table 53: Assessment Data




Fig. 61: Floor Plan



Block K–Level 15

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 15									
1084	BEDROOM	100	100.0			3315			00:00	00:00	00:31
1085	BEDROOM	100	100.0			3240			00:00	00:00	00:19
1086	BEDROOM	100	94.8			3111			00:00	00:00	00:32
1087	BEDROOM	100	100.0			3454			00:00	00:00	00:31
1088	LIVING ROOM	150	100.0			3742	3519		00:00	00:00	00:30
1089	BEDROOM	100	88.8			2598			00:00	00:10	00:21
1090	L/K/D	200	100.0		100.0	3810	3608	3420	00:00	00:37	01:23
1091	L/K/D	200	72.2		97.3	3452	3096	2735	00:00	00:37	01:24
1092	BEDROOM	100	98.9			2790			00:00	00:00	00:00
1093	BEDROOM	100	98.9			2784			00:00	00:11	00:49
1094	L/K/D	200	55.8		72.9	3286	2851	2397	00:00	00:09	00:58
1095	L/K/D	200	99.7		100.0	3608	3319	3062	01:45	00:48	01:09
1096	BEDROOM	100	100.0			3679			05:18	06:29	07:04
1097	BEDROOM	100	100.0			3715			05:11	06:27	07:09
1098	BEDROOM	100	100.0			3618			05:03	06:20	07:10
1099	BEDROOM	100	100.0			3587			04:56	06:20	07:10
1100	BEDROOM	100	100.0			3730			04:48	06:20	07:10
1101	L/K/D	200	57.4		70.1	3069	2629	2321	04:46	04:22	05:17
1102	L/K/D	200	69.9		80.7	3493	3156	2900	03:40	03:34	03:37
1103	BEDROOM	100	31.4			2033			00:42	00:21	00:00
1104	STUDIO	200	16.5	38.3	21.0	2054	1655	1304	02:29	02:24	02:43
1105	STUDIO	200	13.9	25.2	16.9	1852	1371	994	01:27	02:08	02:35
1106	L/K/D	200	37.6		59.1	2873	2346	1890	01:06	01:39	02:50

Table 54: Assessment Data




Fig. 62: Floor Plan



Block K–Level 16

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 16									
1107	BEDROOM	100	100.0			3327			00:00	00:00	00:31
1108	BEDROOM	100	100.0			3257			00:00	00:00	00:19
1109	BEDROOM	100	96.2			3143			00:00	00:00	00:32
1110	BEDROOM	100	100.0			3457			00:00	00:00	00:31
1111	LIVING ROOM	150	100.0			3750	3530		00:00	00:00	00:30
1112	BEDROOM	100	90.7			2619			00:00	00:10	00:21
1113	L/K/D	200	100.0		100.0	3815	3613	3431	00:00	00:37	01:34
1114	L/K/D	200	73.2		97.6	3469	3124	2774	00:00	00:37	01:29
1115	BEDROOM	100	98.9			2815			00:00	00:00	00:00
1116	BEDROOM	100	98.9			2801			00:00	00:11	00:49
1117	L/K/D	200	56.8		73.7	3298	2867	2418	00:00	00:09	01:08
1118	L/K/D	200	99.8		100.0	3615	3330	3069	01:54	00:43	01:11
1119	BEDROOM	100	100.0			3679			05:33	06:32	07:04
1120	BEDROOM	100	100.0			3721			05:26	06:32	07:09
1121	BEDROOM	100	100.0			3626			05:18	06:32	07:10
1122	BEDROOM	100	100.0			3604			05:11	06:29	07:10
1123	BEDROOM	100	100.0			3736			05:02	06:27	07:11
1124	L/K/D	200	60.6		73.1	3112	2718	2389	05:01	04:27	05:22
1125	L/K/D	200	74.2		86.2	3578	3268	3039	03:40	03:39	04:22
1126	BEDROOM	100	50.0			2188			00:42	00:22	00:25
1127	STUDIO	200	21.6	53.1	29.4	2241	1834	1542	03:22	03:07	03:10
1128	STUDIO	200	18.5	42.1	23.5	2048	1684	1313	02:46	02:48	02:50
1129	L/K/D	200	45.2		71.7	2993	2528	2102	01:47	02:39	03:10

Table 55: Assessment Data




Fig. 63: Floor Plan



Block K–Level 17

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 17									
1130	BEDROOM	100	100.0			3412			00:00	00:00	00:31
1131	BEDROOM	100	100.0			3427			00:00	00:00	00:19
1132	BEDROOM	100	82.4			3186			00:00	00:00	00:32
1133	BEDROOM	100	100.0			3445			00:00	00:00	00:31
1134	L/K/D	200	100.0		100.0	3498	3176	2836	00:00	00:00	00:49
1135	L/K/D	200	88.7		97.0	3682	3443	3192	00:00	00:10	01:20
1136	BEDROOM	100	100.0			2915			00:00	00:00	00:44
1137	BEDROOM	100	93.1			2689			00:00	00:00	00:00
1138	BEDROOM	100	99.4			2769			00:00	00:00	00:56
1139	L/K/D	200	61.7		87.2	3375	2972	2558	00:00	00:09	01:16
1140	L/K/D	200	100.0		100.0	3632	3375	3098	02:35	01:35	01:24
1141	BEDROOM	100	100.0			3814			05:29	06:13	06:48
1142	BEDROOM	100	100.0			3685			05:41	06:32	07:09
1143	BEDROOM	100	100.0			3667			05:12	06:13	06:53
1144	BEDROOM	100	100.0			3713			05:04	06:13	06:53
1145	BEDROOM	100	100.0			3784			04:56	06:13	06:53
1146	L/K/D	200	100.0		100.0	3478	3170	2920	05:30	04:35	06:10
1147	BEDROOM	100	100.0			3557			03:15	03:37	04:00
1148	BEDROOM	100	98.0			3150			03:11	03:28	04:00
1149	BEDROOM	100	100.0			3529			03:02	02:49	03:59
1150	L/K/D	200	2.0		9.8	1954	1471	1084	00:38	00:40	01:20
1151	L/K/D	200	39.6		60.0	2846	2363	1977	02:43	03:02	03:58

Table 56: Assessment Data




Fig. 64: Floor Plan



Block K–Level 18

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 18									
1152	BEDROOM	100	100.0			3431			00:00	00:00	00:31
1153	BEDROOM	100	100.0			3446			00:00	00:00	00:19
1154	BEDROOM	100	84.3			3208			00:00	00:00	00:32
1155	BEDROOM	100	100.0			3461			00:00	00:00	00:31
1156	L/K/D	200	100.0		100.0	3510	3202	2874	00:00	00:00	01:03
1157	L/K/D	200	89.3		97.4	3687	3444	3195	00:00	00:10	01:21
1158	BEDROOM	100	100.0			2933			00:00	00:00	00:44
1159	BEDROOM	100	92.6			2707			00:00	00:00	00:00
1160	BEDROOM	100	99.4			2778			00:00	00:00	00:56
1161	L/K/D	200	61.4		89.4	3383	2991	2573	00:00	00:09	01:20
1162	L/K/D	200	100.0		100.0	3636	3394	3122	02:35	01:35	01:29
1163	BEDROOM	100	100.0			3820			05:35	06:13	06:53
1164	BEDROOM	100	100.0			3694			05:56	06:32	07:10
1165	BEDROOM	100	100.0			3687			05:26	06:13	06:53
1166	BEDROOM	100	100.0			3721			05:18	06:13	06:53
1167	BEDROOM	100	100.0			3793			05:10	06:13	06:53
1168	L/K/D	200	100.0		100.0	3501	3190	2965	05:46	04:49	06:11
1169	BEDROOM	100	100.0			3581			03:22	03:50	04:34
1170	BEDROOM	100	100.0			3223			03:16	03:56	04:24
1171	BEDROOM	100	100.0			3587			03:04	03:57	04:14
1172	L/K/D	200	5.1		16.6	2129	1675	1269	00:50	01:49	01:20
1173	L/K/D	200	48.3		84.2	3006	2551	2193	03:21	03:56	04:03

Table 57: Assessment Data




Fig. 65: Floor Plan



Block K–Level 19

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 19									
1174	BEDROOM	100	100.0			3452			00:00	00:00	00:31
1175	BEDROOM	100	100.0			3466			00:00	00:00	00:19
1176	BEDROOM	100	87.1			3241			00:00	00:00	00:32
1177	BEDROOM	100	100.0			3469			00:00	00:00	00:31
1178	L/K/D	200	100.0		100.0	3519	3217	2898	00:00	00:00	01:04
1179	L/K/D	200	89.3		98.5	3694	3457	3210	00:00	00:10	01:25
1180	BEDROOM	100	100.0			2953			00:00	00:00	00:44
1181	BEDROOM	100	94.6			2733			00:00	00:00	00:00
1182	BEDROOM	100	100.0			2810			00:00	00:00	00:56
1183	L/K/D	200	63.1		92.8	3398	2998	2606	00:00	00:09	01:24
1184	L/K/D	200	100.0		100.0	3645	3411	3133	02:35	01:35	01:29
1185	BEDROOM	100	100.0			3832			05:35	06:13	06:53
1186	BEDROOM	100	100.0			3707			05:56	06:32	07:10
1187	BEDROOM	100	100.0			3695			05:35	06:13	06:53
1188	BEDROOM	100	100.0			3732			05:34	06:13	06:53
1189	BEDROOM	100	100.0			3804			05:24	06:13	06:53
1190	L/K/D	200	100.0		100.0	3530	3222	2998	06:03	05:00	06:12
1191	BEDROOM	100	100.0			3604			03:23	04:01	04:39
1192	BEDROOM	100	100.0			3255			03:18	04:06	04:30
1193	BEDROOM	100	100.0			3610			03:11	04:13	04:19
1194	L/K/D	200	6.7		19.1	2194	1767	1334	01:04	01:57	01:20
1195	L/K/D	200	53.6		90.2	3058	2635	2254	03:21	03:58	04:20

Table 58: Assessment Data




Fig. 66: Floor Plan



Block K–Level 20

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 20									
1196	BEDROOM	100	100.0			3475			00:00	00:00	00:31
1197	BEDROOM	100	100.0			3480			00:00	00:00	00:19
1198	BEDROOM	100	87.5			3248			00:00	00:00	00:32
1199	BEDROOM	100	100.0			3475			00:00	00:00	00:31
1200	L/K/D	200	100.0		100.0	3537	3231	2914	00:00	00:00	01:04
1201	L/K/D	200	89.7		99.1	3709	3461	3222	00:00	00:10	01:25
1202	BEDROOM	100	100.0			2958			00:00	00:00	00:44
1203	BEDROOM	100	95.5			2757			00:00	00:00	00:00
1204	BEDROOM	100	100.0			2833			00:00	00:00	00:56
1205	L/K/D	200	63.1		94.4	3402	3004	2620	00:00	00:09	01:24
1206	L/K/D	200	100.0		100.0	3649	3422	3149	02:35	01:35	01:29
1207	BEDROOM	100	100.0			3834			05:35	06:13	06:53
1208	BEDROOM	100	100.0			3716			05:56	06:32	07:10
1209	BEDROOM	100	100.0			3707			05:35	06:13	06:53
1210	BEDROOM	100	100.0			3733			05:35	06:13	06:53
1211	BEDROOM	100	100.0			3814			05:35	06:13	06:53
1212	L/K/D	200	100.0		100.0	3558	3268	3039	06:16	05:10	06:18
1213	BEDROOM	100	100.0			3616			03:24	04:12	04:45
1214	BEDROOM	100	100.0			3288			03:19	04:17	04:37
1215	BEDROOM	100	100.0			3623			03:18	04:26	04:24
1216	L/K/D	200	7.7		21.3	2235	1778	1376	01:06	02:01	01:20
1217	L/K/D	200	60.0		92.5	3093	2696	2309	03:24	03:58	04:54

Table 59: Assessment Data



An aerial photograph of a city block. A building is highlighted in orange, located in the lower right quadrant of the block. A north arrow is visible in the bottom right corner, pointing upwards. The surrounding area includes various other buildings, streets, and a large white, irregularly shaped area in the upper left.

Block K–Level 21

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 21									
1218	BEDROOM	100	100.0			3485			00:00	00:00	00:31
1219	BEDROOM	100	100.0			3484			00:00	00:00	00:19
1220	BEDROOM	100	89.4			3268			00:00	00:00	00:32
1221	BEDROOM	100	100.0			3487			00:00	00:00	00:31
1222	L/K/D	200	100.0		100.0	3550	3247	2932	00:00	00:00	01:04
1223	L/K/D	200	89.7		99.3	3712	3463	3232	00:00	00:10	01:25
1224	BEDROOM	100	100.0			2983			00:00	00:00	00:44
1225	BEDROOM	100	95.0			2770			00:00	00:00	00:00
1226	BEDROOM	100	100.0			2845			00:00	00:00	00:56
1227	L/K/D	200	64.2		96.7	3415	3020	2634	00:00	00:09	01:24
1228	L/K/D	200	100.0		100.0	3658	3435	3171	02:35	01:35	01:29
1229	BEDROOM	100	100.0			3838			05:35	06:13	06:53
1230	BEDROOM	100	100.0			3721			05:56	06:32	07:10
1231	BEDROOM	100	100.0			3716			05:35	06:13	06:53
1232	BEDROOM	100	100.0			3736			05:35	06:13	06:53
1233	BEDROOM	100	100.0			3821			05:35	06:13	06:53
1234	L/K/D	200	100.0		100.0	3577	3293	3066	06:18	05:22	06:23
1235	BEDROOM	100	100.0			3625			03:25	04:23	04:54
1236	BEDROOM	100	100.0			3301			03:22	04:28	04:47
1237	BEDROOM	100	100.0			3635			03:19	04:30	04:49
1238	L/K/D	200	8.3		23.4	2291	1838	1415	01:08	02:02	01:20
1239	L/K/D	200	66.5		95.2	3132	2732	2392	03:26	03:58	05:03

Table 60: Assessment Data




Fig. 68: Floor Plan



Block K-Level 22

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 22											
1240	BEDROOM	100	100.0			3497			00:00	00:00	00:31
1241	BEDROOM	100	100.0			3504			00:00	00:00	00:19
1242	BEDROOM	100	92.5			3299			00:00	00:00	00:32
1243	BEDROOM	100	100.0			3499			00:00	00:00	00:31
1244	L/K/D	200	100.0		100.0	3567	3260	2956	00:00	00:00	01:04
1245	L/K/D	200	89.5		99.4	3714	3469	3244	00:00	00:10	01:25
1246	BEDROOM	100	100.0			2989			00:00	00:00	00:44
1247	BEDROOM	100	97.0			2784			00:00	00:00	00:00
1248	BEDROOM	100	100.0			2878			00:00	00:00	00:56
1249	L/K/D	200	64.4		96.4	3421	3025	2642	00:00	00:09	01:24
1250	L/K/D	200	100.0		100.0	3670	3446	3184	02:35	01:35	01:29
1251	BEDROOM	100	100.0			3845			05:35	06:13	06:53
1252	BEDROOM	100	100.0			3729			05:56	06:32	07:10
1253	BEDROOM	100	100.0			3724			05:35	06:13	06:53
1254	BEDROOM	100	100.0			3744			05:35	06:13	06:53
1255	BEDROOM	100	100.0			3831			05:35	06:13	06:53
1256	L/K/D	200	100.0		100.0	3593	3309	3096	06:18	05:28	06:33
1257	BEDROOM	100	100.0			3640			03:26	04:28	05:10
1258	BEDROOM	100	100.0			3322			03:24	04:29	05:16
1259	BEDROOM	100	100.0			3649			03:20	04:29	05:11
1260	L/K/D	200	9.2		25.9	2352	1875	1456	01:09	02:02	01:20
1261	L/K/D	200	73.9		97.0	3176	2783	2456	03:28	04:01	05:22

Table 61: Assessment Data




Fig. 69: Floor Plan



Block K–Level 23

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 23									
1262	BEDROOM	100	100.0			3523			00:00	00:00	00:31
1263	BEDROOM	100	100.0			3556			00:00	00:00	00:19
1264	BEDROOM	100	91.0			3305			00:00	00:00	00:32
1265	BEDROOM	100	100.0			3516			00:00	00:00	00:31
1266	L/K/D	200	100.0		100.0	3582	3273	2970	00:00	00:00	01:04
1267	L/K/D	200	90.4		99.6	3716	3475	3256	00:00	00:10	01:25
1268	BEDROOM	100	100.0			3007			00:00	00:00	00:44
1269	BEDROOM	100	95.5			2818			00:00	00:00	00:00
1270	BEDROOM	100	100.0			2897			00:00	00:00	00:56
1271	L/K/D	200	66.1		96.9	3427	3033	2646	00:00	00:09	01:24
1272	L/K/D	200	100.0		100.0	3677	3458	3196	02:35	01:35	01:29
1273	BEDROOM	100	100.0			3852			05:35	06:13	06:53
1274	BEDROOM	100	100.0			3733			05:56	06:32	07:10
1275	BEDROOM	100	100.0			3727			05:35	06:13	06:53
1276	BEDROOM	100	100.0			3749			05:35	06:13	06:53
1277	BEDROOM	100	100.0			3831			05:35	06:13	06:53
1278	L/K/D	200	100.0		100.0	3602	3325	3119	06:19	05:31	06:46
1279	BEDROOM	100	100.0			3654			03:27	04:29	05:38
1280	BEDROOM	100	100.0			3365			03:24	04:30	05:30
1281	BEDROOM	100	100.0			3676			03:23	04:32	05:24
1282	L/K/D	200	10.7		28.3	2425	1906	1476	01:11	02:03	01:20
1283	L/K/D	200	81.6		97.8	3213	2838	2508	03:34	04:22	05:49

Table 62: Assessment Data





Fig. 70: Floor Plan



Block K–Level 24

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 24									
1284	BEDROOM	100	100.0			3573			00:00	00:00	00:31
1285	BEDROOM	100	100.0			3593			00:00	00:00	00:19
1286	BEDROOM	100	94.5			3352			00:00	00:00	00:32
1287	BEDROOM	100	100.0			3544			00:00	00:00	00:31
1288	L/K/D	200	100.0		100.0	3596	3303	2993	00:00	00:00	01:04
1289	L/K/D	200	90.6		100.0	3717	3478	3269	00:00	00:10	01:25
1290	BEDROOM	100	100.0			3012			00:00	00:00	00:44
1291	BEDROOM	100	96.5			2838			00:00	00:00	00:00
1292	BEDROOM	100	100.0			2908			00:00	00:00	00:56
1293	L/K/D	200	66.4		96.4	3436	3055	2656	00:00	00:09	01:24
1294	L/K/D	200	100.0		100.0	3690	3464	3212	02:35	01:35	01:29
1295	BEDROOM	100	100.0			3857			05:35	06:13	06:53
1296	BEDROOM	100	100.0			3737			05:56	06:32	07:10
1297	BEDROOM	100	100.0			3733			05:35	06:13	06:53
1298	BEDROOM	100	100.0			3752			05:35	06:13	06:53
1299	BEDROOM	100	100.0			3837			05:35	06:13	06:53
1300	L/K/D	200	100.0		100.0	3614	3355	3145	06:21	05:31	07:16
1301	BEDROOM	100	100.0			3667			03:29	04:29	05:45
1302	BEDROOM	100	100.0			3407			03:26	04:31	05:45
1303	BEDROOM	100	100.0			3693			03:26	04:33	05:48
1304	L/K/D	200	12.1		32.7	2477	1965	1523	01:16	02:05	01:20
1305	L/K/D	200	86.1		99.0	3243	2879	2545	03:42	04:27	06:12

Table 63: Assessment Data




Fig. 71: Floor Plan



Block K–Level 25

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 25									
1306	BEDROOM	100	100.0			3620			00:00	00:00	00:31
1307	BEDROOM	100	100.0			3628			00:00	00:00	00:19
1308	BEDROOM	100	95.3			3394			00:00	00:00	00:32
1309	BEDROOM	100	100.0			3588			00:00	00:00	00:31
1310	L/K/D	200	100.0		100.0	3604	3313	3015	00:00	00:00	01:04
1311	L/K/D	200	90.6		99.6	3719	3483	3277	00:00	00:10	01:25
1312	BEDROOM	100	100.0			3027			00:00	00:00	00:44
1313	BEDROOM	100	97.0			2850			00:00	00:00	00:00
1314	BEDROOM	100	100.0			2909			00:00	00:00	00:56
1315	L/K/D	200	66.9		97.5	3453	3072	2698	00:00	00:09	01:24
1316	L/K/D	200	100.0		100.0	3700	3473	3230	02:35	01:35	01:29
1317	BEDROOM	100	100.0			3870			05:35	06:13	06:53
1318	BEDROOM	100	100.0			3743			05:56	06:32	07:10
1319	BEDROOM	100	100.0			3733			05:35	06:13	06:53
1320	BEDROOM	100	100.0			3757			05:35	06:13	06:53
1321	BEDROOM	100	100.0			3845			05:35	06:13	06:53
1322	L/K/D	200	100.0		100.0	3625	3383	3168	06:23	05:33	07:22
1323	BEDROOM	100	100.0			3692			03:32	04:30	06:05
1324	BEDROOM	100	100.0			3429			03:30	04:32	06:10
1325	BEDROOM	100	100.0			3701			03:32	04:33	06:13
1326	L/K/D	200	13.8		33.7	2512	1992	1551	01:23	02:08	01:20
1327	L/K/D	200	89.0		99.5	3282	2928	2599	03:55	04:47	06:18

Table 64: Assessment Data




Fig. 72: Floor Plan



Block K–Level 26

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 26									
1328	BEDROOM	100	100.0			3637			00:00	00:00	00:31
1329	BEDROOM	100	100.0			3637			00:00	00:00	00:19
1330	BEDROOM	100	98.8			3403			00:00	00:00	00:32
1331	BEDROOM	100	100.0			3599			00:00	00:00	00:31
1332	L/K/D	200	100.0		100.0	3604	3311	3014	00:00	00:00	01:04
1333	L/K/D	200	91.3		100.0	3712	3463	3235	00:00	00:10	01:25
1334	BEDROOM	100	100.0			2926			00:00	00:00	00:44
1335	BEDROOM	100	91.1			2686			00:00	00:00	00:00
1336	BEDROOM	100	99.4			2778			00:00	00:00	00:56
1337	L/K/D	200	66.4		97.8	3421	3024	2635	00:00	00:09	01:24
1338	L/K/D	200	100.0		100.0	3690	3463	3212	02:40	01:39	01:33
1339	BEDROOM	100	100.0			3845			05:35	06:13	06:53
1340	BEDROOM	100	100.0			3733			05:56	06:32	07:10
1341	BEDROOM	100	100.0			3721			05:35	06:13	06:53
1342	BEDROOM	100	100.0			3742			05:35	06:13	06:53
1343	BEDROOM	100	100.0			3823			05:35	06:13	06:53
1344	L/K/D	200	100.0		100.0	3626	3384	3163	06:25	05:42	07:25
1345	BEDROOM	100	100.0			3668			03:36	04:32	06:16
1346	BEDROOM	100	100.0			3424			03:38	04:35	06:18
1347	BEDROOM	100	100.0			3693			03:40	04:38	06:18
1348	L/K/D	200	10.6		26.5	2470	1916	1482	01:31	02:20	01:25
1349	L/K/D	200	91.7		99.9	3285	2939	2615	03:58	05:04	06:18

Table 65: Assessment Data




Fig. 73: Floor Plan



Block K–Level 27

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 27									
1350	BEDROOM	100	100.0			3715			00:00	00:00	00:31
1351	BEDROOM	100	100.0			3717			00:00	00:00	00:19
1352	BEDROOM	100	100.0			3474			00:00	00:00	00:32
1353	BEDROOM	100	100.0			3627			00:00	00:00	00:31
1354	L/K/D	200	100.0		100.0	3617	3358	3084	00:00	00:00	01:04
1355	L/K/D	200	91.7		100.0	3715	3470	3247	00:00	00:10	01:25
1356	BEDROOM	100	100.0			2930			00:00	00:00	00:44
1357	BEDROOM	100	91.6			2690			00:00	00:00	00:00
1358	BEDROOM	100	99.4			2782			00:00	00:00	00:56
1359	L/K/D	200	66.7		98.3	3432	3033	2645	00:00	00:09	01:24
1360	L/K/D	200	100.0		100.0	3699	3471	3227	02:40	01:39	01:33
1361	BEDROOM	100	100.0			3848			05:35	06:13	06:53
1362	BEDROOM	100	100.0			3734			05:56	06:32	07:10
1363	BEDROOM	100	100.0			3722			05:35	06:13	06:53
1364	BEDROOM	100	100.0			3745			05:35	06:13	06:53
1365	BEDROOM	100	100.0			3833			05:35	06:13	06:53
1366	L/K/D	200	100.0		100.0	3629	3403	3175	06:26	05:44	07:25
1367	BEDROOM	100	100.0			3688			03:38	04:39	06:18
1368	BEDROOM	100	100.0			3445			03:40	04:44	06:18
1369	BEDROOM	100	100.0			3707			03:42	04:49	06:18
1370	L/K/D	200	11.2		29.3	2510	1944	1522	01:33	02:33	01:25
1371	L/K/D	200	94.8		100.0	3366	3032	2719	03:58	05:24	06:18

Table 66: Assessment Data




Fig. 74: Floor Plan



Block K–Level 28

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 28									
1372	BEDROOM	100	100.0			3785			00:00	00:00	00:31
1373	BEDROOM	100	100.0			3788			00:00	00:00	00:19
1374	BEDROOM	100	100.0			3569			00:00	00:00	00:32
1375	BEDROOM	100	100.0			3694			00:00	00:00	00:31
1376	L/K/D	200	100.0		100.0	3652	3419	3169	00:00	00:00	01:04
1377	L/K/D	200	91.5		100.0	3738	3518	3314	00:00	00:10	01:25
1378	BEDROOM	100	100.0			3067			00:00	00:00	00:44
1379	BEDROOM	100	97.5			2888			00:00	00:00	00:00
1380	BEDROOM	100	100.0			2951			00:00	00:00	00:56
1381	L/K/D	200	70.0		98.1	3462	3105	2729	00:00	00:09	01:24
1382	L/K/D	200	100.0		100.0	3715	3493	3275	02:35	01:35	01:29
1383	BEDROOM	100	100.0			3887			05:35	06:13	06:53
1384	BEDROOM	100	100.0			3759			05:56	06:32	07:10
1385	BEDROOM	100	100.0			3752			05:35	06:13	06:53
1386	BEDROOM	100	100.0			3780			05:35	06:13	06:53
1387	BEDROOM	100	100.0			3867			05:35	06:13	06:53
1388	L/K/D	200	100.0		100.0	3657	3448	3217	06:28	05:44	07:25
1389	BEDROOM	100	100.0			3722			03:40	04:48	06:18
1390	BEDROOM	100	100.0			3504			03:42	04:53	06:18
1391	BEDROOM	100	100.0			3737			03:41	05:01	06:18
1392	L/K/D	200	19.8		42.2	2616	2051	1663	01:35	02:48	01:20
1393	L/K/D	200	97.0		100.0	3466	3147	2879	04:00	05:29	06:18

Table 67: Assessment Data

Block K–Level 29

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK K - LEVEL 29									
1394	BEDROOM	100	100.0			3813			00:00	00:00	00:31
1395	BEDROOM	100	100.0			3813			00:00	00:00	00:19
1396	BEDROOM	100	100.0			3602			00:00	00:00	00:32
1397	BEDROOM	100	100.0			3721			00:00	00:00	00:31
1398	L/K/D	200	100.0		100.0	3677	3440	3194	00:00	00:00	01:04
1399	L/K/D	200	92.3		100.0	3739	3523	3314	00:00	00:10	01:25
1400	BEDROOM	100	100.0			3075			00:00	00:00	00:44
1401	BEDROOM	100	98.0			2901			00:00	00:00	00:00
1402	BEDROOM	100	100.0			2962			00:00	00:00	00:56
1403	L/K/D	200	68.9		97.5	3464	3104	2723	00:00	00:09	01:24
1404	L/K/D	200	100.0		100.0	3721	3504	3292	02:35	01:35	01:29
1405	BEDROOM	100	100.0			3893			05:35	06:13	06:50
1406	BEDROOM	100	100.0			3772			05:56	06:32	07:06
1407	BEDROOM	100	100.0			3754			05:35	06:13	06:47
1408	BEDROOM	100	100.0			3789			05:35	06:13	06:46
1409	BEDROOM	100	100.0			3873			05:36	06:13	06:44
1410	L/K/D	200	100.0		100.0	3668	3461	3234	06:30	05:54	07:35
1411	BEDROOM	100	100.0			3731			03:41	04:59	06:27
1412	BEDROOM	100	100.0			3516			03:42	05:07	06:26
1413	BEDROOM	100	100.0			3753			03:43	05:15	06:25
1414	L/K/D	200	21.2		44.0	2669	2104	1706	01:36	02:54	01:20
1415	L/K/D	200	99.0		100.0	3505	3205	2932	04:02	05:30	06:21

Table 68: Assessment Data