

Fig. 102: Floor Plan



Block I–Level 15

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK I - LEVEL 15											
319	BEDROOM	100	100.0			3869			00:00	00:03	01:19
320	BEDROOM	100	100.0			3683			00:00	00:03	01:19
321	BEDROOM	100	100.0			3823			00:00	00:03	01:19
322	L/K/D	200	93.4		100.0	3406	3026	2647	00:00	00:03	01:19
323	BEDROOM	100	92.2			2668			00:00	00:00	00:00
324	L/K/D	200	100.0		100.0	3873	3695	3533	00:00	00:00	00:32
325	BEDROOM	100	100.0			3447			00:00	00:00	00:00
326	BEDROOM	100	100.0			3342			00:00	00:00	00:00
327	L/K/D	200	100.0		100.0	3734	3503	3298	01:04	01:57	01:49
328	BEDROOM	100	13.0			1645			00:00	00:00	00:00
329	BEDROOM	100	21.9			1857			00:58	00:14	00:16
330	L/K/D	200	97.2		100.0	3499	3160	2906	01:57	02:35	03:29
331	BEDROOM	100	100.0			3214			02:34	02:43	03:29
332	BEDROOM	100	100.0			4083			05:25	06:41	08:11
333	BEDROOM	100	100.0			3736			05:20	06:10	06:47
334	L/K/D	200	82.9		96.5	3501	3159	2923	05:52	06:31	06:54
335	BEDROOM	100	25.9			1961			01:03	00:00	00:00
336	BEDROOM	100	36.4			2007			01:24	00:00	00:00
337	L/K/D	200	97.2		100.0	3484	3145	2900	05:51	06:24	06:54
338	BEDROOM	100	100.0			3475			05:38	06:12	06:45
339	BEDROOM	100	100.0			3545			05:37	06:15	06:45
340	BEDROOM	100	100.0			3601			05:36	06:15	06:45
341	L/K/D	200	100.0		100.0	3894	3730	3601	06:03	07:25	08:54

Table 93: Assessment Data



Fig. 103: Floor Plan



Block I–Level 16

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK I - LEVEL 16											
342	BEDROOM	100	100.0			3874			00:00	00:03	01:19
343	BEDROOM	100	100.0			3689			00:00	00:03	01:19
344	BEDROOM	100	100.0			3831			00:00	00:03	01:19
345	L/K/D	200	96.3		100.0	3420	3059	2676	00:00	00:03	01:19
346	BEDROOM	100	92.7			2728			00:00	00:00	00:00
347	L/K/D	200	100.0		100.0	3882	3706	3558	00:00	00:00	00:32
348	BEDROOM	100	100.0			3476			00:00	00:00	00:00
349	BEDROOM	100	100.0			3366			00:00	00:00	00:00
350	L/K/D	200	100.0		100.0	3753	3542	3342	01:30	02:21	02:03
351	BEDROOM	100	31.3			1987			00:00	00:00	00:14
352	BEDROOM	100	52.7			2229			00:58	00:18	00:29
353	L/K/D	200	100.0		100.0	3609	3326	3092	02:30	03:42	04:09
354	BEDROOM	100	100.0			3405			02:34	03:31	04:20
355	BEDROOM	100	100.0			4103			05:54	07:09	08:40
356	BEDROOM	100	100.0			3740			05:47	06:40	06:49
357	L/K/D	200	85.8		97.6	3516	3185	2955	06:16	07:00	06:56
358	BEDROOM	100	30.2			2010			01:03	00:00	00:00
359	BEDROOM	100	39.2			2088			01:31	00:00	00:00
360	L/K/D	200	98.8		100.0	3510	3172	2947	06:06	06:54	06:55
361	BEDROOM	100	100.0			3510			05:45	06:43	06:48
362	BEDROOM	100	100.0			3575			05:43	06:46	06:48
363	BEDROOM	100	100.0			3617			05:40	06:50	06:47
364	L/K/D	200	100.0		100.0	3904	3741	3614	06:05	07:53	08:56

Table 94: Assessment Data



Fig. 104: Floor Plan



Block I–Level 17

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK I - LEVEL 17									
365	BEDROOM	100	100.0			3674			00:00	00:03	01:19
366	BEDROOM	100	100.0			3820			00:00	00:03	01:19
367	L/K/D	200	96.7		100.0	3416	3051	2665	00:00	00:03	01:19
368	BEDROOM	100	94.2			2735			00:00	00:00	00:00
369	L/K/D	200	100.0		100.0	3874	3697	3544	00:00	00:00	00:32
370	BEDROOM	100	100.0			3473			00:00	00:00	00:00
371	BEDROOM	100	100.0			3371			00:00	00:00	00:00
372	L/K/D	200	100.0		100.0	3753	3544	3344	01:31	02:47	01:47
373	BEDROOM	100	41.7			2120			00:00	00:09	00:14
374	BEDROOM	100	74.6			2352			00:55	00:15	00:29
375	L/K/D	200	100.0		100.0	3618	3357	3112	02:30	03:52	04:09
376	BEDROOM	100	100.0			3430			02:34	03:39	04:20
377	BEDROOM	100	100.0			4104			06:06	07:39	08:42
378	BEDROOM	100	100.0			3737			05:58	07:09	06:51
379	L/K/D	200	88.5		98.2	3518	3189	2961	06:18	07:24	06:58
380	BEDROOM	100	32.8			2048			00:46	00:00	00:00
381	BEDROOM	100	100.0			3612			05:54	07:07	06:49
382	BEDROOM	100	100.0			3308			05:53	07:05	06:50
383	BEDROOM	100	100.0			3661			05:51	07:05	06:50
384	BEDROOM	100	100.0			3646			05:47	07:04	06:50
385	L/K/D	200	100.0		100.0	3715	3510	3286	06:03	08:01	08:52

Table 95: Assessment Data




Fig. 105: Floor Plan



Block J–Level 03

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 03											
386	BEDROOM	100	14.0			1176			00:00	00:00	00:00
387	BEDROOM	100	18.2			1270			00:00	00:00	00:00
388	BEDROOM	100	15.7			1010			00:00	00:00	00:00
389	LIVING ROOM	150	6.7			226	0		00:00	00:00	00:00
390	BEDROOM	100	0.0			0			00:00	00:00	00:00
391	L/K/D	200	5.9		8.6	38	0	0	00:00	00:00	00:00
392	BEDROOM	100	47.8			2144			00:00	00:00	00:00
393	BEDROOM	100	52.8			2296			00:00	00:00	00:00
394	BEDROOM	100	47.0			2098			00:00	00:00	00:00
395	L/K/D	200	10.3		15.9	1551	882	444	00:00	00:00	00:15
396	BEDROOM	100	0.0			84			00:00	00:00	00:00
397	BEDROOM	100	0.0			239			00:00	00:09	00:00
398	L/K/D	200	0.5		2.5	1576	1073	823	00:06	00:41	00:51
399	BEDROOM	100	67.9			2357			00:00	00:57	00:56
400	L/K/D	200	47.0		59.9	3000	2519	2086	00:00	00:41	05:40
401	BEDROOM	100	72.7			2789			00:00	00:30	05:21
402	BEDROOM	100	77.8			2972			00:00	00:30	05:17
403	BEDROOM	100	94.2			2995			00:00	00:31	05:14
404	L/K/D	200	38.2		43.9	2440	1893	1549	00:01	00:49	05:27
405	BEDROOM	100	0.0			1073			00:08	00:00	00:00
406	BEDROOM	100	0.0			1273			00:10	00:00	00:00
407	L/K/D	200	23.3		28.8	1801	1368	1048	00:17	00:53	05:06
408	BEDROOM	100	83.8			2849			00:25	00:57	05:05
409	BEDROOM	100	88.5			2951			00:34	00:57	05:03
410	BEDROOM	100	100.0			3334			00:42	00:58	05:01
411	L/K/D	200	44.9		49.9	2645	2126	1809	01:01	01:16	06:16
412	BEDROOM	100	0.0			334			00:00	00:00	00:00
413	BEDROOM	100	0.0			156			00:00	00:00	00:00
414	L/K/D	200	11.6		18.9	303	107	34	00:00	00:00	00:00

Table 96: Assessment Data





Fig. 106: Floor Plan



Block J–Level 04

		DAYLIGHT						SUNLIGHT			
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 04											
415	BEDROOM	100	18.9			1309			00:00	00:00	00:00
416	BEDROOM	100	21.7			1479			00:00	00:00	00:00
417	BEDROOM	100	19.1			1160			00:00	00:00	00:00
418	LIVING ROOM	150	8.4			397	63		00:00	00:00	00:00
419	BEDROOM	100	0.0			0			00:00	00:00	00:00
420	L/K/D	200	6.8		9.3	84	0	0	00:00	00:00	00:00
421	BEDROOM	100	54.4			2324			00:00	00:00	00:00
422	BEDROOM	100	59.7			2515			00:00	00:00	00:00
423	BEDROOM	100	54.0			2316			00:00	00:00	00:00
424	L/K/D	200	12.5		19.5	1767	1157	657	00:00	00:00	00:15
425	BEDROOM	100	0.0			48			00:00	00:00	00:00
426	BEDROOM	100	0.0			254			00:00	00:09	00:00
427	L/K/D	200	0.5		4.4	1729	1199	931	00:08	00:41	01:02
428	BEDROOM	100	82.6			2440			00:01	00:57	01:08
429	L/K/D	200	55.0		67.3	3157	2746	2368	00:00	03:53	06:00
430	BEDROOM	100	82.7			2991			00:00	03:31	05:44
431	BEDROOM	100	90.7			3110			00:00	03:21	05:41
432	BEDROOM	100	100.0			3137			00:00	03:11	05:39
433	L/K/D	200	42.7		48.4	2602	2097	1694	00:13	03:11	05:45
434	BEDROOM	100	0.0			1155			00:15	00:00	00:00
435	BEDROOM	100	1.9			1393			00:17	00:00	00:00
436	L/K/D	200	26.3		32.3	1955	1473	1143	00:36	02:43	05:40
437	BEDROOM	100	96.7			2994			00:42	02:37	05:40
438	BEDROOM	100	98.2			3064			00:45	02:28	05:41
439	BEDROOM	100	100.0			3429			00:50	02:20	05:38
440	L/K/D	200	47.1		50.8	2772	2240	1922	01:02	02:24	06:41
441	BEDROOM	100	0.0			365			00:00	00:00	00:00
442	BEDROOM	100	0.0			191			00:00	00:00	00:00
443	L/K/D	200	16.9		23.8	566	151	74	00:00	00:00	00:00

Table 97: Assessment Data





Fig. 107: Floor Plan



Block J–Level 05

		DAYLIGHT						SUNLIGHT			
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 05											
444	BEDROOM	100	22.4			1459			00:00	00:00	00:00
445	BEDROOM	100	27.3			1590			00:00	00:00	00:00
446	BEDROOM	100	20.9			1303			00:00	00:00	00:00
447	LIVING ROOM	150	9.1			528	109		00:00	00:00	00:00
448	BEDROOM	100	0.0			0			00:00	00:00	00:00
449	L/K/D	200	7.3		10.2	156	0	0	00:00	00:00	00:00
450	BEDROOM	100	59.4			2474			00:00	00:00	00:00
451	BEDROOM	100	67.0			2642			00:00	00:00	00:00
452	BEDROOM	100	58.5			2533			00:00	00:00	00:00
453	L/K/D	200	14.2		23.2	1971	1371	872	00:00	00:00	00:15
454	BEDROOM	100	0.0			53			00:00	00:00	00:00
455	BEDROOM	100	0.0			243			00:00	00:09	00:00
456	L/K/D	200	0.8		5.5	1869	1326	1011	00:10	00:41	01:13
457	BEDROOM	100	99.1			2498			00:03	00:57	01:19
458	L/K/D	200	62.3		74.6	3289	2910	2586	00:00	04:25	06:17
459	BEDROOM	100	91.8			3118			00:00	04:01	06:01
460	BEDROOM	100	97.4			3237			00:03	03:55	05:58
461	BEDROOM	100	100.0			3271			00:06	03:48	05:57
462	L/K/D	200	46.3		52.6	2802	2302	1934	00:29	03:56	06:05
463	BEDROOM	100	3.9			1304			00:21	00:00	00:00
464	BEDROOM	100	9.1			1509			00:23	00:00	00:00
465	L/K/D	200	29.1		36.2	2095	1584	1267	00:44	03:34	05:57
466	BEDROOM	100	100.0			3071			00:47	03:30	05:59
467	BEDROOM	100	100.0			3140			00:51	03:22	06:00
468	BEDROOM	100	100.0			3488			00:51	03:15	06:00
469	L/K/D	200	48.1		51.3	2825	2310	1985	01:03	03:21	07:13
470	BEDROOM	100	0.0			385			00:00	00:00	00:00
471	BEDROOM	100	0.0			215			00:00	00:00	00:00
472	L/K/D	200	21.2		27.2	785	225	97	00:00	00:00	00:00

Table 98: Assessment Data





Fig. 108: Floor Plan



Block J–Level 06

		DAYLIGHT						SUNLIGHT			
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 06											
473	BEDROOM	100	26.6			1642			00:00	00:00	00:00
474	BEDROOM	100	32.2			1747			00:00	00:00	00:00
475	BEDROOM	100	24.3			1421			00:00	00:00	00:00
476	LIVING ROOM	150	10.1			639	179		00:00	00:00	00:00
477	BEDROOM	100	0.0			0			00:00	00:00	00:00
478	L/K/D	200	7.5		10.5	223	25	0	00:00	00:00	00:00
479	BEDROOM	100	66.7			2597			00:00	00:00	00:00
480	BEDROOM	100	72.7			2770			00:00	00:00	00:00
481	BEDROOM	100	64.5			2628			00:00	00:00	00:00
482	L/K/D	200	16.9		26.8	2108	1531	1058	00:00	00:00	00:15
483	BEDROOM	100	0.0			65			00:00	00:00	00:00
484	BEDROOM	100	0.0			224			00:00	00:09	00:00
485	L/K/D	200	1.9		7.7	1978	1447	1101	00:11	00:41	01:14
486	BEDROOM	100	100.0			2591			00:04	00:57	01:29
487	L/K/D	200	69.2		81.5	3402	3054	2734	00:02	05:01	06:37
488	BEDROOM	100	98.6			3234			00:08	04:19	06:21
489	BEDROOM	100	100.0			3368			00:12	04:13	06:18
490	BEDROOM	100	100.0			3374			00:17	04:08	06:17
491	L/K/D	200	49.1		56.7	2972	2468	2141	00:45	04:15	06:25
492	BEDROOM	100	7.8			1431			01:10	00:00	00:00
493	BEDROOM	100	16.2			1583			01:03	00:00	00:00
494	L/K/D	200	31.6		39.8	2252	1715	1423	00:56	03:57	06:19
495	BEDROOM	100	100.0			3145			01:00	03:54	06:21
496	BEDROOM	100	100.0			3255			01:01	03:50	06:22
497	BEDROOM	100	100.0			3537			01:00	03:47	06:22
498	L/K/D	200	48.7		52.6	2897	2414	2068	01:13	04:06	07:43
499	BEDROOM	100	0.0			434			00:00	00:00	00:00
500	BEDROOM	100	0.0			242			00:00	00:00	00:00
501	L/K/D	200	25.3		31.3	1077	351	162	00:00	00:00	00:00

Table 99: Assessment Data





Fig. 109: Floor Plan



Block J–Level 07

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 07											
502	BEDROOM	100	35.0			1847			00:00	00:00	00:00
503	BEDROOM	100	39.2			1925			00:00	00:00	00:00
504	BEDROOM	100	29.6			1596			00:00	00:00	00:00
505	LIVING ROOM	150	11.7			808	275		00:00	00:00	00:00
506	BEDROOM	100	0.0			0			00:00	00:00	00:00
507	L/K/D	200	8.4		11.6	303	67	0	00:00	00:00	00:00
508	BEDROOM	100	72.8			2696			00:00	00:00	00:00
509	BEDROOM	100	76.1			2861			00:00	00:00	00:00
510	BEDROOM	100	75.0			2750			00:00	00:00	00:00
511	L/K/D	200	19.5		30.9	2275	1691	1259	00:00	00:00	00:15
512	BEDROOM	100	0.0			73			00:00	00:00	00:00
513	BEDROOM	100	0.0			294			00:00	00:09	00:00
514	L/K/D	200	3.0		11.0	2063	1569	1192	00:11	00:41	01:14
515	BEDROOM	100	100.0			2651			00:04	00:57	01:35
516	L/K/D	200	77.8		90.9	3481	3129	2874	03:17	05:13	06:49
517	BEDROOM	100	100.0			3360			02:57	04:53	06:38
518	BEDROOM	100	100.0			3449			02:51	04:54	06:37
519	BEDROOM	100	100.0			3451			02:43	04:51	06:35
520	L/K/D	200	52.6		60.5	3072	2662	2290	02:49	05:02	06:42
521	BEDROOM	100	15.5			1578			01:36	00:00	00:00
522	BEDROOM	100	22.1			1781			01:26	00:00	00:00
523	L/K/D	200	35.0		42.6	2378	1859	1608	02:21	04:39	06:37
524	BEDROOM	100	100.0			3265			02:14	04:37	06:38
525	BEDROOM	100	100.0			3338			02:03	04:34	06:38
526	BEDROOM	100	100.0			3593			01:53	04:34	06:36
527	L/K/D	200	50.1		54.5	2960	2506	2156	01:52	05:07	08:05
528	BEDROOM	100	0.0			453			00:00	00:00	00:00
529	BEDROOM	100	0.0			273			00:00	00:00	00:00
530	L/K/D	200	28.1		34.7	1342	511	200	00:00	00:00	00:00

Table 100: Assessment Data





Fig. 110: Floor Plan



Block J–Level 08

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 08											
531	BEDROOM	100	42.0			2001			00:00	00:00	00:00
532	BEDROOM	100	45.5			2077			00:00	00:00	00:00
533	BEDROOM	100	33.0			1765			00:00	00:00	00:00
534	LIVING ROOM	150	13.4			977	347		00:00	00:00	00:00
535	BEDROOM	100	0.0			2			00:00	00:00	00:00
536	L/K/D	200	9.1		13.0	430	113	0	00:00	00:00	00:00
537	BEDROOM	100	76.7			2761			00:00	00:00	00:00
538	BEDROOM	100	84.1			2942			00:00	00:00	00:00
539	BEDROOM	100	84.0			2827			00:00	00:00	00:00
540	L/K/D	200	22.5		35.6	2433	1835	1433	00:00	00:00	00:15
541	BEDROOM	100	0.0			88			00:00	00:00	00:00
542	BEDROOM	100	0.0			340			00:00	00:09	00:00
543	L/K/D	200	5.5		14.6	2154	1727	1344	00:11	00:41	01:14
544	BEDROOM	100	100.0			2716			00:04	00:57	01:35
545	L/K/D	200	85.5		99.8	3568	3227	3007	04:01	05:47	07:01
546	BEDROOM	100	100.0			3443			03:49	05:32	06:48
547	BEDROOM	100	100.0			3522			03:43	05:27	06:48
548	BEDROOM	100	100.0			3501			03:40	05:22	06:46
549	L/K/D	200	56.1		64.5	3160	2778	2431	03:46	05:21	06:50
550	BEDROOM	100	24.3			1752			01:40	00:00	00:00
551	BEDROOM	100	33.1			1940			01:28	00:00	00:00
552	L/K/D	200	38.2		46.9	2543	2033	1733	03:12	05:02	06:42
553	BEDROOM	100	100.0			3380			03:04	04:58	06:41
554	BEDROOM	100	100.0			3420			02:54	04:58	06:40
555	BEDROOM	100	100.0			3621			02:44	05:00	06:40
556	L/K/D	200	51.0		56.3	3031	2570	2236	02:47	05:21	08:11
557	BEDROOM	100	0.0			506			00:00	00:00	00:00
558	BEDROOM	100	0.0			303			00:00	00:00	00:00
559	L/K/D	200	30.5		37.2	1604	742	276	00:00	00:00	00:00

Table 101: Assessment Data





Fig. 111: Floor Plan



Block J–Level 09

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 09									
560	BEDROOM	100	48.3			2167			00:00	00:00	00:00
561	BEDROOM	100	51.0			2198			00:00	00:00	00:00
562	BEDROOM	100	38.3			1907			00:00	00:00	00:00
563	LIVING ROOM	150	14.8			1154	411		00:00	00:00	00:00
564	BEDROOM	100	0.0			33			00:00	00:00	00:00
565	L/K/D	200	9.3		14.3	558	173	0	00:00	00:00	00:00
566	BEDROOM	100	83.3			2865			00:00	00:00	00:00
567	BEDROOM	100	88.6			3009			00:00	00:00	00:00
568	BEDROOM	100	90.0			2931			00:00	00:00	00:00
569	L/K/D	200	27.0		40.8	2576	1996	1594	00:00	00:00	00:15
570	BEDROOM	100	0.0			161			00:00	00:00	00:00
571	BEDROOM	100	0.0			385			00:00	00:09	00:00
572	L/K/D	200	8.2		19.2	2254	1840	1456	00:11	00:41	01:17
573	BEDROOM	100	100.0			2791			00:04	00:57	01:35
574	L/K/D	200	93.8		100.0	3609	3322	3070	04:34	05:47	07:01
575	BEDROOM	100	100.0			3493			04:17	05:32	06:49
576	BEDROOM	100	100.0			3580			04:14	05:27	06:48
577	BEDROOM	100	100.0			3562			04:09	05:23	06:47
578	L/K/D	200	59.5		68.4	3293	2938	2608	04:18	05:21	06:51
579	BEDROOM	100	29.1			1880			01:50	00:00	00:00
580	BEDROOM	100	44.2			2086			01:39	00:00	00:00
581	L/K/D	200	41.0		49.9	2709	2182	1857	03:54	05:08	06:42
582	BEDROOM	100	100.0			3445			03:50	05:09	06:41
583	BEDROOM	100	100.0			3463			03:47	05:09	06:41
584	BEDROOM	100	100.0			3654			03:40	05:11	06:40
585	L/K/D	200	51.9		58.4	3091	2688	2344	03:46	05:34	08:13
586	BEDROOM	100	0.0			553			00:00	00:00	00:00
587	BEDROOM	100	0.0			336			00:00	00:00	00:00
588	L/K/D	200	34.2		38.5	1738	981	416	00:01	00:00	00:00

Table 102: Assessment Data





Fig. 112: Floor Plan



Block J–Level 10

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 10											
589	BEDROOM	100	55.2			2323			00:00	00:00	00:00
590	BEDROOM	100	58.7			2347			00:00	00:00	00:00
591	BEDROOM	100	43.9			2049			00:00	00:00	00:00
592	LIVING ROOM	150	17.1			1269	505		00:00	00:00	00:00
593	BEDROOM	100	0.0			93			00:00	00:00	00:00
594	L/K/D	200	10.5		15.0	679	219	46	00:00	00:00	00:00
595	BEDROOM	100	90.6			2910			00:00	00:00	00:00
596	BEDROOM	100	91.5			3075			00:00	00:00	00:00
597	BEDROOM	100	94.0			2980			00:00	00:00	00:00
598	L/K/D	200	31.5		48.3	2694	2141	1757	00:00	00:06	00:15
599	BEDROOM	100	0.0			229			00:00	00:00	00:00
600	BEDROOM	100	0.0			460			00:00	00:15	00:00
601	L/K/D	200	12.9		28.0	2379	1966	1659	00:11	00:41	01:17
602	BEDROOM	100	100.0			2901			00:04	00:57	01:35
603	L/K/D	200	100.0		100.0	3634	3395	3121	05:14	05:56	07:03
604	BEDROOM	100	100.0			3547			04:49	05:38	06:51
605	BEDROOM	100	100.0			3614			04:42	05:34	06:50
606	BEDROOM	100	100.0			3598			04:47	05:29	06:49
607	L/K/D	200	63.5		72.8	3373	3014	2717	04:58	05:33	06:52
608	BEDROOM	100	38.3			2011			02:17	00:00	00:00
609	BEDROOM	100	54.5			2266			02:11	00:00	00:00
610	L/K/D	200	44.2		54.5	2843	2363	1958	04:46	05:25	06:44
611	BEDROOM	100	100.0			3492			04:45	05:27	06:43
612	BEDROOM	100	100.0			3499			04:44	05:28	06:42
613	BEDROOM	100	100.0			3684			04:41	05:29	06:42
614	L/K/D	200	53.1		61.5	3134	2771	2414	04:42	05:49	08:14
615	BEDROOM	100	0.0			644			00:00	00:00	00:00
616	BEDROOM	100	0.0			379			00:00	00:00	00:00
617	L/K/D	200	36.5		39.8	1895	1261	584	00:01	00:00	00:00

Table 103: Assessment Data





Fig. 113: Floor Plan



Block J–Level 11

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 11											
618	BEDROOM	100	65.0			2438			00:00	00:00	00:00
619	BEDROOM	100	65.7			2454			00:00	00:00	00:00
620	BEDROOM	100	50.0			2177			00:00	00:00	00:00
621	LIVING ROOM	150	19.1			1416	669		00:00	00:00	00:00
622	BEDROOM	100	0.0			127			00:00	00:00	00:00
623	L/K/D	200	10.9		16.6	822	277	89	00:00	00:00	00:00
624	BEDROOM	100	93.9			2964			00:00	00:00	00:00
625	BEDROOM	100	96.0			3107			00:00	00:00	00:00
626	BEDROOM	100	97.0			3031			00:00	00:00	00:00
627	L/K/D	200	37.1		55.6	2843	2322	1917	00:00	00:14	00:15
628	BEDROOM	100	0.0			356			00:00	00:00	00:00
629	BEDROOM	100	0.0			620			00:00	00:15	00:00
630	L/K/D	200	18.1		41.8	2521	2081	1815	00:11	00:46	01:17
631	BEDROOM	100	100.0			3008			00:04	00:57	01:35
632	L/K/D	200	100.0		100.0	3664	3452	3187	05:44	06:12	07:03
633	BEDROOM	100	100.0			3594			05:46	05:53	06:51
634	BEDROOM	100	100.0			3635			05:51	05:49	06:50
635	BEDROOM	100	100.0			3618			05:49	05:47	06:49
636	L/K/D	200	66.9		78.1	3433	3085	2806	05:46	05:52	06:53
637	BEDROOM	100	48.1			2160			02:35	00:00	00:00
638	BEDROOM	100	64.3			2419			02:11	00:00	00:00
639	L/K/D	200	47.4		58.4	2956	2468	2067	05:22	05:37	06:46
640	BEDROOM	100	100.0			3536			05:14	05:36	06:45
641	BEDROOM	100	100.0			3539			05:07	05:35	06:44
642	BEDROOM	100	100.0			3716			05:01	05:35	06:43
643	L/K/D	200	55.8		65.0	3225	2881	2539	04:55	05:56	08:15
644	BEDROOM	100	0.5			802			00:09	00:00	00:00
645	BEDROOM	100	0.0			506			00:00	00:00	00:00
646	L/K/D	200	37.6		40.4	2083	1468	819	00:01	00:00	00:00

Table 104: Assessment Data





Fig. 114: Floor Plan



Block J–Level 12

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 12											
647	BEDROOM	100	94.6			2662			00:00	00:00	00:00
648	BEDROOM	100	71.2			2502			00:00	00:00	00:00
649	BEDROOM	100	55.0			2284			00:00	00:00	00:00
650	BEDROOM	100	35.5			1799			00:00	00:00	00:00
651	L/K/D	200	0.0		0.0	255	1	0	00:00	00:00	00:00
652	BEDROOM	100	92.7			2737			00:00	00:00	00:00
653	BEDROOM	100	94.1			2947			00:00	00:00	00:00
654	BEDROOM	100	100.0			2990			00:00	00:00	00:00
655	BEDROOM	100	99.4			3292			00:00	00:00	00:00
656	L/K/D	200	33.6		52.8	2784	2241	1885	00:00	00:17	00:15
657	BEDROOM	100	0.0			541			00:00	00:00	00:00
658	BEDROOM	100	76.3			2450			00:11	00:44	00:56
659	BEDROOM	100	93.4			2495			00:08	00:51	01:17
660	L/K/D	200	100.0		100.0	3811	3638	3492	06:05	07:10	08:31
661	BEDROOM	100	26.6			1949			00:00	00:08	00:00
662	BEDROOM	100	51.9			2221			00:00	00:00	00:00
663	L/K/D	200	28.2		33.7	1991	1554	1217	05:49	05:59	06:51
664	BEDROOM	100	100.0			3473			05:46	05:56	06:51
665	BEDROOM	100	100.0			3351			05:43	05:53	06:50
666	BEDROOM	100	62.8			2448			02:39	00:24	00:00
667	L/K/D	200	36.8		53.2	2791	2276	1928	05:31	05:47	06:46
668	BEDROOM	100	100.0			3559			05:27	05:44	06:45
669	BEDROOM	100	100.0			3514			05:23	05:44	06:45
670	BEDROOM	100	100.0			3599			05:18	05:44	06:44
671	L/K/D	200	48.0		52.0	2803	2321	1989	05:24	06:05	08:17
672	BEDROOM	100	0.9			860			00:11	00:00	00:00
673	BEDROOM	100	33.3			1751			00:11	00:11	00:15
674	BEDROOM	100	0.0			227			00:00	00:00	00:00
675	L/K/D	200	49.1		57.0	3060	2571	2127	00:00	00:00	00:00

Table 105: Assessment Data





Fig. 115: Floor Plan




Block J–Level 13

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
		BLOCK J - LEVEL 13									
676	BEDROOM	100	55.5			2321			00:00	00:00	00:00
677	BEDROOM	100	96.2			2724			00:00	00:00	00:00
678	BEDROOM	100	67.6			2484			00:00	00:00	00:00
679	BEDROOM	100	81.6			2849			00:00	00:00	00:00
680	L/K/D	200	0.0		0.0	322	29	0	00:00	00:00	00:00
681	L/K/D	200	0.0		0.0	168	0	0	00:00	00:00	00:00
682	BEDROOM	100	87.9			2919			00:00	00:00	00:00
683	BEDROOM	100	100.0			3032			00:00	00:00	00:00
684	BEDROOM	100	57.5			2304			00:00	00:00	00:00
685	L/K/D	200	17.2		25.5	1681	673	134	00:00	00:00	00:00
686	BEDROOM	100	100.0			3626			00:00	00:14	00:13
687	BEDROOM	100	98.7			2793			00:00	00:24	00:22
688	L/K/D	200	32.8		49.8	2680	2188	1951	00:15	01:08	01:03
689	BEDROOM	100	99.5			2774			00:08	01:09	01:24
690	BEDROOM	100	100.0			3899			05:35	06:49	07:30
691	L/K/D	200	99.8		100.0	3760	3603	3417	06:01	06:41	07:16
692	BEDROOM	100	100.0			3122			02:20	00:00	00:00
693	LIVING ROOM	150	100.0			3612	3330		05:49	06:22	07:09
694	BEDROOM	100	100.0			3719			05:46	06:15	07:08
695	L/K/D	200	55.3		64.0	3138	2766	2407	05:43	06:13	07:07
696	BEDROOM	100	100.0			2949			02:20	00:00	00:00
697	L/K/D	200	99.7		100.0	3454	3100	2831	05:32	06:02	07:04
698	BEDROOM	100	100.0			3659			05:27	05:59	07:03
699	BEDROOM	100	100.0			3741			05:23	05:58	07:02
700	L/K/D	200	100.0		100.0	3900	3738	3621	05:35	06:28	08:33
701	BEDROOM	100	0.0			912			00:00	00:00	00:00
702	BEDROOM	100	0.9			1070			00:00	00:00	00:00
703	LIVING ROOM	150	28.1			2025	1360		00:10	00:12	00:15
704	L/K/D	200	44.3		45.6	2139	1567	943	00:08	00:07	00:00

Table 106: Assessment Data



Fig. 116: Floor Plan



Block J–Level 14

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK J - LEVEL 14											
705	L/K/D	200	45.1		46.2	2311	1747	1272	00:08	00:07	00:08
706	BEDROOM	100	60.0			2351			00:00	00:00	00:00
707	BEDROOM	100	97.8			2756			00:00	00:00	00:00
708	BEDROOM	100	70.8			2527			00:00	00:00	00:00
709	BEDROOM	100	87.8			2884			00:00	00:00	00:00
710	L/K/D	200	0.0		0.0	402	63	0	00:00	00:00	00:00
711	L/K/D	200	0.0		0.0	216	0	0	00:00	00:00	00:00
712	BEDROOM	100	92.7			2935			00:00	00:00	00:00
713	BEDROOM	100	100.0			3054			00:00	00:00	00:00
714	BEDROOM	100	64.2			2346			00:00	00:00	00:00
715	L/K/D	200	17.8		27.1	1745	741	237	00:00	00:00	00:00
716	BEDROOM	100	100.0			3654			00:00	00:14	00:13
717	BEDROOM	100	100.0			2936			00:00	00:24	00:22
718	L/K/D	200	39.7		59.2	2832	2380	2034	00:15	01:13	01:03
719	BEDROOM	100	100.0			2851			00:08	01:22	01:24
720	BEDROOM	100	100.0			3899			05:35	07:01	07:28
721	L/K/D	200	100.0		100.0	3773	3616	3442	06:01	06:55	07:18
722	BEDROOM	100	100.0			3162			02:20	00:00	00:00
723	LIVING ROOM	150	100.0			3623	3361		05:50	06:36	07:11
724	BEDROOM	100	100.0			3730			05:46	06:31	07:10
725	L/K/D	200	57.1		67.3	3173	2808	2468	05:44	06:27	07:08
726	BEDROOM	100	100.0			3008			02:20	00:00	00:00
727	L/K/D	200	100.0		100.0	3482	3138	2886	05:32	06:16	07:06
728	BEDROOM	100	100.0			3675			05:28	06:12	07:05
729	BEDROOM	100	100.0			3747			05:23	06:11	07:04
730	L/K/D	200	100.0		100.0	3920	3752	3639	05:39	06:45	08:35
731	BEDROOM	100	0.0			1155			00:00	00:00	00:00
732	BEDROOM	100	6.5			1366			00:00	00:00	00:00
733	LIVING ROOM	150	34.0			2321	1666		00:12	00:13	00:16

Table 107: Assessment Data





Fig. 117: Floor Plan



Block K–Level 03

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 03											
734	L/K/D	200	30.3		46.5	2703	2058	1566	00:00	00:00	00:11
735	L/K/D	200	18.9		28.5	2065	1378	863	00:00	00:00	00:30
736	BEDROOM	100	0.0			574			00:00	00:00	00:23
737	BEDROOM	100	100.0			3848			00:00	00:03	00:23
738	L/K/D	200	84.5		100.0	3330	2915	2510	00:00	00:00	00:04
739	BEDROOM	100	100.0			3597			00:00	00:14	01:16
740	BEDROOM	100	80.9			2907			00:00	00:00	00:00
741	L/K/D	200	51.8		60.8	3258	2783	2290	00:00	00:00	00:00
742	BEDROOM	100	100.0			3661			00:00	00:08	01:01
743	L/K/D	200	48.6		59.8	3119	2613	2117	00:00	00:16	01:10
744	BEDROOM	100	100.0			2870			00:00	00:00	00:00
745	BEDROOM	100	100.0			2964			00:00	00:00	00:00
746	L/K/D	200	50.5		61.9	3159	2697	2182	00:00	00:09	01:21
747	BEDROOM	100	100.0			3639			00:00	00:06	01:26
748	BEDROOM	100	100.0			3784			00:00	00:05	01:31
749	L/K/D	200	100.0		100.0	3823	3634	3472	01:58	03:33	05:35
750	BEDROOM	100	100.0			3102			01:24	02:33	01:38
751	STUDIO	200	41.7	100.0	76.4	2987	2473	2047	01:21	04:11	06:04
752	STUDIO	200	36.4	98.0	71.1	2935	2412	1940	01:01	04:09	06:00
753	L/K/D	200	82.6		96.3	3529	3199	2964	00:41	02:38	07:29
754	BEDROOM	100	82.4			3230			00:00	02:44	03:24
755	STUDIO	200	16.2	26.3	20.2	1516	1127	828	00:00	02:42	03:22
756	STUDIO	200	6.5	12.7	8.8	1121	823	575	00:00	02:32	02:19
757	L/K/D	200	6.0		8.3	642	421	319	00:00	01:57	01:44
758	BEDROOM	100	0.0			324			00:00	00:00	00:00
759	BEDROOM	100	0.0			2			00:00	00:00	00:00
760	L/K/D	200	3.8		7.3	437	314	206	00:00	00:57	00:50
761	BEDROOM	100	21.8			1421			00:17	00:54	00:48
762	BEDROOM	100	26.5			1521			00:25	00:42	00:37

Table 108: Assessment Data