

Fig. 118: Floor Plan



Block K–Level 04

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 04											
763	L/K/D	200	34.7		52.2	2884	2234	1738	00:00	00:00	00:22
764	L/K/D	200	22.5		32.9	2215	1558	1040	00:00	00:00	00:30
765	BEDROOM	100	1.4			720			00:00	00:00	00:23
766	BEDROOM	100	100.0			3868			00:00	00:03	00:25
767	L/K/D	200	92.5		100.0	3353	2961	2571	00:00	00:00	00:04
768	BEDROOM	100	100.0			3618			00:00	00:31	01:16
769	BEDROOM	100	82.7			2952			00:00	00:00	00:00
770	L/K/D	200	52.7		63.4	3280	2820	2364	00:00	00:00	00:00
771	BEDROOM	100	100.0			3677			00:00	00:12	01:01
772	L/K/D	200	49.6		61.8	3129	2647	2151	00:00	00:16	01:10
773	BEDROOM	100	100.0			2904			00:00	00:00	00:00
774	BEDROOM	100	100.0			2991			00:00	00:00	00:00
775	L/K/D	200	51.0		63.2	3175	2719	2227	00:00	00:11	01:21
776	BEDROOM	100	100.0			3651			00:00	00:08	01:26
777	BEDROOM	100	100.0			3798			00:00	00:06	01:32
778	L/K/D	200	100.0		100.0	3833	3647	3485	02:05	03:34	05:59
779	BEDROOM	100	100.0			3144			01:32	02:33	01:56
780	STUDIO	200	45.9	100.0	79.7	3036	2545	2155	01:29	04:51	06:26
781	STUDIO	200	40.6	99.6	75.3	2978	2459	2025	01:05	04:19	06:21
782	L/K/D	200	88.1		98.3	3594	3275	3059	00:44	05:25	07:49
783	BEDROOM	100	89.1			3375			00:00	02:53	03:40
784	STUDIO	200	18.4	31.7	22.6	1719	1256	954	00:00	02:50	03:27
785	STUDIO	200	7.5	14.5	9.4	1243	850	609	00:00	02:44	02:19
786	L/K/D	200	7.1		9.4	705	449	327	00:00	01:57	01:44
787	BEDROOM	100	0.0			347			00:00	00:00	00:00
788	BEDROOM	100	0.0			9			00:00	00:00	00:00
789	L/K/D	200	4.9		8.3	472	328	205	01:03	00:57	00:50
790	BEDROOM	100	26.6			1629			01:00	00:54	00:48
791	BEDROOM	100	31.9			1670			00:46	00:42	00:37

Table 109: Assessment Data




Fig. 119: Floor Plan



Block K–Level 05

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 05											
792	L/K/D	200	40.9		56.6	3019	2456	1983	00:00	00:00	00:35
793	L/K/D	200	27.4		37.4	2439	1739	1226	00:00	00:00	00:30
794	BEDROOM	100	4.7			1012			00:00	00:00	00:25
795	BEDROOM	100	100.0			3896			00:00	00:03	00:32
796	L/K/D	200	93.7		100.0	3381	2986	2606	00:00	00:00	00:04
797	BEDROOM	100	100.0			3634			00:04	00:36	01:16
798	BEDROOM	100	84.0			2987			00:00	00:00	00:00
799	L/K/D	200	53.9		66.0	3305	2855	2419	00:00	00:00	00:00
800	BEDROOM	100	100.0			3687			00:00	00:21	01:01
801	L/K/D	200	51.1		63.5	3166	2709	2218	00:00	00:19	01:10
802	BEDROOM	100	100.0			2931			00:00	00:00	00:00
803	BEDROOM	100	100.0			3033			00:00	00:00	00:00
804	L/K/D	200	52.3		63.7	3194	2740	2256	00:00	00:11	01:21
805	BEDROOM	100	100.0			3658			00:00	00:08	01:26
806	BEDROOM	100	100.0			3802			00:00	00:06	01:32
807	L/K/D	200	100.0		100.0	3843	3661	3499	03:10	03:34	05:59
808	BEDROOM	100	100.0			3169			01:36	02:33	02:16
809	STUDIO	200	55.2	100.0	82.8	3087	2625	2258	01:35	04:51	06:55
810	STUDIO	200	45.6	99.8	79.0	3031	2541	2169	01:14	05:00	06:39
811	L/K/D	200	91.8		99.0	3622	3351	3123	00:49	05:40	08:32
812	BEDROOM	100	92.7			3419			00:00	03:02	03:53
813	STUDIO	200	20.4	37.3	24.6	1887	1426	1062	00:00	02:58	03:28
814	STUDIO	200	8.0	16.9	10.3	1385	952	697	02:17	02:52	02:19
815	L/K/D	200	7.6		10.3	794	496	330	02:10	01:57	01:44
816	BEDROOM	100	0.0			380			00:00	00:00	00:00
817	BEDROOM	100	0.0			2			00:00	00:00	00:00
818	L/K/D	200	5.8		9.4	506	294	223	01:03	00:57	00:50
819	BEDROOM	100	31.4			1766			01:00	00:54	00:52
820	BEDROOM	100	37.7			1881			00:46	00:42	00:49

Table 110: Assessment Data




Fig. 120: Floor Plan



Block K–Level 06

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 06											
821	L/K/D	200	51.2		58.4	3144	2657	2181	00:00	00:00	00:37
822	L/K/D	200	32.4		43.5	2703	2019	1532	00:00	00:00	00:34
823	BEDROOM	100	16.2			1355			00:00	00:00	00:34
824	BEDROOM	100	100.0			3914			00:00	00:05	00:40
825	L/K/D	200	96.2		100.0	3400	3006	2635	00:00	00:00	00:04
826	BEDROOM	100	100.0			3646			00:04	00:38	01:16
827	BEDROOM	100	85.8			3025			00:00	00:00	00:00
828	L/K/D	200	54.5		68.5	3319	2895	2482	00:00	00:00	00:00
829	BEDROOM	100	100.0			3704			00:00	00:21	01:01
830	L/K/D	200	51.4		63.5	3188	2736	2257	00:00	00:19	01:10
831	BEDROOM	100	100.0			2985			00:00	00:00	00:00
832	BEDROOM	100	100.0			3050			00:00	00:00	00:00
833	L/K/D	200	52.8		65.0	3220	2778	2317	00:00	00:11	01:21
834	BEDROOM	100	100.0			3675			00:00	00:08	01:26
835	BEDROOM	100	100.0			3816			00:00	00:06	01:32
836	L/K/D	200	100.0		100.0	3853	3670	3512	03:46	03:35	05:59
837	BEDROOM	100	100.0			3212			02:09	02:33	02:16
838	STUDIO	200	60.5	100.0	84.8	3115	2694	2338	04:00	04:51	07:14
839	STUDIO	200	53.4	100.0	82.2	3073	2614	2251	03:04	05:00	06:58
840	L/K/D	200	95.8		100.0	3651	3430	3177	00:52	06:16	09:08
841	BEDROOM	100	95.2			3470			01:59	03:11	04:04
842	STUDIO	200	21.6	44.3	26.9	2046	1641	1254	02:28	03:12	03:28
843	STUDIO	200	9.0	19.7	11.6	1486	1048	749	02:30	03:16	02:19
844	L/K/D	200	8.5		10.7	879	529	331	02:10	01:57	01:44
845	BEDROOM	100	0.0			441			00:00	00:00	00:00
846	BEDROOM	100	0.0			1			00:00	00:00	00:00
847	L/K/D	200	6.8		10.0	601	329	241	01:03	00:57	00:58
848	BEDROOM	100	36.7			1867			01:00	00:54	01:03
849	BEDROOM	100	42.2			2030			00:46	00:42	00:56

Table 111: Assessment Data




Fig. 121: Floor Plan



Block K–Level 07

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 07											
850	L/K/D	200	54.8		59.6	3224	2808	2351	00:00	00:00	00:37
851	L/K/D	200	37.0		52.0	2868	2243	1737	00:00	00:00	00:45
852	BEDROOM	100	26.4			1715			00:00	00:00	00:40
853	BEDROOM	100	100.0			3935			00:00	00:07	00:48
854	L/K/D	200	97.2		100.0	3417	3039	2682	00:00	00:00	00:04
855	BEDROOM	100	100.0			3657			00:04	00:40	01:16
856	BEDROOM	100	84.6			3045			00:00	00:00	00:00
857	L/K/D	200	55.2		70.6	3346	2933	2532	00:00	00:00	00:00
858	BEDROOM	100	100.0			3715			00:00	00:21	01:01
859	L/K/D	200	52.9		65.3	3220	2773	2304	00:00	00:19	01:10
860	BEDROOM	100	100.0			3011			00:00	00:00	00:00
861	BEDROOM	100	100.0			3085			00:00	00:00	00:00
862	L/K/D	200	53.9		66.8	3249	2809	2365	00:00	00:11	01:21
863	BEDROOM	100	100.0			3691			00:00	00:08	01:26
864	BEDROOM	100	100.0			3823			00:00	00:06	01:32
865	L/K/D	200	100.0		100.0	3865	3688	3531	03:51	03:50	05:59
866	BEDROOM	100	100.0			3252			02:17	02:41	02:16
867	STUDIO	200	69.8	100.0	88.1	3154	2762	2413	04:43	04:51	07:17
868	STUDIO	200	63.3	100.0	85.0	3126	2707	2354	04:00	05:00	07:16
869	L/K/D	200	97.8		100.0	3699	3482	3245	04:29	06:26	09:45
870	BEDROOM	100	98.8			3518			02:50	03:21	04:13
871	STUDIO	200	23.0	50.1	30.7	2194	1735	1400	02:48	03:27	03:29
872	STUDIO	200	9.6	22.1	12.5	1629	1168	834	02:43	03:16	02:19
873	L/K/D	200	8.7		12.3	1005	594	372	02:10	01:57	01:44
874	BEDROOM	100	0.0			495			00:00	00:00	00:00
875	BEDROOM	100	0.0			5			00:00	00:00	00:00
876	L/K/D	200	7.5		11.3	735	373	254	01:03	00:57	00:59
877	BEDROOM	100	43.1			2014			01:00	00:54	01:07
878	BEDROOM	100	49.5			2192			00:46	00:42	00:58

Table 112: Assessment Data



Block K–Level 08

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 08											
879	L/K/D	200	57.3		60.7	3309	2914	2556	00:00	00:00	00:42
880	L/K/D	200	41.2		61.3	3005	2477	1963	00:00	00:00	00:51
881	BEDROOM	100	41.9			2081			00:00	00:00	00:50
882	BEDROOM	100	100.0			3968			00:00	00:07	00:49
883	L/K/D	200	97.2		100.0	3437	3065	2703	00:00	00:00	00:04
884	BEDROOM	100	100.0			3663			00:04	00:46	01:16
885	BEDROOM	100	85.8			3062			00:00	00:00	00:00
886	L/K/D	200	55.3		72.5	3350	2936	2543	00:00	00:00	00:00
887	BEDROOM	100	100.0			3717			00:00	00:21	01:01
888	L/K/D	200	53.1		66.3	3237	2796	2353	00:00	00:19	01:10
889	BEDROOM	100	100.0			3035			00:00	00:00	00:00
890	BEDROOM	100	100.0			3103			00:00	00:00	00:00
891	L/K/D	200	54.7		67.1	3263	2826	2402	00:00	00:11	01:21
892	BEDROOM	100	100.0			3707			00:00	00:08	01:26
893	BEDROOM	100	100.0			3829			00:00	00:06	01:32
894	L/K/D	200	100.0		100.0	3883	3710	3557	03:51	04:02	05:59
895	BEDROOM	100	100.0			3307			02:17	02:56	02:16
896	STUDIO	200	74.2	100.0	91.6	3198	2818	2463	04:43	05:02	07:17
897	STUDIO	200	70.3	100.0	89.2	3171	2782	2433	04:45	05:01	07:19
898	L/K/D	200	99.5		100.0	3724	3545	3308	05:18	06:36	10:00
899	BEDROOM	100	100.0			3541			03:01	03:34	04:13
900	STUDIO	200	24.6	56.5	34.3	2329	1864	1538	02:59	03:29	03:29
901	STUDIO	200	9.9	26.1	14.3	1746	1276	931	02:56	03:16	02:19
902	L/K/D	200	9.4		12.7	1110	639	399	02:10	01:57	01:44
903	BEDROOM	100	0.0			577			00:00	00:00	00:00
904	BEDROOM	100	0.0			1			00:00	00:00	00:00
905	L/K/D	200	7.7		12.2	911	429	298	01:03	00:57	01:00
906	BEDROOM	100	48.4			2154			01:00	00:53	01:07
907	BEDROOM	100	56.4			2367			00:46	00:40	00:57

Table 113: Assessment Data




Fig. 123: Floor Plan



Block K–Level 09

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 09											
908	L/K/D	200	58.9		60.9	3380	3012	2678	00:00	00:00	00:51
909	L/K/D	200	48.4		71.7	3126	2638	2158	00:00	00:00	01:03
910	BEDROOM	100	54.7			2291			00:00	00:00	00:58
911	BEDROOM	100	100.0			3988			00:00	00:07	00:49
912	L/K/D	200	98.2		100.0	3452	3086	2722	00:00	00:00	00:05
913	BEDROOM	100	100.0			3671			00:04	00:56	01:16
914	BEDROOM	100	87.0			3087			00:00	00:00	00:00
915	L/K/D	200	55.9		76.4	3365	2959	2575	00:00	00:00	00:00
916	BEDROOM	100	100.0			3719			00:00	00:21	01:01
917	L/K/D	200	54.3		67.2	3253	2813	2382	00:00	00:19	01:10
918	BEDROOM	100	100.0			3053			00:00	00:00	00:00
919	BEDROOM	100	100.0			3120			00:00	00:00	00:00
920	L/K/D	200	55.7		67.4	3297	2871	2454	00:00	00:11	01:21
921	BEDROOM	100	100.0			3713			00:00	00:08	01:26
922	BEDROOM	100	100.0			3840			00:00	00:08	01:32
923	L/K/D	200	100.0		100.0	3890	3721	3585	03:51	04:19	05:59
924	BEDROOM	100	100.0			3354			02:17	03:10	02:16
925	STUDIO	200	77.5	100.0	96.9	3251	2895	2535	04:43	05:17	07:17
926	STUDIO	200	75.9	100.0	95.7	3229	2862	2496	04:45	05:14	07:19
927	L/K/D	200	100.0		100.0	3743	3579	3377	05:36	06:46	10:05
928	BEDROOM	100	100.0			3578			03:13	03:35	04:14
929	STUDIO	200	26.7	61.9	38.3	2428	1942	1692	03:10	03:29	03:31
930	STUDIO	200	10.9	30.6	16.3	1861	1403	1058	03:07	03:16	02:19
931	L/K/D	200	10.9		15.4	1204	710	439	02:10	01:57	01:43
932	BEDROOM	100	0.0			595			00:00	00:00	00:00
933	BEDROOM	100	0.0			17			00:00	00:00	00:00
934	L/K/D	200	9.0		13.7	1163	461	355	01:03	00:57	00:58
935	BEDROOM	100	55.3			2284			01:00	00:54	01:06
936	BEDROOM	100	64.7			2483			00:46	00:42	01:06

Table 114: Assessment Data




Fig. 124: Floor Plan



Block K–Level 10

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 10											
937	L/K/D	200	59.9		62.0	3441	3110	2791	00:00	00:00	00:51
938	L/K/D	200	56.6		78.0	3196	2755	2326	00:00	00:00	01:11
939	BEDROOM	100	77.7			2533			00:00	00:00	00:59
940	BEDROOM	100	100.0			4000			00:00	00:07	00:49
941	L/K/D	200	99.0		100.0	3463	3099	2751	00:00	00:00	00:11
942	BEDROOM	100	100.0			3685			00:04	01:02	01:17
943	BEDROOM	100	87.7			3105			00:00	00:00	00:00
944	L/K/D	200	57.1		79.7	3381	2971	2593	00:00	00:00	00:00
945	BEDROOM	100	100.0			3721			00:00	00:32	01:01
946	L/K/D	200	54.8		68.5	3285	2850	2432	00:00	00:27	01:10
947	BEDROOM	100	100.0			3085			00:00	00:00	00:00
948	BEDROOM	100	100.0			3131			00:00	00:00	00:00
949	L/K/D	200	56.0		69.2	3310	2887	2471	00:00	00:14	01:21
950	BEDROOM	100	100.0			3715			00:00	00:11	01:26
951	BEDROOM	100	100.0			3842			00:00	00:09	01:32
952	L/K/D	200	100.0		100.0	3900	3724	3598	03:51	04:38	05:59
953	BEDROOM	100	100.0			3408			02:17	03:25	02:16
954	STUDIO	200	79.5	100.0	100.0	3303	2949	2611	04:43	05:31	07:17
955	STUDIO	200	78.1	100.0	97.8	3286	2930	2576	04:45	05:28	07:19
956	L/K/D	200	100.0		100.0	3771	3607	3432	05:49	07:01	10:05
957	BEDROOM	100	100.0			3600			03:25	03:35	04:16
958	STUDIO	200	28.7	67.9	42.7	2525	2028	1774	03:22	03:33	03:31
959	STUDIO	200	12.2	34.7	18.4	1979	1494	1148	03:24	03:17	02:20
960	L/K/D	200	12.1		16.3	1368	808	507	02:10	01:54	01:44
961	BEDROOM	100	0.0			716			00:00	00:00	00:00
962	BEDROOM	100	0.0			20			00:00	00:00	00:00
963	L/K/D	200	10.0		15.8	1347	638	425	01:03	00:57	01:05
964	BEDROOM	100	62.8			2437			01:00	00:54	01:18
965	BEDROOM	100	74.5			2577			00:46	00:42	01:20

Table 115: Assessment Data




Fig. 125: Floor Plan



Block K–Level 11

		DAYLIGHT							SUNLIGHT		
ROOM REF.	ROOM USE	EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 11											
966	L/K/D	200	60.4		62.5	3500	3186	2903	00:00	00:00	00:51
967	L/K/D	200	65.9		84.0	3256	2832	2446	00:00	00:00	01:11
968	BEDROOM	100	83.8			2664			00:00	00:00	00:59
969	BEDROOM	100	100.0			4018			00:00	00:07	00:49
970	L/K/D	200	98.7		100.0	3460	3094	2745	00:00	00:00	00:18
971	BEDROOM	100	100.0			3691			00:04	01:09	01:24
972	BEDROOM	100	85.8			3100			00:00	00:00	00:00
973	L/K/D	200	57.8		83.2	3406	2998	2637	00:00	00:00	00:00
974	BEDROOM	100	100.0			3726			00:00	00:39	01:01
975	L/K/D	200	56.1		68.5	3293	2862	2445	00:00	00:37	01:10
976	BEDROOM	100	100.0			3076			00:00	00:00	00:00
977	BEDROOM	100	100.0			3140			00:00	00:00	00:00
978	L/K/D	200	56.7		69.7	3320	2914	2492	00:00	00:21	01:21
979	BEDROOM	100	100.0			3719			00:00	00:17	01:26
980	BEDROOM	100	100.0			3857			00:00	00:14	01:32
981	L/K/D	200	100.0		100.0	3901	3728	3605	03:46	04:50	05:59
982	BEDROOM	100	100.0			3457			02:19	03:43	02:13
983	BEDROOM	100	100.0			3726			04:35	05:47	07:17
984	L/K/D	200	8.6		15.8	1597	1076	705	01:36	01:21	00:00
985	BEDROOM	100	100.0			3734			04:37	05:40	07:19
986	BEDROOM	100	100.0			3148			02:33	03:08	01:54
987	L/K/D	200	100.0		100.0	3887	3724	3605	06:01	07:13	10:14
988	BEDROOM	100	100.0			3585			03:38	03:36	04:17
989	LIVING ROOM	150	82.2			3216	2860		03:39	03:34	03:33
990	BEDROOM	100	37.8			2017			01:08	00:55	00:00
991	BEDROOM	100	36.0			1996			01:02	00:49	00:00
992	LIVING ROOM	150	38.2			2303	1852		02:53	02:38	02:20
993	LIVING ROOM	150	34.5			2291	1805		02:09	01:57	01:43
994	BEDROOM	100	0.0			830			00:00	00:00	00:00
995	BEDROOM	100	0.0			87			00:00	00:00	00:00
996	L/K/D	200	12.8		20.7	1475	870	534	01:03	00:56	01:30
997	BEDROOM	100	72.9			2575			01:00	00:54	01:41
998	BEDROOM	100	88.2			2714			00:46	00:47	01:40

Table 116: Assessment Data




Fig. 126: Floor Plan



Block K–Level 12

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 12											
999	L/K/D	200	60.9		62.5	3581	3268	3004	00:00	00:00	00:51
1000	L/K/D	200	71.1		90.4	3319	2922	2544	00:00	00:00	01:11
1001	BEDROOM	100	91.2			2775			00:00	00:00	00:58
1002	BEDROOM	100	100.0			4029			00:00	00:07	01:15
1003	L/K/D	200	99.5		100.0	3474	3120	2783	00:00	00:00	00:25
1004	BEDROOM	100	100.0			3708			00:04	01:10	01:31
1005	BEDROOM	100	87.7			3116			00:00	00:00	00:00
1006	L/K/D	200	58.3		84.9	3420	3011	2658	00:00	00:00	00:00
1007	BEDROOM	100	100.0			3736			00:00	00:46	01:08
1008	L/K/D	200	57.1		70.2	3320	2919	2499	00:00	00:44	01:10
1009	BEDROOM	100	100.0			3097			00:00	00:00	00:00
1010	BEDROOM	100	100.0			3149			00:00	00:00	00:00
1011	L/K/D	200	58.0		69.9	3355	2960	2554	00:00	00:34	01:21
1012	BEDROOM	100	100.0			3721			00:00	00:30	01:26
1013	BEDROOM	100	100.0			3865			00:00	00:23	01:32
1014	L/K/D	200	100.0		100.0	3910	3741	3619	03:53	04:55	05:59
1015	BEDROOM	100	100.0			3492			02:21	03:57	02:13
1016	BEDROOM	100	100.0			3734			04:35	06:04	07:17
1017	L/K/D	200	9.1		17.7	1681	1142	739	01:36	01:34	00:00
1018	BEDROOM	100	100.0			3749			04:37	05:58	07:19
1019	BEDROOM	100	100.0			3192			02:33	03:24	01:54
1020	L/K/D	200	100.0		100.0	3901	3739	3622	06:15	07:29	10:15
1021	BEDROOM	100	100.0			3625			03:56	03:37	04:18
1022	LIVING ROOM	150	87.2			3269	2924		03:49	03:34	03:34
1023	BEDROOM	100	46.8			2160			01:08	00:55	00:00
1024	BEDROOM	100	45.5			2159			01:02	00:50	00:00
1025	LIVING ROOM	150	42.8			2484	1998		02:54	02:38	02:19
1026	LIVING ROOM	150	41.4			2492	2000		02:09	01:57	01:56
1027	BEDROOM	100	0.0			1162			00:00	00:00	00:00
1028	BEDROOM	100	0.0			184			00:00	00:00	00:00
1029	L/K/D	200	18.2		26.1	1721	1201	818	01:01	01:22	02:10
1030	BEDROOM	100	94.7			2779			00:58	01:24	02:18
1031	BEDROOM	100	100.0			2906			00:45	01:14	02:13

Table 117: Assessment Data




Fig. 127: Floor Plan



Block K–Level 13

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 13											
1032	L/K/D	200	61.7		64.5	3613	3347	3100	00:00	00:03	03:26
1033	L/K/D	200	74.4		96.1	3359	2962	2615	00:00	00:00	01:48
1034	BEDROOM	100	93.2			2851			00:00	00:00	01:04
1035	BEDROOM	100	100.0			4033			00:00	00:07	01:15
1036	L/K/D	200	99.5		100.0	3478	3143	2805	00:00	00:00	00:33
1037	BEDROOM	100	100.0			3718			00:04	01:10	01:39
1038	BEDROOM	100	89.5			3137			00:00	00:00	00:00
1039	L/K/D	200	59.4		86.9	3429	3021	2669	00:00	00:00	00:00
1040	BEDROOM	100	100.0			3744			00:00	00:47	01:16
1041	L/K/D	200	57.8		70.2	3331	2941	2531	00:00	00:48	01:17
1042	BEDROOM	100	100.0			3109			00:00	00:00	00:00
1043	BEDROOM	100	100.0			3163			00:00	00:00	00:00
1044	L/K/D	200	58.3		71.0	3355	2961	2562	00:00	00:41	01:21
1045	BEDROOM	100	100.0			3730			00:00	00:38	01:26
1046	BEDROOM	100	100.0			3869			00:00	00:35	01:32
1047	L/K/D	200	100.0		100.0	3919	3743	3626	04:09	05:09	05:59
1048	BEDROOM	100	100.0			3501			02:37	03:57	02:13
1049	BEDROOM	100	100.0			3749			04:43	06:15	07:17
1050	L/K/D	200	9.9		19.2	1730	1176	784	01:41	01:45	00:00
1051	BEDROOM	100	100.0			3758			04:37	06:16	07:19
1052	BEDROOM	100	100.0			3237			02:33	03:37	01:54
1053	L/K/D	200	100.0		100.0	3922	3753	3636	06:26	07:45	10:15
1054	BEDROOM	100	100.0			3688			03:56	03:37	04:19
1055	LIVING ROOM	150	90.5			3405	3065		03:50	03:36	03:34
1056	BEDROOM	100	61.7			2310			01:08	00:56	00:00
1057	BEDROOM	100	60.3			2299			01:02	00:50	00:00
1058	LIVING ROOM	150	50.2			2684	2205		02:54	02:36	02:57
1059	LIVING ROOM	150	53.3			2777	2290		02:09	02:13	02:52
1060	BEDROOM	100	5.5			1561			00:00	00:00	00:00
1061	BEDROOM	100	0.0			373			00:00	00:00	00:00
1062	L/K/D	200	26.5		33.1	1925	1487	1145	01:37	02:19	02:55
1063	BEDROOM	100	100.0			3102			01:38	02:19	03:14
1064	BEDROOM	100	100.0			3240			01:27	02:05	03:14

Table 118: Assessment Data




Fig. 128: Floor Plan



Block K–Level 14

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 14											
1065	L/K/D	200	62.2		68.9	3655	3427	3202	00:44	02:18	04:03
1066	L/K/D	200	77.5		98.1	3387	2996	2662	00:00	00:00	01:48
1067	BEDROOM	100	95.3			2900			00:00	00:00	01:04
1068	BEDROOM	100	100.0			4046			00:00	00:07	01:15
1069	L/K/D	200	99.5		100.0	3480	3148	2813	00:00	00:00	00:37
1070	BEDROOM	100	100.0			3719			00:04	01:10	01:46
1071	BEDROOM	100	89.5			3139			00:00	00:00	00:00
1072	L/K/D	200	59.9		87.9	3431	3027	2679	00:00	00:00	00:00
1073	BEDROOM	100	100.0			3749			00:00	00:47	01:24
1074	L/K/D	200	57.8		72.2	3335	2947	2534	00:00	00:48	01:25
1075	BEDROOM	100	100.0			3112			00:00	00:00	00:00
1076	BEDROOM	100	100.0			3182			00:00	00:00	00:00
1077	L/K/D	200	59.1		71.8	3376	2979	2580	00:00	00:47	01:25
1078	BEDROOM	100	100.0			3733			00:00	00:45	01:26
1079	BEDROOM	100	100.0			3875			00:00	00:43	01:32
1080	L/K/D	200	100.0		100.0	3925	3754	3632	04:24	05:16	05:59
1081	BEDROOM	100	100.0			3516			02:52	03:57	02:13
1082	BEDROOM	100	100.0			3761			04:59	06:21	07:17
1083	L/K/D	200	11.1		20.9	1833	1249	849	01:56	01:45	00:00
1084	BEDROOM	100	100.0			3777			04:48	06:24	07:19
1085	BEDROOM	100	100.0			3285			02:40	03:49	01:54
1086	L/K/D	200	100.0		100.0	3959	3780	3653	06:26	08:05	10:16
1087	BEDROOM	100	100.0			3731			03:56	03:38	04:24
1088	LIVING ROOM	150	96.7			3496	3189		03:50	03:37	04:07
1089	BEDROOM	100	87.6			2590			01:08	00:56	01:07
1090	BEDROOM	100	91.0			2629			01:02	00:51	01:09
1091	LIVING ROOM	150	66.3			3128	2732		03:10	03:15	03:47
1092	LIVING ROOM	150	67.8			3296	2943		02:56	03:10	03:42
1093	BEDROOM	100	43.2			2063			00:37	00:28	01:15
1094	BEDROOM	100	0.0			650			00:00	00:07	00:14
1095	L/K/D	200	39.1		47.6	2627	2045	1740	03:05	03:04	04:05
1096	BEDROOM	100	100.0			3523			03:09	03:14	04:31
1097	BEDROOM	100	100.0			3579			02:57	03:13	05:15

Table 119: Assessment Data




Fig. 129: Floor Plan



Block K–Level 15

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 15											
1098	L/K/D	200	62.5		72.5	3695	3473	3254	01:27	02:27	04:49
1099	L/K/D	200	80.3		99.2	3415	3029	2706	00:00	00:00	01:48
1100	BEDROOM	100	95.9			2923			00:00	00:00	01:04
1101	BEDROOM	100	100.0			4055			00:00	00:07	01:15
1102	L/K/D	200	99.7		100.0	3493	3173	2849	00:00	00:00	00:51
1103	BEDROOM	100	100.0			3721			00:04	01:10	01:53
1104	BEDROOM	100	90.1			3163			00:00	00:00	00:00
1105	L/K/D	200	60.2		89.0	3449	3060	2707	00:00	00:00	00:00
1106	BEDROOM	100	100.0			3754			00:00	00:47	01:32
1107	L/K/D	200	59.1		73.0	3372	2980	2588	00:00	00:48	01:34
1108	BEDROOM	100	100.0			3116			00:00	00:00	00:00
1109	BEDROOM	100	100.0			3195			00:00	00:00	00:00
1110	L/K/D	200	59.3		72.5	3393	2999	2616	00:00	00:47	01:34
1111	BEDROOM	100	100.0			3740			00:00	00:47	01:34
1112	BEDROOM	100	100.0			3881			00:00	00:47	01:34
1113	L/K/D	200	100.0		100.0	3938	3764	3643	04:40	05:23	05:59
1114	BEDROOM	100	100.0			3536			03:08	03:57	02:13
1115	BEDROOM	100	100.0			3779			05:14	06:28	07:17
1116	L/K/D	200	12.3		22.4	1915	1325	950	02:09	01:45	00:00
1117	BEDROOM	100	100.0			3789			05:03	06:30	07:19
1118	BEDROOM	100	100.0			3327			02:54	03:49	01:54
1119	L/K/D	200	100.0		100.0	3973	3799	3682	06:34	08:11	10:21
1120	BEDROOM	100	100.0			3762			03:56	03:42	05:17
1121	LIVING ROOM	150	100.0			3566	3270		03:50	03:42	05:09
1122	BEDROOM	100	100.0			2775			01:09	01:11	01:15
1123	BEDROOM	100	100.0			2803			01:03	01:11	01:21
1124	LIVING ROOM	150	79.6			3300	2975		03:32	03:46	04:54
1125	LIVING ROOM	150	76.2			3502	3209		03:26	03:52	04:44
1126	BEDROOM	100	78.4			2617			00:43	01:19	01:37
1127	BEDROOM	100	2.6			916			00:01	00:59	00:13
1128	L/K/D	200	47.6		57.1	2961	2499	2064	03:20	04:07	05:03
1129	BEDROOM	100	100.0			3639			03:31	04:25	05:28
1130	BEDROOM	100	100.0			3665			03:32	04:28	05:39

Table 120: Assessment Data




Fig. 130: Floor Plan



Block K–Level 16

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 16											
1131	BEDROOM	100	100.0			3870			01:57	02:43	04:58
1132	BEDROOM	100	77.3			2466			00:00	00:00	00:00
1133	L/K/D	200	41.7		57.1	2948	2403	1925	00:00	00:00	01:38
1134	BEDROOM	100	100.0			3614			00:00	00:01	01:25
1135	BEDROOM	100	100.0			3981			00:00	00:07	01:15
1136	BEDROOM	100	100.0			3468			00:00	00:00	00:46
1137	L/K/D	200	52.9		76.4	3228	2785	2304	00:04	01:10	02:06
1138	BEDROOM	100	91.4			3195			00:00	00:00	00:00
1139	L/K/D	200	49.3		55.9	3119	2622	2076	00:00	00:00	00:00
1140	BEDROOM	100	100.0			3775			00:00	00:47	01:35
1141	BEDROOM	100	100.0			3717			00:00	00:48	01:41
1142	LIVING ROOM	150	100.0			3646	3394		00:00	00:48	01:45
1143	BEDROOM	100	99.5			2833			00:00	00:00	00:00
1144	BEDROOM	100	100.0			3712			00:00	00:47	01:44
1145	BEDROOM	100	100.0			3673			00:00	00:47	01:44
1146	BEDROOM	100	100.0			3658			00:00	00:47	01:44
1147	L/K/D	200	100.0		100.0	3764	3591	3414	04:37	05:24	06:05
1148	BEDROOM	100	100.0			3819			05:30	06:40	07:17
1149	BEDROOM	100	93.3			2871			02:26	01:44	00:00
1150	L/K/D	200	82.6		92.4	3502	3167	2935	05:18	06:39	07:19
1151	BEDROOM	100	100.0			3206			02:59	03:33	01:38
1152	L/K/D	200	100.0		100.0	3959	3780	3653	06:49	08:18	10:41
1153	BEDROOM	100	100.0			3643			03:57	03:47	05:19
1154	BEDROOM	100	100.0			3670			03:50	03:47	05:17
1155	L/K/D	200	41.8		51.2	2759	2246	1946	03:44	04:00	05:20
1156	BEDROOM	100	99.0			2729			02:12	01:16	00:13
1157	BEDROOM	100	100.0			2864			01:17	01:55	01:43
1158	BEDROOM	100	99.7			3293			03:29	04:09	05:01
1159	BEDROOM	100	35.5			2088			00:22	01:04	00:02
1160	L/K/D	200	13.9		17.4	552	299	89	02:02	02:59	03:58
1161	BEDROOM	100	100.0			3705			03:37	04:29	05:26
1162	BEDROOM	100	100.0			3624			03:51	04:36	05:49
1163	BEDROOM	100	100.0			3702			04:00	04:36	06:16

Table 121: Assessment Data




Fig. 131: Floor Plan



Block K–Level 17

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 17											
1164	BEDROOM	100	100.0			3881			01:57	03:05	05:09
1165	BEDROOM	100	80.7			2527			00:00	00:00	00:00
1166	L/K/D	200	43.8		59.3	2973	2455	1963	00:00	00:02	01:38
1167	BEDROOM	100	100.0			3619			00:00	00:10	01:25
1168	BEDROOM	100	100.0			3986			00:00	00:27	01:15
1169	BEDROOM	100	100.0			3474			00:00	00:00	01:01
1170	L/K/D	200	53.2		77.8	3260	2823	2369	00:04	01:10	02:13
1171	BEDROOM	100	91.4			3211			00:00	00:00	00:00
1172	L/K/D	200	49.5		56.1	3130	2634	2085	00:00	00:00	00:11
1173	BEDROOM	100	100.0			3779			00:00	00:47	01:54
1174	BEDROOM	100	100.0			3720			00:00	00:48	01:47
1175	LIVING ROOM	150	100.0			3654	3409		00:00	00:48	01:52
1176	BEDROOM	100	99.5			2850			00:00	00:00	00:00
1177	BEDROOM	100	100.0			3717			00:00	00:47	01:52
1178	BEDROOM	100	100.0			3683			00:00	00:47	01:55
1179	BEDROOM	100	100.0			3670			00:00	00:47	01:55
1180	L/K/D	200	100.0		100.0	3779	3604	3432	04:41	05:24	06:05
1181	BEDROOM	100	100.0			3826			05:45	06:40	07:17
1182	BEDROOM	100	97.9			2919			02:40	01:44	00:00
1183	L/K/D	200	85.0		92.6	3508	3195	2959	05:33	06:42	07:19
1184	BEDROOM	100	100.0			3249			03:14	03:33	01:38
1185	L/K/D	200	100.0		100.0	3969	3799	3668	07:04	08:30	10:43
1186	BEDROOM	100	100.0			3667			03:57	03:52	05:33
1187	BEDROOM	100	100.0			3690			03:51	03:58	05:25
1188	L/K/D	200	43.3		53.2	2815	2320	1974	03:47	04:14	05:24
1189	BEDROOM	100	100.0			2813			02:13	01:17	00:30
1190	BEDROOM	100	100.0			2922			01:25	02:09	01:44
1191	BEDROOM	100	100.0			3355			03:34	04:21	05:22
1192	BEDROOM	100	41.5			2121			00:24	01:05	00:02
1193	L/K/D	200	14.7		18.3	583	317	99	02:06	03:12	04:21
1194	BEDROOM	100	100.0			3730			03:46	04:35	06:06
1195	BEDROOM	100	100.0			3644			04:00	04:51	06:31
1196	BEDROOM	100	100.0			3727			04:02	04:56	06:42

Table 122: Assessment Data




Fig. 132: Floor Plan



Block K-Level 18

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 18											
1197	BEDROOM	100	100.0			3900			02:03	03:27	05:22
1198	BEDROOM	100	82.9			2562			00:00	00:00	00:00
1199	L/K/D	200	46.4		60.7	3003	2500	2029	00:00	00:30	01:38
1200	BEDROOM	100	100.0			3623			00:00	00:32	01:25
1201	BEDROOM	100	100.0			3992			00:00	00:34	01:15
1202	BEDROOM	100	100.0			3478			00:00	00:00	01:07
1203	L/K/D	200	54.9		79.3	3267	2846	2384	00:04	01:10	02:22
1204	BEDROOM	100	92.6			3222			00:00	00:00	00:00
1205	L/K/D	200	49.7		56.3	3161	2662	2118	00:00	00:00	00:11
1206	BEDROOM	100	100.0			3788			00:00	00:47	01:59
1207	BEDROOM	100	100.0			3723			00:00	00:48	02:01
1208	LIVING ROOM	150	100.0			3657	3414		00:00	00:48	01:58
1209	BEDROOM	100	100.0			2879			00:00	00:00	00:00
1210	BEDROOM	100	100.0			3717			00:00	00:47	01:57
1211	BEDROOM	100	100.0			3701			00:00	00:47	02:01
1212	BEDROOM	100	100.0			3675			00:00	00:47	02:01
1213	L/K/D	200	100.0		100.0	3797	3613	3449	04:41	05:24	06:10
1214	BEDROOM	100	100.0			3835			06:03	06:40	07:17
1215	BEDROOM	100	100.0			2974			02:54	01:44	00:00
1216	L/K/D	200	86.8		94.2	3534	3226	2998	05:48	06:42	07:19
1217	BEDROOM	100	100.0			3284			03:28	03:33	01:38
1218	L/K/D	200	100.0		100.0	3979	3814	3690	07:18	08:38	10:50
1219	BEDROOM	100	100.0			3690			03:58	04:04	05:35
1220	BEDROOM	100	100.0			3714			03:51	04:11	05:35
1221	L/K/D	200	44.5		54.0	2864	2385	2008	03:55	04:26	05:44
1222	BEDROOM	100	100.0			2881			02:13	01:18	00:50
1223	BEDROOM	100	100.0			2977			01:27	02:20	01:45
1224	BEDROOM	100	100.0			3413			03:36	04:35	05:44
1225	BEDROOM	100	47.5			2176			00:30	01:05	00:02
1226	L/K/D	200	15.5		19.0	582	312	96	02:15	03:27	04:51
1227	BEDROOM	100	100.0			3753			03:48	04:58	06:25
1228	BEDROOM	100	100.0			3672			04:01	05:12	06:41
1229	BEDROOM	100	100.0			3747			04:06	05:18	06:56

Table 123: Assessment Data




Fig. 133: Floor Plan



Block K–Level 19

ROOM REF.	ROOM USE	DAYLIGHT							SUNLIGHT		
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) Weather File: GBR_Gatwick				EN DAYLIGHT AUTONOMY hours at which the target illuminance is achieved across 50% of room (2190 hrs target) Weather File: GBR_Gatwick			HOURS:MIN		
		TARGET	RELEVANT ENSDA	100	150	100	150	200	1 FEB	25 FEB	21 MAR
BLOCK K - LEVEL 19											
1230	BEDROOM	100	100.0			3917			02:08	03:41	05:24
1231	BEDROOM	100	89.5			2598			00:00	00:00	00:00
1232	L/K/D	200	46.6		63.3	3020	2532	2054	00:00	00:32	01:38
1233	BEDROOM	100	100.0			3628			00:00	00:32	01:25
1234	BEDROOM	100	100.0			3999			00:00	00:34	01:15
1235	BEDROOM	100	100.0			3486			00:00	00:00	01:07
1236	L/K/D	200	54.6		80.0	3293	2869	2423	00:04	01:10	02:22
1237	BEDROOM	100	93.8			3235			00:00	00:00	00:00
1238	L/K/D	200	49.9		58.1	3182	2675	2144	00:00	00:00	00:17
1239	BEDROOM	100	100.0			3798			00:00	00:47	02:01
1240	BEDROOM	100	100.0			3730			00:00	00:48	02:01
1241	LIVING ROOM	150	100.0			3670	3426		00:00	00:48	02:01
1242	BEDROOM	100	100.0			2895			00:00	00:00	00:00
1243	BEDROOM	100	100.0			3721			00:00	00:47	02:01
1244	BEDROOM	100	100.0			3705			00:00	00:47	02:01
1245	BEDROOM	100	100.0			3688			00:00	00:47	02:01
1246	L/K/D	200	100.0		100.0	3803	3623	3461	04:41	05:24	06:10
1247	BEDROOM	100	100.0			3844			06:05	06:40	07:17
1248	BEDROOM	100	100.0			3002			03:04	01:44	00:00
1249	L/K/D	200	87.4		95.5	3555	3246	3016	06:04	06:42	07:19
1250	BEDROOM	100	100.0			3318			03:42	03:33	01:38
1251	L/K/D	200	100.0		100.0	3987	3815	3705	07:33	08:50	10:52
1252	BEDROOM	100	100.0			3702			03:58	04:19	05:45
1253	BEDROOM	100	100.0			3722			03:56	04:23	05:48
1254	L/K/D	200	46.0		56.0	2915	2456	2052	03:57	04:36	05:59
1255	BEDROOM	100	100.0			2922			02:14	01:18	01:02
1256	BEDROOM	100	100.0			2983			01:28	02:31	01:49
1257	BEDROOM	100	100.0			3436			03:42	04:46	06:02
1258	BEDROOM	100	53.0			2246			00:36	01:06	00:02
1259	L/K/D	200	15.7		19.1	601	323	100	02:19	03:43	05:06
1260	BEDROOM	100	100.0			3761			03:49	05:11	06:41
1261	BEDROOM	100	100.0			3691			04:02	05:25	06:54
1262	BEDROOM	100	100.0			3763			04:08	05:32	07:00

Table 124: Assessment Data