## Proposals for Braithwaite Park



3D Visualisation

#### **Braithwaite Park**

#### TREE GRILLES: GREENBLUEURBAN CASTLE TREE GRILLE 20A (SQUARE 2M) AND DTS YARE (CIRCLE 1.2M) NIFILLED WITH SURFACE TO MATCH SURROUNDS DETAILED PLANNING APPLICATION BOUNDARY SHEFFIELD CYCLE STAND (750 X 48 X 750MM) +0.00e EXISTING LEVEL BIN - BROXAP HERITAGE BLACK (NO GOLD LETTERING) +0.00 PROPOSED LEVEL FOUNTAIN - ELKAY TWO STATION ADA STAINLESS STEEL DRINKING FOUNTAIN W DOG BOWL CURVED SEAT WITH ARMS AND BACKREST TARMAC ULTICOLOUR BENCHES - BROXAP BLACKBURN (L:1800MM X W:605MM X H:840MM) TARMAC ULTICOLOUR COLOUR: LIGHT BUFF PICNIC TABLE - BROXAP 10 SEAT WATERSON CONCRETE & TIMBER WITH 2 WHEELCHAIR SPACES CEDEC SELF BINDING GRAVEL COLOUR: GOLD SIGNAGE - M&L BOW TOPPED LBTH PLAYPARK SIGNS Areas of wet pour safety surfacing will be required within all fall zones around play equipment, to supplier's specification. Subject to review and detailed design once equipment is finalized, current proposals indicative only. SIGNAGE - M&L SQUARE TOPPED LBTH WELCOME SIGNS SUN LOUNGER AND LOW TABLE PLAY EQUIPMENT PLAY EQUIPMENT ALL EQUIPMENT IS SUBJECT TO REVIEW AND FURTHER CONSULTATION - Indicative proposals outlined within the Design and Access Statement. Safety surfacing will be required within all fall zones. All play equipment should be steel framed with no timber structural supports. A mix of play options for children of differing age groups and accessibility needs should be provided as proposed below; 1.1M HIGH PARK FENCE WITH DOUBLE OR SINGLE GATES AS SHOWN TOTTER TRAIL (0-3 years) METAL EDGING TO PLANTERS 100MM HIGH STEEL WITH CORTEN FINISH MINI SEE-SAW (0-3 years) SOFTWORKS SENSORY PLAY PANELS (all ages) PROPOSED TREE TOWER COMBINATION (4-7 years) EXISTING TREE SEE SAW (4-7 years) SMALL CAROUSEL (4-7 years) AMENITY LAWN ACCESSIBLE CAROUSEL (4-7 years) LARGE SWING/ BASKET SWINGS (8-12 years) TOWER COMBINATION (8-12 years)



Phase A - Public Realm and Landscape Detail Plan - Braithwaite Park. For to scale version of this plan refer to LDA Design Drawing no. AVL-LDA-SBX-XX-XX-DR-L-0205

### **Braithwaite Park**

#### **Paving Typology**

The paving for within the parks has been selected to be warm toned, smooth, and hard-wearing tarmac material. A lighter shade of tarmac colour is selected to articulate the children's play area.

The picnic area in the middle of the park will be a CEDEC self binding gravel which is a different texture and colour from the tarmac paths to indicate a different atmosphere as a dwelling space, with natural, tactile quality.

Wet pour is provided as a safety surface under all equipment with fall zones where appropriate (design to be finalised with play supplier) the remainder of the play space will be light buff coloured tarmac as a suitable smooth playable surface and chosen for its long-lasting quality.



CEDEC self binding gravel under picnic table area



Tarmac Ulticolour - in light buff for majority of children's play space



Tarmac Ulticolour - Buff



Wet pour (as a safety surface under equipment with fall zones)  $\,$ 



Paving Typology diagram


### **Braithwaite Park**

#### **Furniture Typology**



Accessible drinking fountain for children and wheelchair users also with dog bowl

Furnitubes bespoke wall-top seating at Christchurch Gardens Westminster



Broxap Heritage Black

(no gold lettering)



Sheffield cycle stand (750 x 48 x 750mm)



Square topped welcome signs from M&L



Bow topped playground signs from M&L

Drinking fountains

Curved seating around circular flower beds



(89 88 ) A





Loungers/informal seating near swing set

Picnic tables with spaces designed for wheelchair users

Loungers / informal seating to compliment standard benches

Park entrance and playground entrance signage (as standard installation for Tower Hamlets public space)



Broxap Blackburn Bench (1800mm long x 605mm wide x 840mm high)

Broxap Saughton Bench (2000mm long, 520mm wide, 550mm high)

Park benches (standard installation for Tower Hamlets public space)

302

Furniture Typology diagram