

## Block H - First Floor - Part 1 (H1-H2)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR

### BLOCK\_H - LEVEL 01

259	L/K/D	87.2	80.5	73.4	200	73.4	03:41
260	KITCHEN	100.0	100.0	100.0	200	100.0	00:00
261	LIVING ROOM	91.0	62.0	45.4	150	62.0	00:00
262	BEDROOM	100.0	80.0	59.4	100	100.0	00:00
263	BEDROOM	99.0	82.1	48.8	100	99.0	00:00
264	BEDROOM	75.3	50.7	34.5	100	75.3	00:00
265	L/K/D	13.6	3.5	0.0	200	0.0	00:00
266	BEDROOM	94.5	57.0	40.6	100	94.5	00:00
267	BEDROOM	11.8	2.9	0.0	100	11.8	00:00
268	BEDROOM	36.1	20.5	15.1	100	36.1	00:00
269	BEDROOM	13.3	0.8	0.0	100	13.3	00:00
270	BEDROOM	32.1	18.4	12.8	100	32.1	00:00
271	BEDROOM	33.0	18.0	12.4	100	33.0	00:00
272	BEDROOM	33.5	17.5	11.9	100	33.5	00:00
273	BEDROOM	30.6	17.3	11.7	100	30.6	00:00
274	BEDROOM	10.2	0.0	0.0	100	10.2	00:00
275	BEDROOM	28.4	15.7	11.3	100	28.4	00:00
276	BEDROOM	6.3	0.0	0.0	100	6.3	00:48
277	BEDROOM	66.4	40.6	28.1	100	66.4	00:00
278	L/K/D	6.3	0.2	0.0	200	0.0	00:00
279	BEDROOM	57.0	36.8	26.0	100	57.0	01:02
280	BEDROOM	91.8	50.2	34.8	100	91.8	00:39
281	BEDROOM	88.3	55.0	40.6	100	88.3	00:22
282	LIVING ROOM	59.6	38.3	26.8	150	38.3	00:00
283	KITCHEN	100.0	89.6	65.9	200	65.9	02:35
284	L/K/D	81.9	74.9	57.1	200	57.1	06:11
285	BEDROOM	100.0	100.0	92.5	100	100.0	04:36
286	BEDROOM	100.0	100.0	100.0	100	100.0	04:58
287	BEDROOM	100.0	97.3	84.1	100	100.0	05:00
288	BEDROOM	100.0	92.2	62.6	100	100.0	04:55
289	BEDROOM	100.0	83.3	56.1	100	100.0	04:51
290	BEDROOM	100.0	81.2	52.3	100	100.0	04:46
291	BEDROOM	100.0	87.6	59.2	100	100.0	04:42
292	BEDROOM	100.0	94.9	55.1	100	100.0	02:13
293	BEDROOM	100.0	75.5	38.2	100	100.0	02:09
294	BEDROOM	100.0	78.4	42.2	100	100.0	03:09
295	BEDROOM	100.0	91.2	50.0	100	100.0	02:01
296	BEDROOM	100.0	71.4	51.0	100	100.0	02:11
297	BEDROOM	96.9	64.5	43.2	100	96.9	04:17
298	BEDROOM	97.9	69.0	48.4	100	97.9	04:12
299	BEDROOM	99.5	68.9	52.9	100	99.5	04:08
300	BEDROOM	100.0	93.7	81.1	100	100.0	04:03
301	BEDROOM	100.0	100.0	88.2	100	100.0	03:43
302	BEDROOM	100.0	93.6	74.3	100	100.0	03:38

Table 15: Assessment Data




Fig. 24: Floor Plan



Block H - First Floor - Part 2 (H3)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
303	BEDROOM	72.6	36.6	18.9	100	72.6	00:23
304	L/K/D	100.0	92.8	77.3	200	77.3	02:24
305	BEDROOM	98.8	93.5	70.4	100	98.8	01:16
306	L/K/D	85.4	64.3	45.2	200	45.2	02:19
307	BEDROOM	100.0	98.4	75.0	100	100.0	02:17
308	L/K/D	100.0	75.4	53.8	200	53.8	02:15
309	BEDROOM	100.0	98.6	71.0	100	100.0	02:12
310	BEDROOM	100.0	98.4	74.5	100	100.0	02:12
311	L/K/D	79.7	59.4	40.9	200	40.9	02:05
312	BEDROOM	98.8	91.1	67.5	100	98.8	01:22
313	L/K/D	98.1	88.8	59.8	200	59.8	01:03
314	BEDROOM	72.6	35.4	21.1	100	72.6	00:36
315	BEDROOM	46.4	25.6	15.9	100	46.4	00:30
316	L/K/D	23.1	13.8	9.0	200	9.0	00:03
317	BEDROOM	99.6	33.5	14.7	100	99.6	00:07
318	BEDROOM	22.5	11.1	6.0	100	22.5	00:00
319	BEDROOM	23.4	11.4	6.3	100	23.4	00:06
320	BEDROOM	100.0	36.0	15.1	100	100.0	00:14
321	L/K/D	24.1	15.5	10.1	200	10.1	00:14
322	BEDROOM	44.4	25.1	15.0	100	44.4	00:00

Table 16: Assessment Data




Fig. 25: Floor Plan



## Block H - Second Floor - Part 1 (H1-H2)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR

### BLOCK\_H - LEVEL 02

323	L/K/D	100.0	100.0	100.0	200	100.0	03:33
324	KITCHEN	100.0	100.0	100.0	200	100.0	00:28
325	LIVING ROOM	100.0	75.7	52.7	150	75.7	00:43
326	BEDROOM	100.0	92.2	77.8	100	100.0	00:03
327	BEDROOM	100.0	97.6	72.5	100	100.0	00:00
328	BEDROOM	99.6	63.7	45.7	100	99.6	00:00
329	BEDROOM	99.6	82.5	42.4	100	99.6	00:52
330	LIVING ROOM	100.0	100.0	83.4	150	100.0	00:06
331	LIVING ROOM	100.0	76.1	34.0	150	76.1	00:00
332	KITCHEN	81.9	40.9	26.2	200	26.2	00:00
333	KITCHEN	77.7	37.3	25.1	200	25.1	00:15
334	LIVING ROOM	100.0	62.1	28.9	150	62.1	01:17
335	LIVING ROOM	100.0	96.9	59.0	150	96.9	01:41
336	BEDROOM	97.7	53.7	23.2	100	97.7	01:17
337	BEDROOM	76.2	50.7	36.8	100	76.2	01:38
338	BEDROOM	99.0	80.7	48.8	100	99.0	01:38
339	BEDROOM	100.0	79.4	57.2	100	100.0	01:21
340	LIVING ROOM	80.3	50.5	35.5	150	50.5	00:00
341	KITCHEN	100.0	98.9	84.1	200	84.1	02:49
342	L/K/D	100.0	99.1	87.9	200	87.9	06:17
343	BEDROOM	100.0	100.0	98.9	100	100.0	05:00
344	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
345	KITCHEN	78.0	54.7	28.8	200	28.8	02:09
346	KITCHEN	78.8	33.5	15.3	200	15.3	01:26
347	LIVING ROOM	100.0	95.9	81.5	150	95.9	02:52
348	LIVING ROOM	100.0	99.5	83.1	150	99.5	04:58
349	KITCHEN	44.5	17.8	8.5	200	8.5	01:27
350	KITCHEN	90.7	47.9	24.2	200	24.2	01:33
351	BEDROOM	100.0	100.0	91.4	100	100.0	03:43
352	BEDROOM	100.0	99.5	79.1	100	100.0	03:38

Table 17: Assessment Data




Fig. 26: Floor Plan



Block H - Second Floor - Part 2 (H3)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
353	BEDROOM	96.0	48.6	27.4	100	96.0	00:44
354	L/K/D	100.0	95.3	87.6	200	87.6	02:45
355	BEDROOM	99.4	96.4	80.5	100	99.4	01:31
356	L/K/D	99.2	71.7	52.5	200	52.5	02:34
357	BEDROOM	100.0	100.0	91.0	100	100.0	02:26
358	L/K/D	100.0	86.7	67.2	200	67.2	02:25
359	BEDROOM	100.0	99.5	92.1	100	100.0	02:21
360	BEDROOM	100.0	100.0	88.8	100	100.0	02:20
361	L/K/D	93.9	67.9	49.0	200	49.0	02:20
362	BEDROOM	99.4	95.9	76.9	100	99.4	01:39
363	L/K/D	99.8	91.0	77.3	200	77.3	01:23
364	BEDROOM	96.6	50.3	26.9	100	96.6	00:48
365	BEDROOM	54.1	32.9	20.8	100	54.1	00:41
366	BEDROOM	3.6	0.0	0.0	100	3.6	00:00
367	L/K/D	66.7	39.4	27.1	200	27.1	00:25
368	L/K/D	60.7	16.9	5.2	200	5.2	00:52
369	BEDROOM	31.4	16.0	10.6	100	31.4	00:00
370	BEDROOM	33.5	17.6	11.2	100	33.5	00:33
371	L/K/D	58.8	17.4	5.5	200	5.5	00:00
372	L/K/D	67.2	40.7	28.3	200	28.3	00:33
373	BEDROOM	2.1	0.0	0.0	100	2.1	00:00
374	BEDROOM	52.2	31.9	19.3	100	52.2	00:19

Table 18: Assessment Data




Fig. 27: Floor Plan





Block H - Third Floor - Part 1 (H1-H2)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
<b>BLOCK_H - LEVEL 03</b>							
375	L/K/D	100.0	89.7	82.7	200	82.7	03:41
376	KITCHEN	100.0	100.0	100.0	200	100.0	01:06
377	LIVING ROOM	100.0	78.0	58.7	150	78.0	02:28
378	BEDROOM	100.0	100.0	99.3	100	100.0	01:24
379	BEDROOM	100.0	99.3	93.2	100	100.0	00:32
380	BEDROOM	100.0	77.8	51.3	100	100.0	00:13
381	LIVING ROOM	79.9	46.3	28.9	150	46.3	00:32
382	BEDROOM	100.0	88.8	65.1	100	100.0	00:27
383	BEDROOM	100.0	81.0	52.4	100	100.0	00:28
384	BEDROOM	91.2	56.2	42.8	100	91.2	00:00
385	LIVING ROOM	35.2	20.1	10.8	150	20.1	00:00
386	BEDROOM	48.1	34.8	27.2	100	48.1	00:00
387	BEDROOM	49.8	31.8	22.6	100	49.8	00:00
388	BEDROOM	49.5	31.2	22.0	100	49.5	00:09
389	BEDROOM	48.1	33.5	25.9	100	48.1	00:20
390	LIVING ROOM	32.4	19.4	9.3	150	19.4	01:31
391	BEDROOM	75.3	49.5	38.1	100	75.3	01:21
392	BEDROOM	100.0	63.8	44.8	100	100.0	01:29
393	BEDROOM	100.0	69.1	48.7	100	100.0	00:56
394	LIVING ROOM	78.8	46.8	28.4	150	46.8	01:58
395	BEDROOM	94.3	59.6	41.1	100	94.3	02:17
396	BEDROOM	100.0	96.6	86.5	100	100.0	02:10
397	BEDROOM	100.0	100.0	97.8	100	100.0	01:47
398	LIVING ROOM	97.4	61.8	47.1	150	61.8	00:59
399	KITCHEN	100.0	100.0	94.1	200	94.1	03:05
400	L/K/D	86.9	80.9	75.7	200	75.7	07:15
401	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
402	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
403	KITCHEN	90.7	34.3	16.9	200	16.9	02:17
404	BEDROOM	98.5	71.8	34.4	100	98.5	02:09
405	KITCHEN	99.0	78.2	54.5	200	54.5	02:05
406	L/K/D	100.0	82.2	70.2	200	70.2	02:56
407	L/K/D	100.0	78.9	69.0	200	69.0	04:30
408	KITCHEN	86.3	63.7	43.1	200	43.1	01:37
409	BEDROOM	99.2	66.4	29.0	100	99.2	01:33
410	KITCHEN	72.6	26.2	15.3	200	15.3	01:24
411	BEDROOM	100.0	100.0	95.2	100	100.0	03:43
412	BEDROOM	100.0	100.0	84.5	100	100.0	03:38

Table 19: Assessment Data




Fig. 28: Floor Plan



Block H - Third Floor - Part 2 (H3)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
413	BEDROOM	100.0	68.0	41.7	100	100.0	01:09
414	L/K/D	100.0	96.1	88.9	200	88.9	02:51
415	BEDROOM	100.0	96.4	84.6	100	100.0	01:43
416	L/K/D	99.8	74.7	57.0	200	57.0	02:44
417	BEDROOM	100.0	100.0	96.3	100	100.0	02:35
418	L/K/D	100.0	98.5	72.9	200	72.9	02:33
419	BEDROOM	100.0	99.5	98.6	100	100.0	02:30
420	BEDROOM	100.0	100.0	95.2	100	100.0	02:29
421	L/K/D	99.7	73.0	54.7	200	54.7	02:28
422	BEDROOM	100.0	97.0	84.6	100	100.0	01:54
423	L/K/D	100.0	92.7	84.8	200	84.8	01:39
424	BEDROOM	100.0	71.4	42.3	100	100.0	01:03
425	BEDROOM	68.1	41.5	27.1	100	68.1	01:04
426	BEDROOM	6.2	0.0	0.0	100	6.2	00:00
427	L/K/D	77.5	50.6	35.6	200	35.6	00:47
428	L/K/D	97.2	34.7	12.9	200	12.9	01:06
429	BEDROOM	41.5	22.3	14.4	100	41.5	00:00
430	BEDROOM	47.3	24.5	14.9	100	47.3	00:58
431	L/K/D	95.9	32.5	12.5	200	12.5	00:00
432	L/K/D	78.8	51.3	35.8	200	35.8	00:58
433	BEDROOM	6.2	0.0	0.0	100	6.2	00:00
434	BEDROOM	65.7	39.6	27.1	100	65.7	00:44

Table 20: Assessment Data




Fig. 29: Floor Plan



## Block H - Fourth Floor - Part 1 (H1-H2)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
<b>BLOCK_H - LEVEL 04</b>							
435	L/K/D	100.0	100.0	100.0	200	100.0	03:33
436	KITCHEN	100.0	100.0	100.0	200	100.0	01:24
437	LIVING ROOM	100.0	98.6	63.9	150	98.6	02:47
438	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
439	BEDROOM	100.0	100.0	95.9	100	100.0	01:56
440	BEDROOM	100.0	97.8	62.0	100	100.0	00:41
441	LIVING ROOM	100.0	63.4	42.4	150	63.4	00:58
442	BEDROOM	100.0	100.0	89.5	100	100.0	01:00
443	BEDROOM	100.0	99.0	83.3	100	100.0	01:02
444	BEDROOM	100.0	75.8	54.6	100	100.0	00:00
445	LIVING ROOM	42.9	28.0	18.0	150	28.0	00:34
446	BEDROOM	63.3	46.8	36.7	100	63.3	00:18
447	BEDROOM	70.5	46.1	32.3	100	70.5	00:26
448	BEDROOM	71.1	46.8	31.7	100	71.1	00:30
449	BEDROOM	63.3	45.6	36.7	100	63.3	00:28
450	LIVING ROOM	41.8	26.9	17.6	150	26.9	01:45
451	BEDROOM	99.5	67.0	53.1	100	99.5	02:00
452	BEDROOM	100.0	93.8	64.8	100	100.0	02:00
453	BEDROOM	100.0	97.4	71.1	100	100.0	00:56
454	LIVING ROOM	100.0	65.8	43.5	150	65.8	02:10
455	BEDROOM	100.0	79.6	53.9	100	100.0	02:29
456	BEDROOM	100.0	98.0	93.2	100	100.0	02:28
457	BEDROOM	100.0	100.0	99.3	100	100.0	02:19
458	LIVING ROOM	100.0	72.3	53.2	150	72.3	02:15
459	KITCHEN	100.0	100.0	100.0	200	100.0	03:42
460	L/K/D	100.0	100.0	99.6	200	99.6	06:58
461	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
462	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
463	KITCHEN	91.9	35.9	17.3	200	17.3	02:17
464	BEDROOM	98.5	79.4	36.6	100	98.5	02:09
465	KITCHEN	100.0	84.2	57.4	200	57.4	02:05
466	L/K/D	100.0	88.5	71.7	200	71.7	02:56
467	L/K/D	100.0	80.4	70.2	200	70.2	04:30
468	KITCHEN	89.2	65.7	46.1	200	46.1	01:37
469	BEDROOM	100.0	88.5	38.2	100	100.0	01:33
470	KITCHEN	76.2	33.1	15.7	200	15.7	01:24
471	BEDROOM	100.0	100.0	96.8	100	100.0	03:43
472	BEDROOM	100.0	100.0	89.3	100	100.0	03:38

Table 21: Assessment Data




Fig. 30: Floor Plan



Block H - Fourth Floor - Part 2 (H3)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
473	BEDROOM	100.0	92.0	61.1	100	100.0	01:48
474	L/K/D	100.0	100.0	94.8	200	94.8	02:51
475	BEDROOM	100.0	97.6	89.9	100	100.0	02:12
476	L/K/D	100.0	81.3	65.2	200	65.2	02:50
477	BEDROOM	100.0	100.0	97.3	100	100.0	02:42
478	L/K/D	100.0	100.0	90.5	200	90.5	02:40
479	BEDROOM	100.0	100.0	98.6	100	100.0	02:39
480	BEDROOM	100.0	100.0	96.8	100	100.0	02:38
481	L/K/D	100.0	81.9	65.7	200	65.7	03:05
482	BEDROOM	100.0	97.6	89.9	100	100.0	02:06
483	L/K/D	100.0	99.6	93.8	200	93.8	02:35
484	BEDROOM	100.0	96.0	59.4	100	100.0	01:41
485	BEDROOM	94.7	53.6	38.2	100	94.7	01:32
486	BEDROOM	20.7	5.7	1.6	100	20.7	00:10
487	L/K/D	85.4	70.5	47.8	200	47.8	01:26
488	L/K/D	100.0	91.7	42.9	200	42.9	01:54
489	BEDROOM	75.0	30.9	21.8	100	75.0	00:03
490	BEDROOM	85.6	34.0	22.3	100	85.6	01:30
491	L/K/D	100.0	88.4	40.6	200	40.6	00:28
492	L/K/D	85.5	69.2	47.7	200	47.7	01:23
493	BEDROOM	16.1	4.1	1.0	100	16.1	00:00
494	BEDROOM	86.5	46.4	37.7	100	86.5	00:05

Table 22: Assessment Data




Fig. 31: Floor Plan





## Block H - Fifth Floor - Part 1 (H1-H2)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
<b>BLOCK_H - LEVEL 05</b>							
495	L/K/D	100.0	94.6	85.8	200	85.8	03:41
496	KITCHEN	100.0	100.0	100.0	200	100.0	01:24
497	LIVING ROOM	100.0	100.0	67.6	150	100.0	02:47
498	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
499	BEDROOM	100.0	100.0	97.3	100	100.0	02:47
500	BEDROOM	100.0	99.6	74.6	100	100.0	01:38
501	LIVING ROOM	100.0	90.9	56.2	150	90.9	01:40
502	BEDROOM	100.0	100.0	99.3	100	100.0	01:36
503	BEDROOM	100.0	99.5	97.6	100	100.0	01:36
504	BEDROOM	100.0	100.0	71.6	100	100.0	00:43
505	LIVING ROOM	56.1	38.6	27.8	150	38.6	01:01
506	BEDROOM	88.6	61.4	49.4	100	88.6	01:09
507	BEDROOM	88.5	67.3	43.8	100	88.5	01:03
508	BEDROOM	89.0	65.1	42.7	100	89.0	01:02
509	BEDROOM	86.1	59.5	46.2	100	86.1	01:06
510	LIVING ROOM	54.8	38.6	27.9	150	38.6	01:57
511	BEDROOM	100.0	98.5	68.6	100	100.0	02:04
512	BEDROOM	100.0	99.5	94.3	100	100.0	02:40
513	BEDROOM	100.0	100.0	99.3	100	100.0	01:37
514	LIVING ROOM	100.0	97.8	63.9	150	97.8	02:21
515	BEDROOM	100.0	98.6	67.1	100	100.0	02:40
516	BEDROOM	100.0	100.0	96.6	100	100.0	02:39
517	BEDROOM	100.0	100.0	100.0	100	100.0	02:38
518	LIVING ROOM	100.0	91.6	59.2	150	91.6	02:38
519	KITCHEN	100.0	100.0	100.0	200	100.0	05:22
520	L/K/D	99.6	86.2	81.8	200	81.8	08:00
521	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
522	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
523	KITCHEN	94.0	40.7	18.5	200	18.5	02:17
524	BEDROOM	100.0	83.2	40.5	100	100.0	02:09
525	KITCHEN	100.0	89.1	58.4	200	58.4	02:05
526	L/K/D	100.0	94.5	72.9	200	72.9	02:56
527	L/K/D	100.0	82.3	70.9	200	70.9	04:30
528	KITCHEN	92.2	67.6	51.0	200	51.0	01:37
529	BEDROOM	100.0	81.7	35.9	100	100.0	01:33
530	KITCHEN	82.3	37.9	16.9	200	16.9	01:24
531	BEDROOM	100.0	100.0	99.5	100	100.0	03:43
532	BEDROOM	100.0	100.0	92.5	100	100.0	03:38

Table 23: Assessment Data




Fig. 32: Floor Plan



Block H - Fifth Floor - Part 2 (H3)

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylit hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
533	L/K/D	99.2	93.6	82.8	200	82.8	02:51
534	BEDROOM	100.0	100.0	90.6	100	100.0	02:20
535	BEDROOM	100.0	100.0	100.0	100	100.0	02:18
536	BEDROOM	100.0	100.0	90.8	100	100.0	02:18
537	BEDROOM	100.0	99.4	89.6	100	100.0	02:17
538	BEDROOM	100.0	100.0	100.0	100	100.0	02:17
539	BEDROOM	100.0	99.5	89.0	100	100.0	02:17
540	L/K/D	99.9	94.9	85.1	200	85.1	05:37
541	BEDROOM	88.0	59.1	43.8	100	88.0	01:49
542	L/K/D	98.2	70.5	59.6	200	59.6	05:14
543	BEDROOM	100.0	100.0	100.0	100	100.0	02:42
544	BEDROOM	100.0	80.8	50.0	100	100.0	02:19
545	BEDROOM	100.0	88.3	51.9	100	100.0	02:17
546	BEDROOM	100.0	100.0	100.0	100	100.0	02:35
547	L/K/D	97.5	68.1	57.6	200	57.6	02:12
548	BEDROOM	75.0	51.4	34.6	100	75.0	00:38

Table 24: Assessment Data




Fig. 33: Floor Plan



## Block H - Sixth Floor

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
<b>BLOCK_H - LEVEL 06</b>							
549	L/K/D	100.0	100.0	100.0	200	100.0	03:33
550	KITCHEN	100.0	100.0	100.0	200	100.0	01:24
551	LIVING ROOM	100.0	100.0	71.1	150	100.0	02:47
552	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
553	BEDROOM	100.0	100.0	98.0	100	100.0	02:47
554	BEDROOM	100.0	100.0	93.9	100	100.0	02:35
555	LIVING ROOM	100.0	100.0	69.4	150	100.0	02:24
556	BEDROOM	100.0	100.0	100.0	100	100.0	02:26
557	BEDROOM	100.0	100.0	99.5	100	100.0	02:22
558	BEDROOM	100.0	100.0	99.5	100	100.0	01:17
559	LIVING ROOM	69.6	48.7	35.7	150	48.7	01:53
560	BEDROOM	100.0	80.4	58.9	100	100.0	01:45
561	BEDROOM	100.0	82.9	59.9	100	100.0	01:56
562	BEDROOM	100.0	81.7	58.3	100	100.0	01:53
563	BEDROOM	100.0	77.8	58.2	100	100.0	01:42
564	LIVING ROOM	68.6	49.5	37.0	150	49.5	02:33
565	BEDROOM	100.0	100.0	96.4	100	100.0	02:26
566	BEDROOM	100.0	100.0	99.5	100	100.0	02:40
567	BEDROOM	100.0	100.0	100.0	100	100.0	01:43
568	LIVING ROOM	100.0	100.0	92.3	150	100.0	02:28
569	BEDROOM	100.0	100.0	85.7	100	100.0	02:47
570	BEDROOM	100.0	100.0	97.3	100	100.0	02:47
571	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
572	LIVING ROOM	100.0	99.7	66.5	150	99.7	02:52
573	KITCHEN	100.0	100.0	100.0	200	100.0	07:51
574	L/K/D	100.0	100.0	100.0	200	100.0	09:01
575	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
576	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
577	KITCHEN	94.4	49.2	19.0	200	19.0	02:17
578	BEDROOM	100.0	86.3	42.0	100	100.0	02:09
579	KITCHEN	100.0	92.1	61.4	200	61.4	02:05
580	L/K/D	100.0	97.1	74.5	200	74.5	02:56
581	L/K/D	100.0	84.9	72.4	200	72.4	04:30
582	KITCHEN	96.1	70.6	52.9	200	52.9	01:37
583	BEDROOM	100.0	95.4	48.1	100	100.0	01:33
584	KITCHEN	86.3	43.1	18.5	200	18.5	01:24
585	BEDROOM	100.0	100.0	99.5	100	100.0	03:43
586	BEDROOM	100.0	100.0	96.8	100	100.0	03:38

Table 25: Assessment Data




Fig. 34: Floor Plan



## Block H - Seventh Floor

ROOM REF.	ROOM USE	DAYLIGHT					SUNLIGHT
		EN SPATIAL DAYLIGHT AUTONOMY percentage of room achieving target illuminance for 2190 hrs (50% of daylight hours) - Weather File: GBR_Gatwick					HOURS:MIN
		100	150	200	TARGET	RELEVANT ENSDA	21 MAR
<b>BLOCK_H - LEVEL 07</b>							
587	L/K/D	100.0	100.0	95.5	200	95.5	03:41
588	KITCHEN	100.0	100.0	100.0	200	100.0	01:24
589	LIVING ROOM	100.0	100.0	90.5	150	100.0	02:47
590	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
591	BEDROOM	100.0	100.0	98.6	100	100.0	02:47
592	BEDROOM	100.0	100.0	98.9	100	100.0	02:47
593	LIVING ROOM	100.0	100.0	100.0	150	100.0	03:29
594	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
595	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
596	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
597	LIVING ROOM	98.7	75.9	60.8	150	75.9	02:20
598	BEDROOM	100.0	100.0	65.8	100	100.0	02:17
599	BEDROOM	100.0	96.3	75.1	100	100.0	02:17
600	BEDROOM	100.0	94.5	70.2	100	100.0	02:17
601	BEDROOM	100.0	100.0	67.7	100	100.0	02:17
602	LIVING ROOM	98.7	75.5	62.2	150	75.5	03:02
603	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
604	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
605	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
606	LIVING ROOM	100.0	100.0	100.0	150	100.0	02:28
607	BEDROOM	100.0	100.0	97.5	100	100.0	02:47
608	BEDROOM	100.0	100.0	98.6	100	100.0	02:47
609	BEDROOM	100.0	100.0	100.0	100	100.0	02:47
610	LIVING ROOM	100.0	100.0	85.0	150	100.0	05:27
611	KITCHEN	100.0	100.0	100.0	200	100.0	07:52
612	L/K/D	100.0	100.0	93.0	200	93.0	10:40
613	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
614	BEDROOM	100.0	100.0	100.0	100	100.0	05:00
615	KITCHEN	100.0	98.0	95.2	200	95.2	04:34
616	BEDROOM	100.0	100.0	100.0	100	100.0	04:26
617	KITCHEN	100.0	100.0	100.0	200	100.0	04:22
618	L/K/D	100.0	100.0	90.1	200	90.1	04:38
619	L/K/D	100.0	100.0	82.3	200	82.3	04:30
620	KITCHEN	100.0	100.0	98.0	200	98.0	02:32
621	BEDROOM	100.0	100.0	100.0	100	100.0	03:50
622	KITCHEN	100.0	99.2	90.3	200	90.3	03:41
623	BEDROOM	100.0	100.0	100.0	100	100.0	03:43
624	BEDROOM	100.0	100.0	97.9	100	100.0	03:38

Table 26: Assessment Data



Fig. 35: Floor Plan

