

Appendix: Water Resources, Drainage and Flood Risk

Annex 1: Flood Risk Assessment

Annex 2: Drainage Strategy

Annex 3: Thames Water – Potable Water Supply Correspondence

Annex 4: Sustainable Urban Drainage System (SuDS) Proforma



parmarbrook

parmarbrook



ECOWORLD
INTERNATIONAL
CREATING TOMORROW & BEYOND

New Aberfeldy Masterplan Flood Risk Assessment

Job No: 2272

Date: 08th October 2021

Revision: 1.1

Project name	New Aberfeldy Masterplan	Job Number
Report Name	Flood Risk Assessment	2272

Document Revision History

Revision Ref	Issue Date	Purpose of issue / description of revision
1.0	06/09/2021	Issued for Information
1.1	08/10/2021	Issued for Planning Approval

Document Validation (latest issue)

Revision	Issue Date	Purpose of issue / description of revision / version			
1.1	8/10/2021	Issued for Planning Approval			
		Prepared by	Checked by	Verified by	
		Initials	JA/TP	TP	CP

This report was prepared by Parmarbrook Ltd within the terms of its engagement and in direct response to a scope of services. This report is strictly limited to the purpose and the facts and matters stated in it and does not apply directly or indirectly and must not be used for any other application, purpose, use or matter. In preparing the report, Parmarbrook may have relied upon information provided to it at the time by other parties. Parmarbrook accepts no responsibility as to the accuracy or completeness of information provided by those parties at the time of preparing the report. The report does not take into account any changes in information that may have occurred since the publication of the report. If the information relied upon is subsequently determined to be false, inaccurate or incomplete then it is possible that the observations and conclusions expressed in the report may have changed. Parmarbrook does not warrant the contents of this report and shall not assume any responsibility or liability for loss whatsoever to any third party caused by, related to or arising out of any use or reliance on the report howsoever. No part of this report, its attachments or appendices may be reproduced by any process without the written consent of Parmarbrook. All enquiries should be directed to Parmarbrook.

Contents

1.0 Introduction	3
2.0 Planning Policy and guidance	4
3.0 Site Description & Context	8
4.0 Assessment of Flood Risk	14
5.0 Flood Risk Mitigation Measures	23
6.0 Summary and Recommendations	24

1 Introduction

1.1 Purpose of Report

Parmarbrook has been instructed by EcoWorld London Development Company Ltd. to prepare a Flood Risk Assessment (FRA) in support of a hybrid planning application for the New Aberfeldy Masterplan.

The scope of this report is limited to an assessment of flood risk at the site and the measures required to appropriately mitigate flood risk for the lifetime of the development, taking into consideration the vulnerability of the proposed use to flood risk. A preliminary surface water drainage scheme is reported separately.

1.2 Information Source

The assessment has been undertaken in accordance with the below documents and guidance detailed within the National Planning Policy Framework (NPPF) and the accompanying Planning Practice Guidance (PPG).

- Ordnance Survey (OS);
- British Geological Survey (BGS);
- Environment Agency (EA);
- Department for Environment, Food and Rural Affairs (DEFRA);
- Thames Water Sewer Records;
- National Planning Policy Framework, July 2021
- National Planning Practice Guidance (NPPG) August 2021
- Policy SI 12 Flood Risk Management, The London Plan 2021
- Policy SI 13 Sustainable Drainage, The London Plan 2021
- London Borough of Tower Hamlets Local Plan 2020
- London Borough of Tower Hamlets Strategic Flood Risk Assessments
- London Borough of Tower Hamlets Preliminary Flood Risk Assessment
- London Borough of Tower Hamlets Local Flood Risk Management Strategy
- London Borough of Tower Hamlets Surface Water Management Plan

It is to be noted that this FRA has been undertaken as a desktop study and no intrusive site investigations have been undertaken to inform this report.

2 Planning Policy and Guidance

2.1 National Planning Policy Framework

At a national level, the National Planning Policy Framework (NPPF), July 2021 and associated Planning Practice Guidance (PPG), ensures flood risk is taken into account at all stages of the planning process. The aim of this is to avoid inappropriate development in areas at risk of flooding and to direct development towards areas at lowest flood risk. The updates to this document do not fundamentally alter the previous work undertaken with respect to flood risk or surface water drainage.

The NPPF retains a risk based approach to the planning process and defines four flood zones. These zones are to be used as the basis for applying the sequential test to consider a development in terms of Flood Risk Vulnerability Classifications. These define the type of development that is considered appropriate within each zone.

The NPPF and associated PPG establishes the flood zones as the starting point for assessment with the overarching aim to steer new development to areas with the lowest probability of flooding. The flood zones are defined as follows:

- **Flood Zone 1** (Low Probability) comprises land assessed as having a less than 1 in 1,000 annual probability of river or sea flooding (<0.1%);
- **Flood Zone 2** (Medium Probability) comprises land assessed as having between a 1 in 100 and 1 in 1,000 annual probability of river flooding (1% – 0.1%), or between a 1 in 200 and 1 in 1,000 annual probability of sea flooding (0.5% – 0.1%) in any year;
- **Flood Zone 3a** (High Probability) comprises land assessed as having a 1 in 100 or greater annual probability of river flooding (>1%), or a 1 in 200 or greater annual probability of flooding from the sea (>0.5%) in any year; and
- **Flood Zone 3b** (The Functional Floodplain) typically is considered to have an annual probability of flooding of 1 in 20 or greater (>5%) in any year.

2.2 The London Plan 2021: Policies SI 12 & SI 13

The London Plan 2021 provides an overall strategic plan for the Mayor of London, 32 London boroughs and the City of London Corporation. The plan sets out an integrated economic, environmental, transport and social framework for the development of London over the next 20 – 25 years.

Policies SI 12 and SI 13 are related to improving water quality, flood mitigation and reducing flood risk through sustainable urban drainage systems.

Policy SI 12 (Flood Risk Management) states that:

- A. Current and expected flood risk from all sources (as defined in paragraph 9.2.12) across London should be managed in a sustainable and cost-effective way in collaboration with the Environment Agency, the Lead Local Flood Authorities, developers and infrastructure providers.
- B. Development Plans should use the Mayor's Regional Flood Risk Appraisal and their Strategic Flood Risk Assessment as well as Local Flood Risk Management Strategies, where necessary, to identify areas where

particular and cumulative flood risk issues exist and develop actions and policy approaches aimed at reducing these risks. Boroughs should cooperate and jointly address cross-boundary flood risk issues including with authorities outside London.

- C. Development proposals should ensure that flood risk is minimised and mitigated, and that residual risk is addressed. This should include, where possible, making space for water and aiming for development to be set back from the banks of watercourses.
- D. Developments Plans and development proposals should contribute to the delivery of the measures set out in Thames Estuary 2100 Plan. The Mayor will work with the Environment Agency and relevant local planning authorities, including authorities outside London, to safeguard an appropriate location for a new Thames Barrier.
- E. Development proposals for utility services should be designed to remain operational under flood conditions and buildings should be designed for quick recovery following a flood.

Policy SI 13 (Sustainable Drainage) states that:

- A. Lead Local Flood Authorities should identify – through their Local Flood Risk Management Strategies and Surface Water Management Plans – areas where there are particular surface water management issues and aim to reduce these risks. Increases in surface water run-off outside these areas also need to be identified and addressed.
- B. Development proposals should aim to achieve greenfield run-off rates and ensure that surface water run-off is managed as close to its source as possible. There should also be a preference for green over grey features, in line with the following drainage hierarchy:
 - 1) rainwater use as a resource (for example rainwater harvesting, blue roofs for irrigation)
 - 2) rainwater infiltration to ground at or close to source
 - 3) rainwater attenuation in green infrastructure features for gradual release (for example green roofs, rain gardens).
 - 4) rainwater discharge direct to a watercourse (unless not appropriate)
 - 5) controlled rainwater discharge to a surface water sewer or drain
 - 6) controlled rainwater discharge to a combined sewer.
- C. Development proposals for impermeable surfacing should normally be resisted unless they can be shown to be unavoidable, including on small surfaces such as front gardens and driveways.
- D. Drainage should be designed and implemented in ways that promote multiple benefits including increased water use efficiency, improved water quality, and enhanced biodiversity, urban greening, amenity and recreation.

2.3 London Borough of Tower Hamlets Local Plan 2031

The Local Plan was adopted in January 2020, it sets out how the borough of Tower Hamlets will grow and develop until 2031 and identifies how many new homes, jobs and services are needed to support our growing population, and where and how they should be provided. It will also shape how our places will look and feel and influence the way that our communities interact with each other and the spaces around them. It also provides a series of policies to ensure development is well-designed, accessible, safe and respects and enhances the environment, and can be delivered alongside new infrastructure and local services.

Policy D.ES4 (Flood Risk) states that:

1. Development is required to be located in areas suitable for the vulnerability level of the proposed uses with:
 - a. highly vulnerable uses not allowed within flood zone 3a
 - b. essential infrastructure and more vulnerable uses within flood zone 3a required to pass the exception test, and
 - c. highly vulnerable uses within flood zone 2 required to pass the exception test.
2. Development is required to provide a flood risk assessment if it meets any of the following criteria:
 - a. The development site is over 1 hectare in size within flood zone 1
 - b. The site is within flood zones 2 or 3a
 - c. The development may be subject to other sources of flooding, as defined in the Tower Hamlets Strategic Flood Risk Assessment.
3. The flood risk assessment should include:
 - a. A sequential test if the development is in flood zone 2 or 3
 - b. The risks of both on and off-site flooding to and from the development for all sources of flooding including fluvial, tidal, surface run-off, groundwater, ordinary watercourse, sewer and reservoir
 - c. An assessment of tidal risk in the event of a breach in the River Thames defences
 - d. The impact of climate change using the latest government guidance
 - e. Demonstration of safe access and egress, and
 - f. Mitigation measures, taking account of the advice and recommendations set out in the Tower Hamlets Strategic Flood Risk Assessment.
4. Site design of development which meets criteria outlined in Part 2 above is required to:
 - a. undertake a sequential approach to development layout to direct highest vulnerability uses to areas of the site with lowest flood risk, and
 - b. incorporate flood resilience and/or resistance measures.
5. Development is required to protect and where possible increase the capacity of existing water spaces and flood storage areas to retain water.
6. Development is required to enable effective flood risk management through:
 - a. requiring development along the River Thames and the River Lea and its tributaries to be set back by the following distances unless significant constraints are evidenced:
 - i. A minimum of a 16-metre buffer strip along a tidal river, and
 - ii. A minimum of a 8-metre buffer strip along a fluvial river.
 - b. optimising opportunities to realign or set back defences and improve the riverside frontage to provide amenity space and environmental enhancement.

Policy D.ES5 (Sustainable Drainage) states that:

1. Development is required to reduce the risk of surface water flooding, through demonstrating how it reduces the amount of water run-off and discharge from the site through the use of appropriate water reuse and sustainable drainage systems techniques.
2. Major development is required to submit a drainage strategy which should demonstrate that surface water will be controlled as near to its source as possible in line with the sustainable drainage systems hierarchy.
3. Development is required to achieve the following run-off rates:
 - a. New development in critical drainage areas is required to achieve a greenfield run-off rate and volume leaving the site

- b. All other development should seek to achieve greenfield runoff rate and volume leaving the site. Where this is not possible, the minimum expectation is to achieve at least 50% attenuation of the site's surface water run-off at peak times prior to redevelopment.

2.4 London Borough of Tower Hamlets Strategic Flood Risk Assessments

The LBTH Strategic Flood Risk Assessment was published in August 2017 to determine flood risk across the borough.

The Level 1 SFRA aims to collate and review all information available regarding flood risk for the borough, to enable the Sequential Test to be undertaken. In addition, it identifies areas at risk of flooding from all sources and provides information to allow the LBTH to set suitable policies to address flood risk management.

The Level 2 SFRA allows the Exception Test to be undertaken for Sites which cannot be located within a lower flood risk area. This report also provides enough information to assist each borough with strategic planning for their administrative area.

Information from both SFRA's regarding tidal, fluvial, surface water, sewer and groundwater flooding is included within Section 2 of this FRA.

2.5 London Borough of Tower Hamlets Preliminary Flood Risk Assessment

The LBTH's Preliminary Flood Risk Assessment (PFRA) was published in May 2011, to provide a high-level summary of flood risk to the borough.

The report describes the probability and subsequent consequences of past and future flooding, and considers flooding from overland surface water runoff, groundwater, sewers and ordinary watercourses. Information from the PFRA regarding flooding is included within Section 2 of this FRA.

2.6 London Borough of Tower Hamlets Local Flood Risk Management Strategy

The LBTH Local Flood Risk Management Strategy (LFRMS)^{xii} was published in June 2015, to provide guidance and information for residents, businesses and developers regarding Tower Hamlets strategy for dealing with flooding within the borough.

It was completed to fulfil LBTH's requirement and duties as Lead Local Flood Authority (LLFA) and sets out how LBTH plan to manage flood risk across the Borough. In general, the LFRMS describes LBTH's commitment to work to address local flood risk and provides a framework of how local flood risk will be managed.

3 Site Description & Context

3.1 Site Location

The Aberfeldy estate is located in Lansbury ward in the south-east of Tower Hamlets. Aberfeldy is one of the most physically and geographically segregated parts of the borough, with the A12 and A13 road networks splitting the estate from the rest of Poplar and Blackwall.

The site is located to the south of the River Lea and the Leven Yard Gasworks site. It is bounded to its west by the A12 and borders the Aberfeldy Village Development and Culloden Primary School to the south.

The site is centred on the approximate National Grid Reference TQ 38483 81132, as shown in **Figure 1**.




Figure 1 - Site Location

3.2 Existing and Proposed Development

The existing site includes:

- Existing homes on the Aberfeldy estate, including the properties and land around Balmore Close
- The Nairn Street Estate to the north and the new Poplar Works development adjacent to the A12.
- Land at Lochnagar Street to the north of Bromley Hall School
- Abbott Road and the existing green spaces or Braithwaite Park and Leven Road Open Space
- Land along Blair Street, adjacent to Braithwaite Park, which will complete the courtyard building within the built phase of Aberfeldy Village; and
- The existing vehicular underpass, Jollys Green, land parallel to the A12 and the pedestrian underpass at Dee Street.



Figure 2 - Site Aerial View

A portion of the site benefits from an extant outline planning permission (ref: PA/11/02716/PO) for the construction of 1,176 residential units, of which 901 will have been constructed following completion of phase 3.

The proposed new masterplan is a once in a generation opportunity to reshape the heart of Poplar by maximising the LLP, Poplar HARCA and Tower Hamlets' landholdings which will deliver:

- A neighbourhood that fosters growth through high quality mixed use redevelopment
- A revitalised local centre with new retail, commercial workspace, civic and faith facilities
- Considerable public realm focused on walkability, healthy streets and creating a child friendly place
- Opportunity for improved connectivity to, from and through the site
- A significant number of new high quality homes providing a significant contribution to LBTH housing targets.

The proposals comprise a hybrid planning application seeking detailed permission for Phase A and outline planning permission for future phases, comprising:

Outline planning permission (all matters reserved) for the demolition of all existing structures and redevelopment to include a number of buildings (up to 100 m AOD) and up to 141,014 m² (GEA) of floorspace comprising the following mix of uses:

- Residential (C3);
- Retail, workspace, food and drink uses (Class E);
- Car and cycle parking;
- Formation of new pedestrian route through the conversion of the existing vehicular underpass;
- Landscaping including open spaces and public realm; and

- New means of access, associated infrastructure and highways works.

In Full, for residential (Class C3), retail, food and drink uses and a temporary marketing suite (Class E and Sui Generis), together with access, car and cycle parking, associated landscaping and new public realm, and private open space.

The NPPG classifies residential uses as More vulnerable to flood risk, and retail uses as Less Vulnerable to flood risk.

Refer to **Appendix A** for the illustrative Aberfeldy New Masterplan Layout.

3.3 Waterbodies in the Vicinity of the Site

Waterbodies in the vicinity of the site are identified in **Figure 3**.

The River Lee is located a minimum of approximately 160 m east of the site and flows in a generally southerly direction to its confluence with the River Thames. The River Thames is located approximately a 550 m south of the site and flows in an easterly direction towards the Thames Estuary.

According to the main river map both the River Lee and the River Thames are classified as a 'main river'. The Environment Agency carries out maintenance, improvement and construction work on main rivers to manage flood risk.




Figure 3 – Location and Designation of Waterbodies