


CONSENTED

Project Name:	Aberfeldy Village
Project number:	15382
Release:	Rel 25-26
IR:	IR64
Source of information:	Vu.City, Levitt Bernstein Architects IR64, Morris And Co. Architects IR39
Date:	16/10/2022
Drawing no.:	10




Drawing: 10


NEIGHBOURS ADDRESSES

1	Carradale House	11	2-12 Lansbury Gardens	21	Devons Wharf
2	Balfroon Tower	12	1-7 Wooster Gardens	22	Leven Road Phase 3
3	Culloden Primary School	13	Loren Apartments (Aberfeldy Tavern)	23	Atelier Court
4	Aberfeldy Estate Phase 3 - Block J	14	Sherman House	24	Bromley Hall School
5	Aberfeldy Estate Phase 3 - Block G	15	St. Nicholas Church	25	Ailsa Wharf - Block A
6	Aberfeldy Estate Phase 2 - Block D	16	177-195 Abbott Road	26	Ailsa Wharf - Block D
7	Aberfeldy Estate Phase 1 - Block A	17	134-144 Leven Road	27	Ailsa Wharf - Blocks K-L
8	Aberfeldy Estate Phase 1 - Block C	18	128-132 Leven Road	28	1-14 & 16-46 Dewberry St
9	49-67 Abbott Road	19	199-225 Abbott Road	29	4, 6-14, 1-15, 17-33 & 35-41 Joshua St
10	9-15 Wooster Gardens	20	110-126 Leven Road	30	1-9, 2-10, 9-15, 12-20, 17-25 Mills Grove
				31	118-132, 134-146, 148-154 St Leonards Rd

Project Name:	Aberfeldy Village
Project number:	15382
Release:	Rel 25-26
IR:	IR64
Source of information:	Vu.City, Levitt Bernstein Architects IR64, Morris And Co. Architects IR39
Date:	16/10/2022
Drawing no.:	11-12



Drawing: 11



Drawing: 12

Annex 2

Updated Daylight and Sunlight Results

FLOOR	ROOM	ROOM USE	WINDOW	VERTICAL SKY COMPONENT				NO SKY LINE				ANNUAL PROBABLE SUNLIGHT HOURS						
				BASELINE	BASE SCHEME (A3 REMOVED)	LOSS	%	BASELINE	BASE SCHEME (A3 REMOVED)	LOSS	%	WINDOW BASELINE		WINDOW BASE SCHEME (A3 REMOVED)		TOTAL % LOSS	WINTER % LOSS	
												TOTAL	WINTER	TOTAL	WINTER			
ATELIER COURT																		
F00	R1	LIVING ROOM	W1	17.0	4.1	12.9	75.9	98.8	55.1	43.7	44.2		27	8	0	0	100.0	100.0
			W2	21.4	6.1	15.3	71.5							32	11	2	0	93.8
	R2	BEDROOM	W3	27.3	11.9	15.4	56.4	87.8	27.6	60.2	68.6		33	9	2	0	93.9	100.0
			W4	26.9	12.2	14.7	54.6	99.7	42.8	56.9	57.1		31	8	3	0	90.3	100.0
	R3	BEDROOM	W5	27.1	12.1	15.0	55.4						32	8	3	0	90.6	100.0
			W6	13.9	4.2	9.7	69.8	98.6	59.8	38.8	39.4		20	3	2	0	90.0	100.0
			W7	13.3	5.2	8.1	60.9						10	0	3	0	70.0	0.0
R4	BEDROOM	W8	25.6	14.3	11.3	44.1	62.5	70.0	-7.5	-12.0		29	8	7	1	75.9	87.5	
		W9	26.7	14.2	12.5	46.8						37	11	11	2	70.3	81.8	
R5	L/K/D	W10	25.2	14.3	10.9	43.3	58.0	59.5	-1.5	-2.6		29	8	7	0	75.9	100.0	
		W11	17.0	9.6	7.4	43.5	82.0	90.7	-8.7	-10.6		19	3	7	0	63.2	100.0	
F01	R1	LIVING ROOM	W1	15.1	2.3	12.8	84.8	98.8	43.0	55.8	56.5		22	7	0	0	100.0	100.0
			W2	13.1	3.0	10.1	77.1						14	3	1	0	92.9	100.0
	R2	BEDROOM	W3	32.9	13.4	19.5	59.3	98.7	32.4	66.3	67.2		39	10	2	0	94.9	100.0
			W4	32.6	13.8	18.8	57.7	99.7	47.8	51.9	52.1		38	10	3	0	92.1	100.0
	R3	BEDROOM	W5	32.7	13.6	19.1	58.4						38	10	3	0	92.1	100.0
			W6	31.9	15.2	16.7	52.4	97.4	46.6	50.8	52.2		36	10	9	2	75.0	80.0
			W7	11.3	2.0	9.3	82.3						16	4	1	0	93.8	100.0
	R4	L/K/D	W8	31.7	15.5	16.2	51.1	98.8	40.5	58.3	59.0		36	10	9	2	75.0	80.0
			W9	31.4	16.4	15.0	47.8	98.0	60.5	37.5	38.3		35	9	9	0	74.3	100.0
	R5	BEDROOM	W10	11.9	4.6	7.3	61.3	100.0	81.4	18.6	18.6		17	3	6	0	64.7	100.0
			W11	31.1	18.1	13.0	41.8	99.2	83.9	15.3	15.4		36	8	12	0	66.7	100.0
	R6	BEDROOM	W12	7.2	1.4	5.8	80.6						13	4	3	0	76.9	100.0
			W13	31.3	18.5	12.8	40.9	98.7	72.3	26.4	26.7		37	8	12	0	67.6	100.0
	R7	BEDROOM	W14	31.4	18.7	12.7	40.4	98.2	84.9	13.3	13.5		36	8	12	0	66.7	100.0
			W15	31.5	18.8	12.7	40.3	99.1	73.6	25.5	25.7		35	8	14	1	60.0	87.5
	R8	BEDROOM	W16	31.8	18.2	13.6	42.8	98.0	57.6	40.4	41.2		37	9	16	2	56.8	77.8
			W17	32.0	17.9	14.1	44.1	98.1	69.3	28.8	29.4		36	8	17	2	52.8	75.0
	R9	BEDROOM	W18	32.6	17.6	15.0	46.0	98.6	57.6	41.0	41.6		38	9	14	0	63.2	100.0
			W19	16.9	4.7	12.2	72.2	100.0	42.0	58.0	58.0		24	6	7	0	70.8	100.0
	R10	LIVING ROOM	W20	14.6	4.9	9.7	66.4	100.0	29.2	70.8	70.8		22	5	7	0	68.2	100.0
			W21	33.1	17.7	15.4	46.5	97.2	36.2	61.0	62.8		40	12	14	0	65.0	100.0
	R11	BEDROOM	W22	33.1	18.0	15.1	45.6	97.3	36.8	60.5	62.2		40	11	15	0	62.5	100.0
			W23	33.2	18.3	14.9	44.9	98.4	34.9	63.5	64.5		40	11	15	0	62.5	100.0
	R12	BEDROOM	W24	33.1	18.8	14.3	43.2	98.6	42.0	56.6	57.4		40	11	15	0	62.5	100.0
			W25	18.7	6.4	12.3	65.8	99.7	77.7	22.0	22.1		26	6	8	0	69.2	100.0
R13	LIVING ROOM	W26	18.2	7.0	11.2	61.5	100.0	66.6	33.4	33.4		26	6	8	0	69.2	100.0	
		W27	32.8	21.1	11.7	35.7	97.9	66.6	31.3	32.0		39	10	17	0	56.4	100.0	
R14	BEDROOM	W28	33.0	22.2	10.8	32.7	97.9	82.9	15.0	15.3		39	10	19	0	51.3	100.0	
		W29	16.2	16.1	0.1	0.6	97.8	97.8	0.0	0.0		N/A	N/A	N/A	N/A	N/A	N/A	
F02	R1	LIVING ROOM	W1	10.2	1.0	9.2	90.2	98.6	49.2	49.4	50.1		16	8	1	1	93.8	87.5
			W2	20.2	3.8	16.4	81.2						27	8	3	1	88.9	87.5
	R2	BEDROOM	W3	35.7	14.5	21.2	59.4	98.7	37.5	61.2	62.0		42	12	3	0	92.9	100.0
			W4	35.5	14.9	20.6	58.0	99.7	53.3	46.4	46.5		42	12	5	0	88.1	100.0
	R3	BEDROOM	W5	35.6	14.8	20.8	58.4						42	12	4	0	90.5	100.0
			W6	35.0	16.4	18.6	53.1	97.4	67.2	30.2	31.0		42	12	10	2	76.2	83.3
			W7	12.3	3.5	8.8	71.5						14	2	2	0	85.7	100.0
	R4	L/K/D	W8	34.8	16.8	18.0	51.7	98.8	42.3	56.5	57.2		42	12	10	2	76.2	83.3
			W9	34.6	17.6	17.0	49.1	98.0	63.4	34.6	35.3		41	11	10	0	75.6	100.0
	R5	BEDROOM	W10	11.1	2.5	8.6	77.5	100.0	93.9	6.1	6.1		14	5	2	0	85.7	100.0
			W11	34.6	19.3	15.3	44.2	99.2	82.2	17.0	17.1		40	10	13	0	67.5	100.0
	R6	BEDROOM	W12	14.0	5.5	8.5	60.7						21	5	7	0	66.7	100.0
			W13	34.8	19.6	15.2	43.7	98.7	72.6	26.1	26.4		40	10	13	0	67.5	100.0
	R7	BEDROOM	W14	35.0	19.8	15.2	43.4	99.1	86.4	12.7	12.8		40	10	13	0	67.5	100.0
			W15	35.3	20.0	15.3	43.3	99.1	74.8	24.3	24.5		40	10	16	1	60.0	90.0
	R8	BEDROOM	W16	35.4	19.6	15.8	44.6	98.0	60.2	37.8	38.6		41	11	18	2	56.1	81.8
			W17	35.3	19.3	16.0	45.3	98.1	73.2	24.9	25.4		41	11	18	2	56.1	81.8
	R9	BEDROOM	W18	35.5	19.0	16.5	46.5	98.6	63.3	35.3	35.8		41	11	15	0	63.4	100.0
			W19	14.1	3.8	10.3	73.0	100.0	44.3	55.7	55.7		13	4	0	0	100.0	100.0
	R10	LIVING ROOM	W20	18.8	6.5	12.3	65.4	100.0	28.7	71.3	71.3		20	2	6	0	70.0	100.0
			W21	35.4	19.2	16.2	45.8	97.2	39.4	57.8	59.5		42	12	18	1	57.1	91.7
	R11	BEDROOM	W22	35.4	19.5	15.9	44.9	97.3	37.9	59.4	61.0		41	11	18	1	56.1	90.9
			W23	35.5	19.7	15.8	44.5	98.4	41.3	57.1	58.0		41	11	18	1	56.1	90.9
	R12	BEDROOM	W24	35.4	20.3	15.1	42.7	98.6	46.7	51.9	52.6		41	11	18	1	56.1	90.9
			W25	14.6	7.0	7.6	52.1	99.7	85.0	14.7	14.7		13	4	2	0	84.6	100.0
R13	LIVING ROOM	W26	13.2	6.8	6.4	48.5	100.0	83.6	16.4	16.4		14	5	2	0	85.7	100.0	
		W27	34.8	22.4	12.4	35.6	97.9	67.2	30.7	31.4		40	11	18	0	55.0	100.0	
R14	KITCHEN	W28	34.9	23.4	11.5	33.0	97.9	83.6	14.3	14.6		41	12	19	0	53.7	100.0	

FLOOR	ROOM	ROOM USE	WINDOW	VERTICAL SKY COMPONENT				NO SKY LINE				ANNUAL PROBABLE SUNLIGHT HOURS					
				BASELINE	BASE SCHEME (A3 REMOVED)	LOSS	%	BASELINE	BASE SCHEME (A3 REMOVED)	LOSS	%	WINDOW BASELINE		WINDOW BASE SCHEME (A3 REMOVED)		TOTAL % LOSS	WINTER % LOSS
												TOTAL	WINTER	TOTAL	WINTER		
	R25	LIVING ROOM	W29	16.7	16.6	0.1	0.6	98.4	98.4	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
F03	R1	LIVING ROOM	W1	13.0	15	11.5	88.5	98.8	47.7	51.1	51.7	20	8	3	1	85.0	87.5
			W2	10.4	11	9.3	89.4					17	14	1	1	94.1	92.9
	R2	BEDROOM	W3	30.7	10.4	20.3	66.1	98.7	42.9	55.8	56.5	36	12	2	0	94.4	100.0
	R3	BEDROOM	W4	30.7	10.8	19.9	64.8	99.7	60.6	39.1	39.2	36	12	2	0	94.4	100.0
			W5	30.7	10.6	20.1	65.5					36	12	2	0	94.4	100.0
	R4	L/K/D	W6	31.5	12.7	18.8	59.7	97.4	49.9	47.5	48.8	39	12	8	2	79.5	83.3
			W7	10.7	1.3	9.4	87.9					17	6	2	0	88.2	100.0
	R5	BEDROOM	W8	31.5	13.0	18.5	58.7	98.8	45.9	52.9	53.5	39	12	8	2	79.5	83.3
	R6	BEDROOM	W9	31.5	13.8	17.7	56.2	98.0	66.6	31.4	32.0	39	12	8	0	79.5	100.0
	R7	LIVING ROOM	W10	12.2	3.3	8.9	73.0	100.0	94.1	5.9	5.9	14	2	5	0	64.3	100.0
	R8	LIVING ROOM	W11	30.6	14.8	15.8	51.6	99.2	86.2	13.0	13.1	36	12	10	0	72.2	100.0
			W12	8.0	2.5	5.5	68.8					13	4	4	0	69.2	100.0
	R9	BEDROOM	W13	30.6	15.1	15.5	50.7	98.7	73.3	25.4	25.7	36	12	9	0	75.0	100.0
	R10	BEDROOM	W14	30.6	15.3	15.3	50.0	99.1	88.0	11.1	11.2	36	12	9	0	75.0	100.0
	R11	BEDROOM	W15	30.7	15.3	15.4	50.2	99.1	73.9	25.2	25.4	36	12	15	2	58.3	83.3
	R12	BEDROOM	W16	30.7	15.0	15.7	51.1	98.0	62.2	35.8	36.5	36	12	15	3	58.3	75.0
	R13	BEDROOM	W17	30.6	14.8	15.8	51.6	98.1	76.2	21.9	22.3	36	12	15	3	58.3	75.0
	R14	BEDROOM	W18	30.7	14.5	16.2	52.8	98.6	67.1	31.5	31.9	36	12	12	1	66.7	91.7
	R15	LIVING ROOM	W19	11.7	3.7	8.0	68.4	100.0	48.3	51.7	51.7	16	8	6	1	62.5	87.5
	R16	LIVING ROOM	W20	19.0	5.1	13.9	73.2	100.0	35.1	64.9	64.9	23	7	5	1	78.3	85.7
	R17	BEDROOM	W21	31.5	15.4	16.1	51.1	97.2	44.3	52.9	54.4	39	12	16	2	59.0	83.3
	R18	BEDROOM	W22	31.4	15.7	15.7	50.0	97.3	40.2	57.1	58.7	39	12	16	2	59.0	83.3
	R19	BEDROOM	W23	31.5	15.9	15.6	49.5	98.4	45.8	52.6	53.5	39	12	16	2	59.0	83.3
	R20	BEDROOM	W24	31.4	16.4	15.0	47.8	98.6	48.9	49.7	50.4	39	12	17	2	56.4	83.3
	R21	LIVING ROOM	W25	18.6	7.0	11.6	62.4	99.7	87.2	12.5	12.5	20	4	5	1	75.0	75.0
	R22	LIVING ROOM	W26	20.0	9.3	10.7	53.5	100.0	95.0	5.0	5.0	24	5	8	1	66.7	80.0
	R23	BEDROOM	W27	35.8	23.7	12.1	33.8	97.9	68.7	29.2	29.8	41	12	18	0	56.1	100.0
	R24	KITCHEN	W28	35.8	24.7	11.1	31.0	97.9	87.0	10.9	11.1	41	12	20	0	51.2	100.0
	R25	LIVING ROOM	W29	12.8	12.8	0.0	0.0	98.6	98.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
F04	R1	KITCHEN	W1	36.1	23.7	12.4	34.3	94.9	93.1	1.8	1.9	42	12	21	3	50.0	75.0
	R2	KITCHEN	W2	31.0	23.8	7.2	23.2	97.4	90.2	7.2	7.4	67	24	54	13	19.4	45.8
	R3	LIVING ROOM	W3	21.3	9.3	12.0	56.3	100.0	98.1	1.9	1.9	32	13	12	3	62.5	76.9
			W4	34.6	27.0	7.6	22.0					73	27	60	16	17.8	40.7
	R4	BEDROOM	W5	36.1	25.0	11.1	30.7	97.9	70.2	27.7	28.3	41	12	21	1	48.8	91.7
	R5	KITCHEN	W6	36.1	26.0	10.1	28.0	97.9	91.1	6.8	6.9	41	12	23	1	43.9	91.7
	R6	LIVING ROOM	W7	17.7	17.7	0.0	0.0	98.6	98.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
F05	R1	KITCHEN	W1	35.6	28.8	6.8	19.1	97.4	89.6	7.8	8.0	76	29	65	19	14.5	34.5
	R2	LIVING ROOM	W2	13.1	3.0	10.1	77.1	100.0	99.1	0.9	0.9	19	9	3	2	84.2	77.8
			W3	35.7	28.6	7.1	19.9					76	29	64	19	15.8	34.5
	R3	BEDROOM	W4	28.9	19.0	9.9	34.3	97.9	72.7	25.2	25.7	35	12	18	3	48.6	75.0
	R4	KITCHEN	W5	36.2	27.1	9.1	25.1	97.9	94.5	3.4	3.5	41	12	27	3	34.1	75.0
	R5	LIVING ROOM	W6	18.3	18.3	0.0	0.0	98.6	98.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
F06	R1	KITCHEN	W1	36.5	28.3	8.2	22.5	97.9	97.9	0.0	0.0	41	12	29	4	29.3	66.7
	R2	LIVING ROOM	W2	31.1	24.8	6.3	20.3	100.0	98.8	1.2	1.2	62	24	53	16	14.5	33.3
			W3	14.5	14.5	0.0	0.0					8	0	8	0	0.0	0.0
F07	R1	KITCHEN	W1	36.6	29.4	7.2	19.7	97.9	97.9	0.0	0.0	41	12	31	5	24.4	58.3
	R2	LIVING ROOM	W2	34.6	28.8	5.8	16.8	100.0	98.8	1.2	1.2	73	27	64	19	12.3	29.6
			W3	25.8	25.8	0.0	0.0					8	0	8	0	0.0	0.0
LEVEN ROAD PHASE THREE																	
F00	R1	KITCHEN	W1	15.6	11.8	3.8	24.4	66.7	66.7	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R2	LIVING ROOM	W2	20.4	10.4	10.0	49.0	77.3	48.4	28.9	37.4	39	16	24	4	38.5	75.0
	R3	LIVING ROOM	W3	9.0	1.7	7.3	81.1	87.6	44.0	43.6	49.8	16	13	4	4	75.0	69.2
	R4	KITCHEN	W4	9.6	9.6	0.0	0.0	90.0	90.0	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R5	KITCHEN	W5	16.4	16.4	0.0	0.0	96.6	96.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R6	LIVING ROOM	W6	11.6	0.8	10.8	93.1	99.2	29.1	70.1	70.7	13	2	0	0	100.0	100.0
			W7	1.6	1.2	0.4	25.0					7	3	4	2	42.9	33.3
	R7	LIVING ROOM	W8	11.9	0.8	11.1	93.3	94.4	11.6	82.8	87.7	13	3	0	0	100.0	100.0
	R8	LIVING ROOM	W9	11.6	0.7	10.9	94.0	89.9	12.4	77.5	86.2	15	4	0	0	100.0	100.0
	R9	KITCHEN	W10	12.4	12.3	0.1	0.8	90.3	90.3	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R10	KITCHEN	W11	15.0	14.9	0.1	0.7	92.6	92.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
F01	R1	BEDROOM	W1	21.6	11.6	10.0	46.3	96.2	75.0	21.2	22.0	42	17	26	8	38.1	52.9
	R2	BEDROOM	W2	13.7	5.0	8.7	63.5	86.5	38.5	48.0	55.5	23	18	11	7	52.2	61.1
	R3	BEDROOM	W3	13.7	4.2	9.5	69.3	98.8	33.7	65.1	65.9	25	20	8	7	68.0	65.0


FLOOR	ROOM	ROOM USE	WINDOW	VERTICAL SKY COMPONENT				NO SKY LINE				ANNUAL PROBABLE SUNLIGHT HOURS					
				BASELINE	BASE SCHEME (A3 REMOVED)	LOSS	%	BASELINE	BASE SCHEME (A3 REMOVED)	LOSS	%	WINDOW BASELINE		WINDOW BASE SCHEME (A3 REMOVED)		TOTAL % LOSS	WINTER % LOSS
												TOTAL	WINTER	TOTAL	WINTER		
	R4	BEDROOM	W4	22.5	22.5	0.0	0.0	100.0	100.0	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R5	BEDROOM	W5	25.0	25.0	0.0	0.0	97.5	97.5	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R6	BEDROOM	W6	18.2	8.3	9.9	54.4	98.3	42.1	56.2	57.2	39	21	23	9	41.0	57.1
	R7	L/K/D	W7	13.8	4.5	9.3	67.4	72.3	30.9	41.4	57.3	27	19	11	6	59.3	68.4
	R8	BEDROOM	W8	0.8	0.0	0.8	100.0	52.4	0.3	52.1	99.4	N/A	N/A	N/A	N/A	N/A	N/A
	R9	BEDROOM	W9	18.2	13.4	4.8	26.4	81.5	69.7	11.8	14.5	N/A	N/A	N/A	N/A	N/A	N/A
	R10	BEDROOM	W10	17.3	2.4	14.9	86.1	97.5	45.3	52.2	53.5	20	5	3	2	85.0	60.0
			W11	0.1	0.1	0.0	0.0					0	0	0	0	0.0	0.0
	R11	BEDROOM	W12	17.6	2.5	15.1	85.8	98.9	27.6	71.3	72.1	20	5	3	2	85.0	60.0
	R12	BEDROOM	W13	17.7	2.4	15.3	86.4	98.2	23.4	74.8	76.2	22	7	2	2	90.9	71.4
	R13	BEDROOM	W14	17.4	2.2	15.2	87.4	97.5	19.8	77.7	79.7	22	7	1	1	95.5	85.7
	R14	BEDROOM	W15	15.8	1.7	14.1	89.2	98.2	20.4	77.8	79.2	21	7	1	0	95.2	100.0
	R15	BEDROOM	W16	15.2	1.7	13.5	88.8	97.5	18.3	79.2	81.2	20	7	1	1	95.0	85.7
	R16	BEDROOM	W17	29.8	29.6	0.2	0.7	98.7	98.7	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
			W18	29.7	29.5	0.2	0.7					N/A	N/A	N/A	N/A	N/A	N/A
	R17	BEDROOM	W19	24.0	23.7	0.3	1.3	98.7	98.7	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
			W20	24.5	24.2	0.3	1.2					N/A	N/A	N/A	N/A	N/A	N/A
	R18	BEDROOM	W21	24.5	24.2	0.3	1.2	98.4	98.4	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
			W22	24.1	23.9	0.2	0.8					N/A	N/A	N/A	N/A	N/A	N/A
F02	R1	LIVING ROOM	W1	27.8	27.8	0.0	0.0	99.6	99.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
			W2	24.9	24.9	0.0	0.0					N/A	N/A	N/A	N/A	N/A	N/A
	R2	BEDROOM	W3	20.7	9.4	11.3	54.6	99.5	61.5	38.0	38.2	44	26	27	14	38.6	46.2
	R3	BEDROOM	W4	14.3	4.5	9.8	68.5	99.4	35.4	64.0	64.4	24	20	10	8	58.3	60.0
	R4	LIVING ROOM	W5	15.1	6.0	9.1	60.3	99.5	91.0	8.5	8.5	27	21	13	10	51.9	52.4
			W6	16.7	6.1	10.6	63.5					27	21	13	10	51.9	52.4
	R5	BEDROOM	W7	24.1	12.6	11.5	47.7	96.2	91.4	4.8	5.0	50	22	27	13	46.0	40.9
	R6	BEDROOM	W8	20.8	15.7	5.1	24.5	82.5	80.3	2.2	2.7	N/A	N/A	N/A	N/A	N/A	N/A
	R7	BEDROOM	W9	23.0	6.5	16.5	71.7	94.0	34.8	59.2	63.0	15	2	0	0	100.0	100.0
	R8	LIVING ROOM	W10	20.3	4.0	16.3	80.3	97.6	69.9	27.7	28.4	25	7	4	2	84.0	71.4
	R9	BEDROOM	W11	35.7	12.5	23.2	65.0	98.1	36.2	61.9	63.1	42	12	9	3	78.6	75.0
	R10	BEDROOM	W12	35.9	12.8	23.1	64.3	97.7	37.3	60.4	61.8	42	12	9	3	78.6	75.0
	R11	BEDROOM	W13	35.7	13.0	22.7	63.6	98.7	36.0	62.7	63.5	42	12	8	2	81.0	83.3
	R12	LIVING ROOM	W14	20.7	4.3	16.4	79.2	98.2	37.5	60.7	61.8	26	9	3	2	88.5	77.8
F03	R1	LIVING ROOM	W1	31.2	31.2	0.0	0.0	99.6	99.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
			W2	28.4	28.4	0.0	0.0					N/A	N/A	N/A	N/A	N/A	N/A
	R2	BEDROOM	W3	36.7	19.8	16.9	46.0	99.5	65.1	34.4	34.6	78	28	47	16	39.7	42.9
	R3	BEDROOM	W4	35.8	18.9	16.9	47.2	99.4	38.4	61.0	61.4	74	27	42	14	43.2	48.1
	R4	LIVING ROOM	W5	34.8	21.5	13.3	38.2	99.5	94.1	5.4	5.4	75	30	50	16	33.3	46.7
			W6	36.1	19.2	16.9	46.8					74	28	45	14	39.2	50.0
	R5	BEDROOM	W7	35.6	22.1	13.5	37.9	98.1	96.5	1.6	1.6	77	30	50	16	35.1	46.7
	R6	BEDROOM	W8	25.7	20.8	4.9	19.1	88.5	86.3	2.2	2.5	N/A	N/A	N/A	N/A	N/A	N/A
	R7	BEDROOM	W9	26.1	9.0	17.1	65.5	95.0	45.7	49.3	51.9	15	2	0	0	100.0	100.0
	R8	LIVING ROOM	W10	34.9	12.6	22.3	63.9	98.8	82.4	16.4	16.6	44	11	12	3	72.7	72.7
	R9	BEDROOM	W11	37.0	13.6	23.4	63.2	98.1	41.1	57.0	58.1	42	12	10	4	76.2	66.7
	R10	BEDROOM	W12	37.0	13.9	23.1	62.4	97.7	43.8	53.9	55.2	42	12	9	3	78.6	75.0
	R11	BEDROOM	W13	37.0	14.1	22.9	61.9	98.7	39.7	59.0	59.8	42	12	8	2	81.0	83.3
	R12	LIVING ROOM	W14	34.3	13.9	20.4	59.5	98.4	47.6	50.8	51.6	36	9	6	2	83.3	77.8
F04	R1	BEDROOM	W1	33.1	32.9	0.2	0.6	98.7	98.7	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R2	BEDROOM	W2	35.8	35.6	0.2	0.6	98.7	98.7	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R3	BEDROOM	W3	35.8	35.6	0.2	0.6	97.3	97.3	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R4	LIVING ROOM	W4	35.8	35.6	0.2	0.6	99.7	99.7	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
			W5	37.1	34.4	2.7	7.3					N/A	N/A	N/A	N/A	N/A	N/A
	R5	KITCHEN	W6	36.3	33.6	2.7	7.4	98.6	98.6	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R6	KITCHEN	W7	36.3	33.3	3.0	8.3	98.9	98.9	0.0	0.0	N/A	N/A	N/A	N/A	N/A	N/A
	R7	LIVING ROOM	W8	37.2	33.8	3.4	9.1	100.0	100.0	0.0	0.0	9	0	3	0	66.7	0.0
			W9	37.4	15.1	22.3	59.6					42	12	8	2	81.0	83.3
	R8	BEDROOM	W10	37.4	14.8	22.6	60.4	96.9	51.7	45.2	46.6	42	12	9	3	78.6	75.0
	R9	BEDROOM	W11	37.4	14.4	23.0	61.5	99.0	46.1	52.9	53.4	42	12	10	4	76.2	66.7
	R10	BEDROOM	W12	34.7	13.5	21.2	61.1	99.0	93.5	5.5	5.6	48	15	13	3	72.9	80.0

Annex 3


Updated Overshadowing Results

TRANSIENT OVERSHADOWING ASSESSMENT
21ST MARCH (08:00 - 11:00 GMT)



BASELINE




MAX PARAMETER




CUMULATIVE




BASELINE



MAX PARAMETER



CUMULATIVE




TRANSIENT OVERSHADOWING ASSESSMENT
21ST MARCH (12:00 - 15:00 GMT)

BASELINE



12:00 GMT



13:00 GMT

MAX PARAMETER



12:00 GMT



13:00 GMT

CUMULATIVE



12:00 GMT



13:00 GMT