


LONDON ATMOSPHERIC EMISSIONS INVENTORY (LAEI)

NOx Emissions by Source Type - Hillingdon




The bar chart represents emissions from each air pollution source stacked on top of one another, with the total stack height equalling total emissions from all sources across the Borough. The numbers in the table are those used to plot the graph and represent, for each year, the amount of pollutant emitted into the atmosphere (in tonnes/year).

- Industrial Processes: includes emissions from Part A1, A2/B processes, and from Non-Road Mobile Machinery (NRMM) exhaust on industrial sites.
- Heat/Power generation: includes emissions from the combustion of gas, oil or coal in the Industrial/Commercial and Domestic sectors respectively.
- Construction: includes construction dust (PM) and NRMM exhaust on construction sites.

LONDON ATMOSPHERIC EMISSIONS INVENTORY (LAEI)

PM10 Emissions by Source Type - Hillingdon




The bar chart represents emissions from each air pollution source stacked on top of one another, with the total stack height equalling total emissions from all sources across the Borough. The numbers in the table are those used to plot the graph and represent, for each year, the amount of pollutant emitted into the atmosphere (in tonnes/year).

- Industrial Processes: includes emissions from Part A1, A2/B processes, and from Non-Road Mobile Machinery (NRMM) exhaust on industrial sites.
- Heat/Power generation: includes emissions from the combustion of gas, oil or coal in the Industrial/Commercial and Domestic sectors respectively.
- Construction: includes construction dust (PM) and NRMM exhaust on construction sites.

LONDON ATMOSPHERIC EMISSIONS INVENTORY (LAEI)

PM2.5 Emissions by Source Type - Hillingdon




The bar chart represents emissions from each air pollution source stacked on top of one another, with the total stack height equalling total emissions from all sources across the Borough. The numbers in the table are those used to plot the graph and represent, for each year, the amount of pollutant emitted into the atmosphere (in tonnes/year).

- Industrial Processes: includes emissions from Part A1, A2/B processes, and from Non-Road Mobile Machinery (NRMM) exhaust on industrial sites.
- Heat/Power generation: includes emissions from the combustion of gas, oil or coal in the Industrial/Commercial and Domestic sectors respectively.
- Construction: includes construction dust (PM) and NRMM exhaust on construction sites.

LONDON ATMOSPHERIC EMISSIONS INVENTORY (LAEI)

CO2 Emissions by Source Type - Hillingdon



The bar chart represents emissions from each air pollution source stacked on top of one another, with the total stack height equalling total emissions from all sources across the Borough. The numbers in the table are those used to plot the graph and represent, for each year, the amount of pollutant emitted into the atmosphere (in tonnes/year).

- Industrial Processes: includes emissions from Part A1, A2/B processes, and from Non-Road Mobile Machinery (NRMM) exhaust on industrial sites.
- Heat/Power generation: includes emissions from the combustion of gas, oil or coal in the Industrial/Commercial and Domestic sectors respectively.
- Construction: includes construction dust (PM) and NRMM exhaust on construction sites.